

# *diamond* **safety**

SUMMER/FALL 2015

## Inside



Apparel from Kimberly-Clark Professional\*  
page 5

VWR® Ergonomic Mats  
page 14



Uvex™ Eye Protection  
page 22



**Special Offer:** FREE XCEED®  
Sample Pack When You Buy  
Any Microflex® Gloves  
page 31



## Essential Supplies for Laboratory Safety



## Contents

### Safety Supplies

Apparel	3-6
Chemical Handling & Storage	7-13
Ergonomics	14-17
Eye & Face Protection	18-23
Fall Protection	24
Fire Protection	25
First Aid	25-27
Handcare	28-29
Hand Protection	29-47
Head Protection	48
Hearing Protection	48-49
Radiation Protection	50
Respiratory Protection	51-55
Safety Signs, Printers & Labels	56-59
Spill Control	60-68
Traffic Safety	68-69
Waste Disposal	70-71

### Industrial Supplies

Adhesives & Tapes	72
Bags	73
Batteries	74
Cable Ties	74
Flashlights	75
Janitorial Supplies	76-87
Lubricants	88
Material Handling & Storage	88-89
Regulators (Gas)	90
Tools	91

## VWR Offers Essential Supplies for Laboratory Safety

In this catalog, find brands and product recommendations to develop and encourage safe habits throughout your lab.

VWR offers comprehensive Personal Protective Equipment (PPE) to help you reduce exposure to chemical, biological, and other potential hazards. You'll also find Industrial Supplies for maintenance and repair needs.

## Ordering Products is Easy Through [vwr.com](http://vwr.com)

Our website gives you maximum control over the ordering process. With customizable options, you can simplify procurement by matching the process to your own business practices. To learn more, visit [vwr.com](http://vwr.com).



## All You Need: Solutions for Applications in the Lab

VWR's All You Need programs provide helpful reference tools for your specific laboratory applications. At [vwr.com/allyouneed](http://vwr.com/allyouneed), find carefully selected products and service solutions.

- All You Need for Cell Culture
- All You Need for Chemical Analysis
- All You Need for Food Analysis
- All You Need for Proteomics
- All You Need for Essential Industrial Supplies





## KLENGUARD® A30 Breathable Splash and Particle Protection Coveralls, KIMBERLY-CLARK PROFESSIONAL®

- Provide durable chemical splash and fine particle protection
- 25 times more breathable than Tyvek®, yet maintain comparable particle holdout
- Outer layer is cloth-like and abrasion-resistant
- Microfiber middle layer filters out many water-based liquids and dry particulates
- Feature zipper front with flap and elastic back
- Color: white



Size	Cat. No.	Price
<b>Elastic Back, Open Wrists and Ankles</b>		
Medium	82003-864	Cs. 25/ 201.08
Large	82003-866	Cs. 25/ 206.87
<b>Elastic Back, Wrists, and Ankles</b>		
X-Large	82003-880	Cs. 25/ 220.79
XX-Large	82003-882	Cs. 25/ 242.88
<b>Elastic Back, Wrists, Ankles, and Hood</b>		
Medium	82003-888	Cs. 25/ 224.63
Large	82003-890	Cs. 25/ 224.63
X-Large	82003-892	Cs. 25/ 224.63
<b>Elastic Back, Wrists, Ankles, Hood, and Boots</b>		
Medium	82003-900	Cs. 25/ 245.37
Large	82003-902	Cs. 25/ 245.37
X-Large	82003-904	Cs. 25/ 253.08

## KLENGUARD® A65 Flame Resistant Lab Coat, KIMBERLY-CLARK PROFESSIONAL®

- Can be used to protect primary fire protection clothing
- Ideally suited for laboratory
- Comfortable, breathable, and durable fabric resists tearing
- Coats are flame resistant compliant per NFPA 701 FLAME PROPAGATION TEST (1989 Edition)
- In compliance with the flame resistance requirements cited by paragraph 6.1 of CAN/CGSB-155.20-2000
- Color: blue



Size	Cat. No.	Price
Medium	89135-386	Cs. 25/ 206.46
Large	89135-388	Cs. 25/ 206.46
X-Large	89135-390	Cs. 25/ 206.46
XX-Large	89135-392	Cs. 25/ 228.15
3X-Large	89135-394	Cs. 25/ 239.23
4X-Large	89135-396	Cs. 25/ 251.33
5X-Large	89135-398	Cs. 25/ 226.53
6X-Large	89135-400	Cs. 25/ 249.09

## KLENGUARD® A70 Chemical Spray Protection Smocks, KIMBERLY-CLARK PROFESSIONAL®

- Chemical spray protection smocks are constructed of a 1.5mil polyethylene film-coated, spunbond polypropylene fabric
- Seamless design, soft and durable fabric, and a wick-away lining for increased comfort
- NFPA 99 compliant for antistatic material
- Color: yellow



Size	Cat. No.	Price
111.8 cm (44")	89065-962	Cs. 25/ 226.19
132 cm (52")	89065-964	Cs. 25/ 264.80

## KLENGUARD® A70 Chemical Spray Protection Coveralls, KIMBERLY-CLARK PROFESSIONAL®

- For use in hazardous waste remediation, environmental cleanup, petrochemical/oil refining, acid/caustic handling, biohazard cleanup, and pharmaceutical manufacturing applications
- Features bound seams for increased protection
- Durable, breathable, and comfortable
- Manufactured from NFPA 99 compliant antistatic material
- Wick-away lining provides enhanced comfort during extended use
- Color: yellow



Description	Size	Cat. No.	Price
Elastic Wrists, Ankles, and Hood	Medium	89030-822	Cs. 12/ 236.67
Elastic Wrists, Ankles, and Hood	Large	89030-824	Cs. 12/ 237.43
Elastic Wrists, Ankles, and Hood	X-Large	89030-826	Cs. 12/ 236.67
Elastic Wrists, Ankles, and Hood	XX-Large	89030-828	Cs. 12/ 248.08
Elastic Wrists, Ankles, and Hood	3X-Large	89030-830	Cs. 12/ 260.43
Elastic Wrists, Ankles, and Hood	5X-Large	300073-936	Cs. 12/ 145.23
Elastic Wrists, Hood, and Boots	Medium	89030-834	Cs. 12/ 242.82
Elastic Wrists, Hood, and Boots	Large	89030-836	Cs. 12/ 242.82
Elastic Wrists, Hood, and Boots	X-Large	89030-838	Cs. 12/ 242.82
Elastic Wrists, Hood, and Boots	XX-Large	89030-840	Cs. 12/ 271.79
Elastic Wrists, Hood, and Boots	3X-Large	89030-842	Cs. 12/ 287.44
Elastic Wrists, Hood, and Boots	4X-Large	89030-844	Cs. 12/ 303.37
Elastic Wrists, Hood, and Boots	5X-Large	300073-924	Cs. 12/ 166.91

## DuPont™ Tychem® QC Coveralls with Standard Fit Hood and Elastic Wrists & Ankles

- Comfortable, lightweight, durable fabric is designed for light splash protection
- Economical enough for easy disposability
- Equipped with standard fit hood with elastic around face, elastic wrists and ankles
- Color: yellow



Size	Cat. No.	Price
<b>Tychem® QC Coveralls with Bound Seams</b>		
Medium	10010-252	Cs. 12/ 209.46
Large	10010-254	Cs. 12/ 209.46
X-Large	10010-256	Cs. 12/ 209.46
XX-Large	10010-258	Cs. 12/ 222.02
3X-Large	10010-260	Cs. 12/ 235.30
4X-Large	10010-262	Cs. 12/ 254.14



## DuPont™ Tychem® SL Coveralls with Standard Fit Hood, Elastic Wrists, & Attached Socks



- Lightweight Tyvek® material is coated with chemical-resistant SARANEX® 23-P film
- Provide at least 30 minutes of protection against 160 chemical challenges
- Rugged, durable, and abrasion-resistant
- Feature taped seams, zipper front, storm flap with closure, and elastic hood, wrists, and ankles
- Color: white

Size	Cat. No.	Price
<b>Tychem® SL Coveralls with Bound Seams</b>		
Medium	10010-154	Cs. 12/ 343.17
Large	10010-156	Cs. 12/ 343.17
X-Large	10010-158	Cs. 12/ 377.49
<b>Tychem® SL Coveralls with Taped Seams</b>		
Medium	13451-034	Cs. 6/ 362.33
Large	13451-036	Cs. 6/ 362.33
X-Large	13451-038	Cs. 6/ 398.57
XX-Large	13451-040	Cs. 6/ 422.51
3X-Large	13451-042	Cs. 6/ 447.82
4X-Large	13451-044	Cs. 6/ 483.70

## DuPont™ Tychem® SL Coveralls with Standard Fit Hood and Elastic Wrists & Ankles



- Lightweight Tyvek® material is coated with chemical-resistant SARANEX® 23-P film
- Provide at least 30 minutes of protection against 160 chemical challenges
- Rugged, durable, and abrasion-resistant
- Feature taped seams, zipper front, storm flap with closure, and elastic hood, wrists, and ankles
- Color: white



Size	Cat. No.	Price
<b>Tychem® SL Coveralls with Taped Seams</b>		
Medium	13451-622	Cs. 6/ 295.62
X-Large	13451-626	Cs. 6/ 295.62

## DuPont™ Tychem® Responder® CSM Encapsulated Suit, Level A



- High level protection against toxic and corrosive chemicals
- Effective for handling chemical agents as well as military site cleanup and HazMat first response.  
Tychem® Responder® CSM suits provide a minimum of 30 minutes of protection against 320 chemical challenges
- These low visibility, tan garments are manufactured to military quality control specifications.
- Color: Tan

Size	Cat. No.	Price
Small	13452-708	Cs. 1/ 3006.90
Medium	13452-710	Cs. 1/ 3006.90
Large	13452-712	Cs. 1/ 3006.90
X-Large	13452-714	Cs. 1/ 3006.90
XX-Large	13452-716	Cs. 1/ 3187.30
3X-Large	13452-718	Cs. 1/ 3378.56

## Silver Shield® /4H® Coat Aprons, Honeywell Safety



- Compacted five-layer fabric is 2.7 mil thick
- Each layer acts as a barrier against various epoxies and industrial chemicals
- Impervious to at least 90% of all organic chemicals for four hours at 35°C (95°F)
- Cut from a single piece of film to prevent penetration of liquid chemicals
- Sleeves with flexible wrist openings, buckle closure attached to neckband, and two waistbands that tie in the back
- Weight: <198g (7oz.)



Size	W x L	Cat. No.	Price
X-Large	147W x 158L cm (58 x 62")	11000-632	Ea./ 84.26 Cs. 10/ 613.87
Large	137W x 142L cm (54 x 56")	11000-634	Ea./ 101.96 Cs. 10/ 742.79
Medium	126W x 126L cm (50 x 50")	11000-636	Ea./ 84.26 Cs. 10/ 613.87
Small	116W x 110L cm (46 x 43")	11000-638	Ea./ 84.26 Cs. 10/ 613.87

## DuPont™ Tychem® CPF 3 Encapsulated Suit, Level B



- Multi-layer film barrier laminated to a durable polypropylene substrate
- Suited for rigorous activities and rugged situations involving liquid splash or chemical handling

Size	Cat. No.	Price
Medium	89207-842	Cs. 6/ 1111.10
Large	89207-840	Cs. 6/ 1111.10
X-Large	89207-846	Cs. 6/ 1111.10
XX-Large	89207-834	Cs. 6/ 1177.72
3X-Large	89207-836	Cs. 6/ 1213.04
4X-Large	89207-838	Cs. 6/ 1310.08

## Vinyl Coat Aprons, Ansell



- Excellent protection when handling acids and caustic solutions
- Made of virgin vinyl
- Heat-sealed binding at neck
- Back closure
- No metal parts
- Full-length sleeves
- Thickness: 8 mil
- Color: blue



Size	Length	Cat. No.	Price
Small	114 cm (45")	32890-882	Ea./ 28.53 Cs. 12/ 315.08
Medium	127 cm (50")	32890-884	Ea./ 33.27 Cs. 12/ 357.30
X-Large	137 cm (54")	32890-888	Ea./ 33.27 Cs. 12/ 353.90
XX-Large	137 cm (54")	32890-889	Ea./ 33.33 Cs. 12/ 368.91
Large	129.5 cm (51")	32891-286	Ea./ 33.27 Cs. 12/ 353.90





# APPAREL

from Kimberly-Clark  
Professional\*

## Comfortable, Breathable Particle Protection

Protect your people and your process with comfortable KleenGuard\* A20 Breathable Particle Protection Coveralls. Designed to move with the wearer, while protecting against dry particulates, these lightweight coveralls:

- Feature a Patented Reflex\* design – for excellent fit and freedom of movement
- Offer seamless fronts – to provide more protection in key exposure areas
- Are recyclable through RightCycle\* by Kimberly-Clark Professional\*

**It All Adds Up** to a greener, safer, more productive workplace.



Exceptional  
Workplaces\*



Available in White and Blue Denim

### KleenGuard\* A20 Coveralls

VWR Cat No.	Color	Size	Case Count	Price
10837-320	White	M	24	210.34
10837-322	White	L	24	225.05
10837-324	White	XL	24	225.91
10837-326	White	2XL	24	225.91
10815-706	White	3XL	20	222.39
83007-002	White	4XL	20	159.21
82004-872	Blue Denim	M	24	199.77
82004-874	Blue Denim	L	24	199.77
82004-876	Blue Denim	XL	24	207.93
82004-878	Blue Denim	2XL	24	199.77
82004-880	Blue Denim	3XL	20	199.51
82004-882	Blue Denim	4XL	20	207.65

®/™Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques déposées de Kimberly-Clark Worldwide, Inc. ou de ses filiales. © KCWW. A15-5794 3/15



# Apparel

## VWR® Cryogenic Protective Aprons

- Provide durable protection when handling liquid nitrogen and servicing cryogenic equipment
- Ideal when filling liquid nitrogen supply cylinders and bulk tanks
- **Color:** blue



Size	Cat. No.	Price
61W x 91.4L cm (24 x 36")	97008-290	Ea./ 124.70
61W x 106.7L cm (24 x 42")	97008-292	Ea./ 138.61
61W x 122L cm (24 x 48")	97008-294	Ea./ 162.59

## VWR® Transparent Plastic Laboratory Aprons

- Protect Against Water, Oil, Grease, and Most Chemicals
- Will Not Peel, Curl, or Crack
- Soft, Pliable Plastipron® Design
- Utility-Weight Aprons



Size	Thickness	Cat. No.	Price
68.6W x 91.4L cm (27 x 36")	4 mil	10824-045 Pk. 12/ 302.90 Cs. 96/ 2297.71	
68.6W x 106.7L cm (27 x 42")	4 mil	10824-067 Pk. 12/ 316.75 Cs. 96/ 2440.58	
91.4W x 116.8L cm (36 x 46")	4 mil	10824-089 Pk. 12/ 366.87 Cs. 96/ 2812.04	
68.6W x 91.4L cm (27 x 36")	6 mil	10825-048 Pk. 12/ 329.34 Cs. 96/ 2498.24	
76.2W x 111.8L cm (30 x 44")	8 mil	10825-061 Pk. 12/ 443.11 Cs. 96/ 3432.28	
91.4W x 116.8L cm (36 x 46")	8 mil	10824-125 Pk. 6/ 253.39 Cs. 48/ 1892.69	

## NXP 150 Z-Flex Aluminized Heat Resistant Apron, Newtex Industries

Protection from short duration ambient heat up to 93°C (200°F) and radiant heat up to 1093°C (2000°F). Made from Z-Flex Multilayer Aluminized technology, which reflects 95% of radiant heat. Available in 3 sizes: Small (24" wide x 30" long), Medium (24" wide x 36" long), and Large (29" wide x 42" long). Made in the USA.

Z-Flex materials have been tested in accordance with ASTM F955, ASTM F1939, EN 532, EN 367, EN 366, EN 407, and MIL-C-24929.



Size	Cat. No.	Price
Small	30617-974	Ea./ 126.03
Medium	30617-972	Ea./ 92.41
Large	30617-970	Ea./ 84.01

## Sureflex Boots with Safety-Loc™ Outsole, Onguard

- 100% waterproof boots resist animal fats, oils, chemicals
- PVC/nitrile soles, high performance PVC compound uppers, and steel toes
- Slip resistant with a Safety-Loc™ outsole
- For use in chemicals, farming, and food processing



Size	Cat. No.	Price
10	89031-590	Pr. 1/ 92.38
11	89031-592	Pr. 1/ 95.18
12	89031-594	Pr. 1/ 95.14
13	89031-596	Pr. 1/ 89.68

## Viking Boots, Onguard

- Sturdy boots provide complete waterproof protection
- Fit over most work shoes and boots
- Flexible even in cold weather
- Kick-off lugs and noncorrosive metal snaps for easy removal
- Special fold line for snug fit, if required
- Self-cleaning, maximum slip-resistant sole
- **Color:** black



Description	Size	Cat. No.	Price
10.2 cm (4") Galosh	Medium	21921-700	Pr. 1/ 32.79
25.4 cm (10") Overboot	Medium	21921-708	Pr. 1/ 38.83
25.4 cm (10") Overboot	Large	21921-710	Pr. 1/ 38.83
43.2 cm (17") Overboot	Medium	21921-716	Pr. 1/ 52.97
43.2 cm (17") Overboot	Large	21921-718	Pr. 1/ 52.97

## Office Supplies

VWR offers a wide range of workplace supplies, from binders and pens to batteries and cleaning products, to help keep your business running smoothly. VWR is your one-stop shop for office supplies; go to [vwr.com](http://vwr.com) or call 1.800.932.5000 to find out more.





## VWR® Safety Cabinets for Flammables & Corrosives

- 18-gauge double-wall construction
- Fully welded construction increases fire protection by reducing gapping
- Upper and lower diametrically opposed side vents

### For Flammables

D x W x H	No. of Shelves	Door Type	Cat. No.	Price
<b>30 Gallon</b>				
45.7 x 109.2 x 111.8 cm (18 x 43 x 44")	1	Bi-Fold	89522-618	Ea./ 1454.00
45.7 x 109.2 x 111.8 cm (18 x 43 x 44")	1	Manual	89522-620	Ea./ 874.00
45.7 x 109.2 x 111.8 cm (18 x 43 x 44")	1	Self Close	89522-616	Ea./ 978.00
<b>45 Gallon</b>				
45.7 x 109.2 x 165 cm (18 x 43 x 65")	2	Bi-Fold	89522-624	Ea./ 1672.00
45.7 x 109.2 x 165 cm (18 x 43 x 65")	2	Manual	89522-626	Ea./ 1082.00
45.7 x 109.2 x 165 cm (18 x 43 x 65")	2	Self Close	89522-622	Ea./ 1189.00
<b>60 Gallon</b>				
86.3 x 86.3 x 165 cm (34 x 34 x 65")	2	Bi-Fold	89522-630	Ea./ 2111.00
86.3 x 86.3 x 165 cm (34 x 34 x 65")	2	Manual	89522-632	Ea./ 1303.00
86.3 x 86.3 x 165 cm (34 x 34 x 65")	2	Self Close	89522-628	Ea./ 1416.00
<b>90 Gallon</b>				
86.3 x 109.2 x 165 cm (34 x 43 x 65")	2	Bi-Fold	89522-636	Ea./ 2518.00
86.3 x 109.2 x 165 cm (34 x 43 x 65")	2	Manual	89522-638	Ea./ 1638.00
86.3 x 109.2 x 165 cm (34 x 43 x 65")	2	Self Close	89522-634	Ea./ 1866.00



### For Corrosives

D x W x H	No. of Shelves	Door Type	Cat. No.	Price
<b>30 Gallon</b>				
45.7 x 109.2 x 111.8 cm (18 x 43 x 44")	1	Manual	89522-642	Ea./ 1019.00
45.7 x 109.2 x 111.8 cm (18 x 43 x 44")	1	Self Close	89522-640	Ea./ 1208.00
<b>45 Gallon</b>				
45.7 x 109.2 x 165 cm (18 x 43 x 65")	2	Manual	89522-646	Ea./ 1204.00
45.7 x 109.2 x 165 cm (18 x 43 x 65")	2	Self Close	89522-644	Ea./ 1348.00
<b>60 Gallon</b>				
86.3 x 86.3 x 165 cm (34 x 34 x 65")	2	Manual	89522-650	Ea./ 1544.00
86.3 x 86.3 x 165 cm (34 x 34 x 65")	2	Self Close	89522-648	Ea./ 1642.00
<b>Accessories for Flammables and Corrosives</b>				
Spillslope Shelf for 30 and 45 Gal. Cabinets			89522-652	Ea./ 59.54
Spillslope Shelf for 60 Gal. Cabinet			89522-654	Ea./ 99.06
Spillslope Shelf for 90 Gal. Cabinet			89522-656	Ea./ 135.00

## Sure-Grip® EX Safety Cabinets for Flammable Materials, Justrite®

- Fire-resistant, welded 18-gauge steel
- Double-wall design features a 3.8cm (1 1/2") insulating air space
- Built-in grounding connector prevents static buildup
- Adjustable shelves
- General-Purpose Cabinet with Two Doors
- Color: yellow



Capacity	Dimensions	Door Type	No. of Shelves	Shipping Weight	Cat. No.	Price
114 L (30 gal.)	111.8H x 109.2W x 45.7D cm (44 x 43 x 18")	Self-Close	1	99 kg (218 lbs.)	97001-210	Ea./ 1284.74
114 L (30 gal.)	111.8H x 109.2W x 45.7D cm (44 x 43 x 18")	Manual	1	98 kg (216 lbs.)	97001-214	Ea./ 1172.50
170 L (45 gal.)	165.1H x 109.2W x 45.7D cm (65 x 43 x 18")	Manual	2	132 kg (291 lbs.)	97001-384	Ea./ 1481.03
170 L (45 gal.)	165.1H x 109.2W x 45.7D cm (65 x 43 x 18")	Self-Close	2	136 kg (300 lbs.)	97001-390	Ea./ 1688.47
227 L (60 gal.)	165.1H x 86.3W x 86.3D cm (65 x 34 x 34")	Manual	2	166 kg (366 lbs.)	97001-400	Ea./ 1631.31
341 L (90 gal.)	165.1H x 109.2W x 86.3D cm (65 x 43 x 34")	Self-Close	2	193 kg (425 lbs.)	97001-410	Ea./ 2285.39
341 L (90 gal.)	165.1H x 109.2W x 86.3D cm (65 x 43 x 34")	Manual	2	192 kg (423 lbs.)	97006-112	Ea./ 2165.79
227 L (60 gal.)	165.1H x 86.3W x 86.3D cm (65 x 34 x 34")	Self-Close	2	167 kg (368 lbs.)	97006-116	Ea./ 1929.25

## Type I Safety Cans for Flammables, Justrite®

- Reduce fire risks and improve safety during everyday use of Flammables
- Single spout welded to the can allows both filling and pouring
- All cans have a flame arrester and are tested under pressure to guarantee leakproof construction
- Spring-mounted relief vent mechanism automatically vents pressure when it reaches 5psi
- Heavy-duty steel with red powder-coat finish protects against abrasion and rough use
- FM approved, UL listed, and C-UL listed

FM, UL, ULC, TUV.



Description	Capacity	Cat. No.	Price
Type I	7.6 L (2 gal.)	89134-558	Ea./ 46.98
Type I	9.5 L (2.5 gal.)	89134-574	Ea./ 53.17
Type I	18.9 L (5 gal.)	89134-590	Ea./ 52.87
Type I with Funnel	18.9 L (5 gal.)	89134-594	Ea./ 58.16

# Chemical Handling & Storage

## Type I Safety Cans, Justrite®

- Reduce fire risks and improve safety during everyday use of flammables
- Single spout welded to the can allows both filling and pouring
- All cans have a flame arrester and are tested under pressure to guarantee leakproof construction
- Spring-mounted relief vent mechanism automatically vents pressure when it reaches 5psig
- Heavy-duty steel with red powder-coat finish protects against abrasion and rough use
- FM approved, UL listed, and C-UL listed



Capacity	O.D. x H	Cat. No.	Price
<b>With Fixed Handle</b>			
3.8 L (1 gal.)	18.4 x 29.2 cm (7 <sup>1</sup> / <sub>4</sub> x 11 <sup>1</sup> / <sub>2</sub> "	56609-600	Ea./ 49.06

## VaporTrap™ Filter, Justrite™

- Reduces harmful VOC vapors found inside safety cabinets
- Mesh cartridge contains activated carbon



Description	Cat. No.	Price
VaporTrap™ Filter	89232-200	Pk. 2/ 84.53

## Type I Nonmetallic Safety Cans, Justrite®

- Inert and resistant to tough acids, corrosives, and heat
- Feature dual-density flame arrester, self-closing cap, and pressure relief mechanism
- Current-carrying carbon insert imbedded in the can provides proper grounding
- Insert prevents the creation of an arc during filling or pouring
- All cans are FM approved
- Round cans are UL and C-UL listed



Shape	Capacity	Dimensions	O.D. x H	Cat. No.	Price
Oval	1.9 L (0.5 gal.)	11.7W x 19.4L x 24.1H cm (4 <sup>5</sup> / <sub>8</sub> x 7 <sup>7</sup> / <sub>8</sub> x 9 <sup>1</sup> / <sub>2</sub> "	—	56609-592	Ea./ 68.43
Oval	3.8 L (1 gal.)	11.7W x 19.4L x 32.4H cm (4 <sup>5</sup> / <sub>8</sub> x 7 <sup>7</sup> / <sub>8</sub> x 12 <sup>3</sup> / <sub>4</sub> "	—	56609-594	Ea./ 76.69
Round	9.5 L (2.5 gal.)	27.3 O.D. x 36.2H cm (10 <sup>3</sup> / <sub>4</sub> x 14 <sup>1</sup> / <sub>4</sub> "	27.3 x 36.2 cm (10 <sup>3</sup> / <sub>4</sub> x 14 <sup>1</sup> / <sub>4</sub> "	56609-595	Ea./ 122.02
Round	18.9 L (5 gal.)	32.4 O.D. x 40.6H cm (12 <sup>3</sup> / <sub>4</sub> x 16"	32.4 x 40.6 cm (12 <sup>3</sup> / <sub>4</sub> x 16"	56609-621	Ea./ 155.19

## Nonmetallic Laboratory Safety Cans, Justrite®

- Feature additional self-closing faucet that allows safe dispensing of hazardous liquids into test tubes, small flasks, and beakers
- Fill spout has self-closing pressure relief cap and double mesh flame arrester
- Current-carrying carbon insert imbedded in the can provides proper grounding
- 5cm (2") with faucet mounted above the bottom allows dispensing without lifting
- 18.9L (5gal.) cans have built-in vacuum breaker
- FM approved



Description	Capacity	Cat. No.	Price
Oval Shelf Can, Stainless Steel Faucet	3.8 L (1 gal.)	56609-586	Ea./ 255.38

## Nonmetallic Liquid Disposal Cans, Justrite®

- High-density polyethylene cans safely contain corrosives or liquid flammable wastes
- Flame arrester guards against outside ignition
- Built-in carbon insert provides grounding path
- Large openings are strategically placed for controlled filling and pouring
- Fixed-position handle keeps lid open for easier pouring
- When closed, the lid automatically vents at 5psig
- FM approved



Capacity	O.D. x H	Cat. No.	Price
18.9 L (5 gal.)	30.5 x 50.8 cm (12 x 20")	56609-187	Ea./ 187.43
7.6 L (2 gal.)	30.5 x 37.5 cm (12 x 14 <sup>3</sup> / <sub>4</sub> "	56610-174	Ea./ 207.24



## Type II AccuFlow™ Safety Cans, Justrite®

- Built-in flexible metal hose allows smooth, accurate, spill-free pouring into small openings
- All cans have a flame arrester and are tested under pressure to guarantee leakproof construction
- Heavy-duty steel with red powder-coat finish protects against abrasion and rough use
- FM approved and C-UL listed

Description	Capacity	Cat. No.	Price
Type II AccuFlow™ IIAF 5/8 HOSE	3.8 L (1 gal.)	89134-612	Ea./ 105.37
Type II AccuFlow™ IIAF 5/8 HOSE	7.6 L (2 gal.)	89134-620	Ea./ 106.60
Type II AccuFlow™ IIAF 5/8 HOSE	18.9 L (5 gal.)	89134-644	Ea./ 109.11
Type II AccuFlow™ IIAF 1" HOSE	18.9 L (5 gal.)	89134-648	Ea./ 109.11



## Prefabricated Quick-Disconnect Safety Disposal Cans, Justrite®

- Provide convenient, hands-free system for safe collection, transfer, and disposal of HPLC solvents
- Durable polyethylene safety cans are suitable for pump-fed or gravity-flow waste methods
- Safeguard against accidents and increase vapor and fire protection
- Outfitted with quick-disconnect intake and vapor release fittings
- Compliant with OSHA 29 CFR 1910.106; EPA 40 CFR 264.173
- FM approved



Capacity	Dimensions	O.D. x H	Liquid Intake Fitting/O-Ring Material	Vapor Release Fitting/O-Ring Material	Shipping Weight	Cat. No.	Price
<b>Round Safety Disposal Cans</b>							
7.6 L (2 gal.)	30.50.D. x 37.5H cm (12 x 14 <sup>3/4</sup> "	30.5 x 37.5 cm (12 x 14 <sup>3/4</sup> "	Stainless Steel/Fluoropolymer Resin	Stainless Steel/Fluoropolymer Resin	3.2 kg (7 lbs.)	37001-286	Ea./ 823.59
18.9 L (5 gal.)	30.50.D. x 50.8H cm (12 x 20"	30.5 x 50.8 cm (12 x 20"	Stainless Steel/Fluoropolymer Resin	Stainless Steel/Fluoropolymer Resin	4.5 kg (10 lbs.)	37001-288	Ea./ 848.88
7.6 L (2 gal.)	30.50.D. x 37.5H cm (12 x 14 <sup>3/4</sup> "	30.5 x 37.5 cm (12 x 14 <sup>3/4</sup> "	Polypropylene/EPDM	Polypropylene/EPDM	3.2 kg (7 lbs.)	55100-020	Ea./ 371.42
18.9 L (5 gal.)	30.50.D. x 50.8H cm (12 x 20"	30.5 x 50.8 cm (12 x 20"	Polypropylene/EPDM	Polypropylene/EPDM	4.5 kg (10 lbs.)	55100-022	Ea./ 402.74
7.6 L (2 gal.)	30.50.D. x 37.5H cm (12 x 14 <sup>3/4</sup> "	30.5 x 37.5 cm (12 x 14 <sup>3/4</sup> "	Stainless Steel/Fluoropolymer Resin	Polypropylene/EPDM	4.5 kg (10 lbs.)	82003-632	Ea./ 578.64
18.9 L (5 gal.)	30.50.D. x 50.8H cm (12 x 20"	30.5 x 50.8 cm (12 x 20"	Stainless Steel/Fluoropolymer Resin	Polypropylene/EPDM	4.5 kg (10 lbs.)	82003-634	Ea./ 588.54
<b>Oval Safety Disposal Can</b>							
3.8 L (1 gal.)	19.4H x 11.7W x 32.4D cm (7 <sup>7/8</sup> x 4 <sup>7/8</sup> x 12 <sup>3/4</sup> "	32.4 x 19.4 cm (12 <sup>3/4</sup> x 7 <sup>5/8</sup> "	Polypropylene/EPDM	Polypropylene/EPDM	1.4 kg (3 lbs.)	82013-208	Ea./ 309.34
<b>Accessories</b>							
Description							Price
Coalescing/Carbon Filters For Cans with Polypropylene Vapor Release Fitting							Ea./ 354.42
Coalescing/Carbon Filters For Cans with Stainless Steel Vapor Release Fitting							Ea./ 492.69
Coalescing/Carbon Filters Carbon Filter Replacements							Pk. 3/ 430.34

## HPLC Poly Manifolds for Quick-Disconnect Safety Disposal Cans, Justrite®

Manifolds enable up to six waste lines (per manifold) from HPLC processes to be fed into a single intake fitting. Manifolds are equipped with six 1/4-28 ports, one 9.5mm (3/8") NPT port, and the option of one 316 stainless steel quick disconnect, one polypropylene quick disconnect, or a 316 stainless steel stacker connector. The six ports are tapped to accommodate the 1/4-28 threads of the compression fittings.



Description	Cat. No.	Price
Manifold with Stainless Steel Quick Disconnect	94000-348	Ea./ 219.55
Manifold with Polypropylene Quick Disconnect	94000-350	Ea./ 182.96
Manifold with Stainless Steel Stackable Connection	94000-352	Ea./ 177.98
Spin Basin	89212-342	Ea./ 70.70

## Nonmetallic Self-Closing Laboratory Containers, Justrite®

- Specially designed to resist acids and caustics
- Translucent, high-density polyethylene containers are marked in liters, quarts, and gallons for accurate filling and dispensing
- Spring-closing cap provides tight seal



Shape	Capacity	Dimensions	O.D. x H	Cat. No.	Price
Oval	3.8 L (1 gal.)	11.7W x 19.3L x 32.3H cm (4 <sup>5/8</sup> x 7 <sup>5/8</sup> x 12 <sup>3/4</sup> "	—	56610-190	Ea./ 64.27
Round	9.5 L (2.5 gal.)	27.30.D. x 36.1H cm (10 <sup>3/4</sup> x 14 <sup>1/4</sup> "	27.3 x 36.1 cm (10 <sup>3/4</sup> x 14 <sup>1/4</sup> "	56610-192	Ea./ 120.67
Round	18.9 L (5 gal.)	30.40.D. x 50.8H cm (12 x 20"	30.4 x 50.8 cm (12 x 20"	56610-196	Ea./ 176.72



## Justrite® Fire-Rated Outdoor Safety Lockers

For safe, secure storage of hazardous materials

- Gravity air flow vents — UL Listed fire dampers with fusible links party tested and labeled
- Secondary containment — leakproof all welded sump
- Galvanized steel grate flooring
- 42-inch (1.07-m) wide door with UL Listed, keyed lockset for security
- NFPA 704 diamond decal
- Multiple static grounding connections
- Anchoring plates for maximum hold down protection
- Forklift channels for easy relocation
- Chemical and UV resistant coating, inside and out
- Meets EPA, NFPA 30 and NFPA 1 requirements
- FM-approved
- 15-year structural warranty



55-Gal. Drum Capacity	Sump Capacity Gallons/Liters	Dimensions W x D x H		Standard			Explosion Relief		
		Exterior*	Interior	Ship Wt lb/kg	Cat. No	Price	Ship Wt lb/kg	Cat. No	Price
<b>Two-Hour Fire Rated Construction -90-Minute Fire-Rated Door*</b>									
4	80/303	71 in x 66 in x 75 in 1803 mm x 1676 mm x 1905 mm	53.5 in x 53.5 in x 60.5 in 1359 mm x 1359 mm x 1537 mm	2521/1144	10746-578	Ea./ 10948.00	2475/1123	10746-580	Ea./ 13330.00
6	116/439	95 in x 66 in x 97 in 2413 mm x 1676 mm x 2464 mm	77.5 in x 53.5 in x 82.5 in 1969 mm x 1359 mm x 2096 mm	3505/1590	10746-566	Ea./ 16200.00	3459/1569	10746-568	Ea./ 20200.00
9	168/636	95 in x 90 in x 97 in 2413 mm x 2286 mm x 2464 mm	77.5 in x 77.5 in x 82.5 in 1969 mm x 1969 mm x 2096 mm	4408/1999	10746-570	Ea./ 8070.00	4344/1970	10746-572	Ea./ 9388.00
<b>Four Hour Fire Rated Construction - 3-Hour Fire-Rated Door*</b>									
4	71/269	71 in x 66 in x 75 in 1803 mm x 1676 mm x 1905 mm	50.5 in x 50.5 in x 59 in 1283 mm x 1283 mm x 1499 mm	3036/1377	10746-624	Ea./ 12346.00	2901/1316	10746-626	Ea./ 15028.00
6	105/397	95 in x 66 in x 97 in 2413 mm x 1676 mm x 2464 mm	74.5 in x 50.5 in x 81 in 1892 mm x 1283 mm x 2057 mm	4330/1964	10746-590	Ea./ 17182.00	4195/1903	10746-592	Ea./ 20526.00
9	155/587	95 in x 90 in x 97 in 2413 mm x 2286 mm x 2464 mm	74.5 in x 74.5 in x 81 in 1892 mm x 1892 mm x 2057 mm	5467/2480	10746-594	Ea./ 8716.00	5270/2390	10746-596	Ea./ 10254.00

\* Third party tested and labeled door

## Wide-Mouth Safety Drum Funnel, Justrite®

- Heavy-duty 18-gauge galvanized steel with epoxy powder-coat paint is durable and chemical-resistant
- Funnel **56610-528** has 83.8cm (33") brass fill tube that directs flow of viscous liquids to drum bottom, reducing splashing and vapors
- 9.8L (2.6gal.) funnels accept a lock to prevent unauthorized access
- FM-approved and compliant with EPA and OSHA regulations

Description	Capacity	Dimensions	Cat. No.	Price
Drum Funnel	0.9 L (32 oz.)	11.4 Dia. x 11.4 H, cm (4 <sup>1</sup> / <sub>2</sub> x 4 <sup>1</sup> / <sub>2</sub> "	48956-188	Ea./ 144.49
Drum Funnel with Tip-Over Protection System	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H, cm (10 <sup>3</sup> / <sub>4</sub> x 10")	56610-000	Ea./ 935.83
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H, cm (10 <sup>3</sup> / <sub>4</sub> x 10")	56610-501	Ea./ 264.63
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H, cm (10 <sup>3</sup> / <sub>4</sub> x 10")	56610-526	Ea./ 402.07
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H, cm (10 <sup>3</sup> / <sub>4</sub> x 10")	56610-528	Ea./ 423.25





## Cube-Shaped UN Rated Poly Drum, New Pig

- Heavy-duty, open-head drum is approved for domestic and international shipments
- Made of reusable/recyclable high-density polyethylene Molded-in handles make maneuvering quick and easy
- FDA-approved for shipment and containment of food products
- Color: blue with black lid



Capacity	Cat. No.	Price
56.8 L (15 gal.)	56620-736	Ea./ 105.64

## Drum Cradle, Justrite®

- Cradle allows easy transport of drums weighing up to 363kg (800lbs.)
- Loading bar grips drum chime to ensure smooth movement between vertical and horizontal positions
- Siphon and self-closing faucet, made of solid cast brass, drain liquids out of 113.6L (30gal.) and 208.2L (55gal.) drums, eliminating the need for dangerous tipping or rolling
- Siphon empties residual solvents from drums, typically down to the last few ounces
- FM approved



Description	Cat. No.	Price
Drum Cradle	56610-470	Ea./ 330.98
Drum Siphon and Faucet	56610-620	Ea./ 108.97

## Drum Roller, Justrite®

- Facilitate movement of heavy, full 110L (30gal.) or 200L (55gal.) drums in vertical drum storage cabinets



Description	Cat. No.	Price
Drum Roller	82011-470	Ea./ 631.00

## Dust Cap Drum Cover, New Pig

Durable, low-density polyethylene meets FDA requirements. Block dirt and moisture out of containers to keep contents pure. Clear 4 mil polyethylene protects contents but makes them easy to inspect. Recommended for indoor use.



Cat. No.	Price
56620-778	Cs. 100/ 225.50

## PIG® Economy Poly Spill Containment Pallet, New Pig

- Polyethylene pallet supports four drums
- Large sump contains leaks, can be emptied via drain bilge
- Four way forklift entry
- Sturdy poly grates won't corrode or rust

Deck Surface	122.6L x 61W cm	121.9L x 121.9W cm (48 x 48")
Shipping Weight	28.1 kg (62 lbs.)	38.6 kg (85 lbs.)

Description	Capacity	Load Capacity	Sump Capacity	Cat. No.	Price
Pallet with Drain	Holds Two 55-gal. Steel Drums	680.4 kg (1500 lbs.)	249.8 L (66 gal.)	56620-706	Ea./ 323.27
Pallet with Drain	Holds Four 55-gal. Steel Drums	1360.8 kg (3000 lbs.)	249.8 L (66 gal.)	56620-630	Ea./ 454.36



## Proven Value to Help You Re-Focus Valuable Scientific Time

With support from **VWRCATALYST**, your business can maintain a competitive edge. Our services re-focus scientific time to help you accelerate productivity and drive scientific innovation.

Comprehensive services from **VWRCATALYST** include:

- Safety Services
- Procurement and Supply Management
- Laboratory and Production Support
- Scientific Support
- Equipment and Instrument Services
- Lean Six Sigma Process Consulting



Watch an introductory video, download case studies, and more at [vwr.com/vwrcatalyst](http://vwr.com/vwrcatalyst).



# Chemical Handling & Storage

## Safety ECOLOGICAL Funnel™ Systems, California Pacific Lab

Funnel systems reduce exposure to hazardous waste generated in the lab. The funnel is constructed of chemically resistant HDPE with a secure "easy use" lid, positive latch, lid gasket, filter, and industrial strength screw cap. It uses a 27.9cm (11") stem that reduces chemical evaporation and environmental pollution.

**CPLabSafety**

Funnel Capacity	1750 mL (59.2 oz.)
Funnel Dimensions	20.3 cm (8") top diameter, 27.9 cm (11") stem length

Description	Cat. No.	Price
Complete Funnel System with 4 L (1.1 gal.) Bottle and Secondary Container	33500-970	Ea./ 238.17
Funnel with 7.6 L (2 gal.) Translucent Justrite™ Can	33500-974	Ea./ 525.00
20.3 cm (8") Funnel for Justrite™ Cans	33500-976	Ea./ 245.34
Translucent Justrite™ Safety Disposal Can, 7.6 L (2 gal.)	33500-978	Ea./ 296.20
Funnel with 18.9 L (5 gal.) Translucent Justrite™ Can	33500-980	Ea./ 503.69
Translucent Justrite™ Safety Disposal Can, 18.9 L (5 gal.)	33500-982	Ea./ 291.07



## Translucent UN Rated Poly Drum, New Pig

- FDA Approved resins for containment of food products
- High-density polyethylene construction



Description	Capacity	Cat. No.	Price
Drum, UN1H1/Y1.8/100	56.8 L (15 gal.)	89208-768	Ea./ 73.89
Drum, UN1H1/Y1.8/100	113.6 L (30 gal.)	89208-770	Ea./ 103.15
Drum, UN1H1/Y1.9/100	208.2 L (55 gal.)	89208-772	Ea./ 86.73

## Tight-Head UN Rated Poly Pail, New Pig

- One piece blow molded high-density polyethylene construction
- Tight-head container - ideal for storing liquids
- Design allows stacking - saves storage space
- UN Certification 1H1/Y1. 3/100
- Color: black



Capacity	Cat. No.	Price
18.9 L (5 gal.)	56620-714	Ea./ 26.29

## VWR® Acid and Solvent Bottle Carriers

- Cone style lid has a 16mm (5/8") opening in the top for insertion of tubing; simplifies the transfer of liquids without pouring
- Truncated style lid permits pouring without the removal of the lid
- Designed to hold standard US reagent bottles

Capacity	Diameter	Height	Style	Cat. No.	Price
<b>Acid Bottle Carriers</b>					
2.5 L (5 pt.)	18 cm (7 1/8")	32 cm (12 1/2")	Truncated Style	56608-886	Ea./ 87.45 Cs. 4/ 335.09
<b>Solvent Bottle Carriers</b>					
4 L (1 gal.)	20 cm (8")	37 cm (14 3/8")	Cone Style	56608-864	Ea./ 103.64 Cs. 4/ 397.16
4 L (1 gal.)	20 cm (8")	35 cm (13 3/8")	Truncated Style	56608-900	Ea./ 103.05 Cs. 4/ 394.86

**VWR**  
COLLECTION



## VWR® Safety Wash Bottles, Low-Density Polyethylene, Wide Mouth

- Easy-to-read, low-density polyethylene dispensing bottles are break-resistant
- Intended for short-term dispensing use
- Include DOT, CAS numbers, NFPA codes and symbols, protective equipment symbols, and target organ information

Provides compliance with OSHA requirements outlined in Hazard Communication Standard 29 CFR 1910.1200.

Description	Capacity	Cap Color	Cat. No.	Price
Acetone	500 mL (16.9 oz.)	Red	16649-900	Pk. 6/ 38.70
Acetonitrile	500 mL (16.9 oz.)	Yellow	16649-905	Pk. 6/ 38.70
Deionized Water	500 mL (16.9 oz.)	Blue	16649-911	Pk. 6/ 38.70
Dichloromethane	500 mL (16.9 oz.)	Yellow	16649-915	Pk. 6/ 49.97
Distilled Water	500 mL (16.9 oz.)	Blue	16649-917	Pk. 6/ 38.70
Ethyl Acetate	500 mL (16.9 oz.)	Green	16649-925	Pk. 6/ 38.70
Isopropanol	500 mL (16.9 oz.)	Yellow	16649-935	Pk. 6/ 38.70
Machine Oil	500 mL (16.9 oz.)	Natural	16649-943	Pk. 6/ 38.70
Methanol	500 mL (16.9 oz.)	Green	16649-945	Pk. 6/ 38.70
Toluene	500 mL (16.9 oz.)	Red	16649-955	Pk. 6/ 38.70
Water	500 mL (16.9 oz.)	Blue	16649-966	Pk. 6/ 38.70

**VWR**  
COLLECTION





## Life Latch® Containers, M&M Industries

- Tamper-evident containers
- Screw on lid ensures a secure seal
- No tools required
- Puncture-resistant constructed of high-density polyethylene
- Plastic handle
- Nest able for storage

UN approved for shipments of Class II and Class III hazardous chemicals. Meet D.O.T. Title 49 CFR performance requirements.

Capacity	Wall Thickness	Cat. No.	Price	
7.6 L (2 gal.)	0.19 cm (0.075")	56617-752	Ea./ 15.05	Cs. 10/ 100.33

M&M INDUSTRIES, INC.



## SCIENCEWARE® Large Weighted Safety Shields, Bel-Art

- Clear, polycarbonate barriers with high impact resistance
- Three-sided construction provides stability and protects workers to the front and sides
- Heavy steel perimeter base is coated with green epoxy

Scienceware  
BEL-ART PRODUCTS



Height	Weight	Cat. No.	Price
76.2 cm (30")	8.4 kg (18.5 lbs.)	13197-366	Ea./ 735.65
91.4 cm (36")	8.9 kg (19.6 lbs.)	47750-422	Ea./ 793.02

## Tight-Head UN Rated Steel Drum, New Pig

UN Rated and tested to help ensure safe shipping of hazardous materials. Tight-head design is equipped with 2" NPT and 3/4" NPT bungs.

pig



Capacity	Cat. No.	Price
208.2 L (55 gal.)	89236-604	Ea./ 160.57

## Open-Head UN Rated Poly Drum, New Pig

Rigid, high-density polyethylene is light-weight and won't rust. Compatible with a wide range of materials, liquids and chemicals. Made of USDA and FDA Certified and Approved resins for direct containment of food products.

pig



## Poly Pail, New Pig

- One piece blow molded high-density polyethylene construction
- Tight-head container — ideal for storing liquids
- Design allows stacking — saves storage space
- UN Certification 1H1/Y1. 3/100
- Color: black

pig



Description	Capacity	Cat. No.	Price
Drum	113.6 L (30 gal.)	46000-708	Ea./ 107.49

Capacity	Cat. No.	Price
18.9 L (5 gal.)	56620-714	Ea./ 26.29

## Call or E-mail Us for Expert Technical Support


Contact the VWR North American Technical Product Support Team for answers to all of your questions regarding products, applications, specifications, regulatory compliance, and more. We are ready to provide you with proven industry solutions.

Phone: 1.888.VWR.LINE (1.888.897.5463)

E-mail: [TechnicalProductSupportNA@vwr.com](mailto:TechnicalProductSupportNA@vwr.com)

Online: [www.vwr.com/tps](http://www.vwr.com/tps)






**Bubble Mat**

Outstanding  
Ergonomic Support



**Smooth Mat**

Ideal for High Cart  
and Trolley Traffic



## VWR® Ergonomic Mats

- Stimulate the body to increase blood circulation and alertness
- Molded beveled edges eliminate tripping hazards
- Silicone- and latex-free
- Solid mat throughout - no hollow bubbles that collapse
- Anti-static and meets ISO Class 5 (Class 100) compliance
- Easy-to-clean, closed-cell/non-porous top surface
- Highly resistant to chemicals and UV light

Find many additional sizes at [vwr.com](http://vwr.com). Economy Bubble (see **89185-334** series) and Smooth (see **89185-440** series) mats are also available.

Color	W x L	Cat. No.	Price
<b>Bubble Mats</b>			
Blue	0.6 x 0.9 m (2 x 3')	89184-910	Ea./ 164.00
Blue	0.6 x 1.2 m (2 x 4')	89184-912	Ea./ 238.17
Blue	0.6 x 1.5 m (2 x 5')	89184-914	Ea./ 297.72
Blue	0.6 x 1.8 m (2 x 6')	89184-916	Ea./ 357.26
Gray	0.6 x 0.9 m (2 x 3')	89185-016	Ea./ 164.00
Gray	0.6 x 1.2 m (2 x 4')	89185-018	Ea./ 238.17
Gray	0.6 x 1.5 m (2 x 5')	89185-020	Ea./ 298.28
Gray	0.6 x 1.8 m (2 x 6')	89185-022	Ea./ 357.26
<b>Smooth Mats</b>			
Blue	0.6 x 0.9 m (2 x 3')	89185-122	Ea./ 163.67
Blue	0.6 x 1.2 m (2 x 4')	89185-124	Ea./ 238.17
Blue	0.6 x 1.5 m (2 x 5')	89185-126	Ea./ 297.72
Blue	0.6 x 1.8 m (2 x 6')	89185-128	Ea./ 357.26
Gray	0.6 x 0.9 m (2 x 3')	89185-228	Ea./ 163.67
Gray	0.6 x 1.2 m (2 x 4')	89185-230	Ea./ 238.17
Gray	0.6 x 1.5 m (2 x 5')	89185-232	Ea./ 297.72
Gray	0.6 x 1.8 m (2 x 6')	89185-234	Ea./ 357.26




## Personal Antifatigue Mat™ Insoles, MEGAComfort®

- Maximum shock absorption and comfort with industrial footwear
- Soft, contoured arch support
- Constructed of dual-layered memory foam
- Antifungal, antibacterial, and machine washable



Size	Cat. No.	Price	
<b>Antifatigue Insoles</b>			
Men's 3-5/Women's 5-7	89219-216	Ea./ 28.52	Pk. 10/ 225.48
Men's 6-7/Women's 8-9	89219-218	Ea./ 28.52	Pk. 10/ 225.48
Men's 8-9/Women's 10-11	89219-220	Ea./ 28.52	Pk. 10/ 225.48
Men's 10-11	89219-222	Ea./ 28.52	Pk. 10/ 225.48
Men's 12-13	89219-224	Ea./ 28.52	Pk. 10/ 225.48
Men's 14	89219-226	Ea./ 28.52	Pk. 10/ 225.48
<b>Antifatigue Insoles with Antistatic Threads</b>			
Men's 3-5/Women's 5-7	89219-228	Ea./ 30.71	Pk. 10/ 242.36
Men's 6-7/Women's 8-9	89219-230	Ea./ 30.71	Pk. 10/ 242.36
Men's 8-9/Women's 10-11	89219-232	Ea./ 30.71	Pk. 10/ 242.36
Men's 10-11	89219-234	Ea./ 30.71	Pk. 10/ 242.36
Men's 12-13	89219-236	Ea./ 30.71	Pk. 10/ 242.36
Men's 14	89219-238	Ea./ 30.71	Pk. 10/ 242.36




## MULTI-Thotic™ Insoles with Orthotic Supports, MEGAComfort®

- Increase support and balance without compromising comfort
- Antibacterial, and machine-washable



Size	Cat. No.	Price		
Men's 3, 4, 5 / Women's 5, 6, 7	94024-022	Ea./ 47.69	Pk. 10/ 376.43	Cs. 30/ 1174.47
Men's 6, 7 / Women's 8, 9	94024-024	Ea./ 47.69	Pk. 10/ 376.43	Cs. 30/ 1174.47
Men's 8, 9 / Women's 10, 11	94024-026	Ea./ 47.69	Pk. 10/ 376.43	Cs. 30/ 1174.47
Men's 10, 11 / Women's 12, 13	94024-028	Ea./ 47.69	Pk. 10/ 376.43	Cs. 30/ 1174.47
Men's 12, 13	94024-030	Ea./ 47.69	Pk. 10/ 376.43	Cs. 30/ 1174.47
Men's 14, 15	94024-032	Ea./ 47.69	Pk. 10/ 376.43	Cs. 30/ 1174.47




## MEGASole™ Foam Insoles, MEGAComfort®

- Designed for use in casual and dress footwear
- Enhanced with MEGAGel™ Visco Technology



Size	Cat. No.	Price		
Men's 3, 4, 5 / Women's 5, 6, 7	94024-034	Ea./ 29.58	Pk. 20/ 233.92	Cs. 120/ 1459.64
Men's 6, 7 / Women's 8, 9	94024-036	Ea./ 29.58	Pk. 10/ 233.92	Cs. 60/ 1459.64
Men's 8, 9 / Women's 10, 11	94024-038	Ea./ 29.58	Pk. 10/ 233.92	Cs. 60/ 1459.64
Men's 10, 11 / Women's 12, 13	94024-040	Ea./ 29.58	Pk. 10/ 233.92	Cs. 60/ 1459.64
Men's 12, 13	94024-042	Ea./ 29.58	Pk. 10/ 233.92	Cs. 60/ 1459.64
Men's 14, 15	94024-044	Ea./ 29.58	Pk. 10/ 233.92	Cs. 60/ 1459.64



## Low Profile Industrial Strength Back Support, Chase Ergonomics

Provides full power/support for maximum protection from injury.



Size	Waist Size	Cat. No.	Price	
X-Small	58.4–68.6 cm (23–27")	56614-875	Ea./ 78.43	Cs. 10/ 721.83
Small	71.1–81.3 cm (28–32")	56614-877	Ea./ 78.43	Cs. 10/ 721.83
Medium	83.8–96.5 cm (33–38")	56614-879	Ea./ 78.43	Cs. 10/ 721.83
X-Large	114.3–124.5 cm (45–49")	56614-883	Ea./ 78.43	Cs. 10/ 721.83
XX-Large	127–137.2 cm (50–54")	56614-885	Ea./ 78.43	Cs. 10/ 721.83

## Lumbar Lock® Industrial Strength Back Supports, Chase Ergonomics

- Supports deliver full power/support for maximum protection from injury
- Provide comfort and assure compliance
- Support back muscles and reduce fatigue
- Breathable construction prevents heat build-up on lower back



Size	Waist Size	Cat. No.	Price	
X-Small	58.4–68.6 cm (23–27")	56614-812	Ea./ 109.35	Cs. 5/ 503.26
Small	71.1–81.3 cm (28–32")	56614-814	Ea./ 109.35	Cs. 5/ 503.26
Medium	83.8–96.5 cm (33–38")	56614-816	Ea./ 109.35	Cs. 5/ 503.26
Large	99.1–111.8 cm (39–44")	56614-818	Ea./ 109.35	Cs. 5/ 503.26
X-Large	114.3–124.5 cm (45–49")	56614-820	Ea./ 109.35	Cs. 5/ 503.26
XX-Large	127–137.2 cm (50–54")	56614-822	Ea./ 109.35	Cs. 5/ 503.26



## Value Plus Knee Pad, Allegro®

Length	Material	Type	Weight	Width	Cat. No.	Price
9 in	Foam	Knee Pad	0.54 lb	7 in	300006-115	Pk. 1/ 13.07

## Deluxe Soft Knee Pads, Allegro®

- An extra wide foam pad makes this knee pad the most comfortable in the industry
- Designed with a tough water-resistant cover and no kneecaps
- It is perfect for jobs where protecting the work surface is a primary concern



Weight	Cat. No.	Price
0.34 lb	300006-114	Pk. 1/ 15.93

## ProFlex® 347 Long Cap Honeycomb Gel Knee Pads, Ergodyne

- Patented suspension design redirects pressure away from the patella
- Patented cover design delivers stability on all terrain and surfaces
- 10mm Honeycomb Gel and EVA foam for lightweight comfort
- Upper and lower elastic sleeves hold knee pad in place



Weight	Cat. No.	Price
0.80 lb	300077-728	Ea./ 66.77

## ProFlex® 355 Short Cap Injected Gel Knee Pads, Ergodyne

- Patented cover design delivers stability on all terrain and surfaces
- Patented suspension design redirects pressure away from the patella
- 10 mm Injected Gel and PU foam for long lasting comfort
- Lower strap with buckle closure, upper elastic strap with hook & loop closure
- Short cap design for lightweight, mobile protection
- Snap on cap is easily removed for 2-in-1 kneepad



Color	Size Group	Cat. No.	Price
Black	One Size	300077-730	Pk. 2/ 62.73

## Decade® Economy Wrist Wrap, Chase Ergonomics

- Covers full carpal area for firm support
- Low-profile design, less bulk
- One size fits all
- Ambidextrous
- Color: black



Width	Cat. No.	Price	
10.2 cm (4")	56614-962	Ea./ 5.38	Cs. 10/ 49.45

## Choices That Deliver. Products That Do More.

VWR Collection is an exclusive line of products that offers the right products, at the right price, when you need them...with a name you trust. Whether you're in a lab or production environment, you face the challenge of balancing the need to stretch your dollars with the need for quality and innovation. The VWR Collection helps you do both.



**Deluxe Elbow Pads, Allegro®**

- One size
- Color: black



Color	Size Group	Type	Weight	Cat. No.	Price
Black	One Size	Elbow Pad	0.41 lb	300075-256	Pk. 2/ 15.26

**Flex™ Industrial Elbow Pads, Alta®**

- One Size
- Color : black



Color	Material	Size Group	Type	Weight	Cat. No.	Price
Black	Nylon	One Size	Elbow Pad	0.91 lb	300006-124	Pk. 1/ 21.47



**Softknees, Allegro®**

Material	Type	Weight	Cat. No.	Price
Foam, Cloth	Knee Pad	0.24 lb	300006-116	Pk. 1/ 9.34

**Decade® Wrist Braces, Chase Ergonomics**



- Designed to help relieve the pain associated with carpal tunnel syndrome and other ailments.
- Contoured styling and pre-shaped 15° angle aluminum alloy stay allow "near neutral" wrist positioning
- Overnight wear can reduce pain and swelling
- Day wear allows functional use of fingers and hand



Description	Size	Color	Cat. No.	Price
Left-Hand Splint	Small, 5 1/2-6 1/2"	Beige	56614-902	Ea./ 25.00 Cs. 10/ 230.20
Right-Hand Splint	Small, 5 1/2-6 1/2"	Beige	56614-912	Ea./ 25.00 Cs. 10/ 230.20
Left-Hand Splint, Economy	Small, 5 1/2-6 1/2"	Black	56614-922	Ea./ 25.00 Cs. 10/ 230.20
Left-Hand Splint, Economy	Medium, 6 3/4-7 1/2"	Black	56614-924	Ea./ 25.00 Cs. 10/ 230.20
Left-Hand Splint, Economy	Large, 7 3/4-8 1/2"	Black	56614-926	Ea./ 25.00 Cs. 10/ 230.20
Left-Hand Splint, Economy	X-Large, 8 3/4-9 1/2"	Black	56614-928	Ea./ 25.00 Cs. 10/ 230.20
Right-Hand Splint, Economy	Small, 5 1/2-6 1/2"	Black	56614-932	Ea./ 25.00 Cs. 10/ 230.20
Right-Hand Splint, Economy	Medium, 6 3/4-7 1/2"	Black	56614-934	Ea./ 25.00 Cs. 10/ 230.20
Right-Hand Splint, Economy	Large, 7 3/4-8 1/2"	Black	56614-936	Ea./ 25.00 Cs. 10/ 230.20
Right-Hand Splint, Economy	X-Large, 8 3/4-9 1/2"	Black	56614-938	Ea./ 25.00 Cs. 10/ 230.20



**Complex Problems Require Sophisticated Solutions.**

**Operational Excellence. Streamlined Solutions.**

Our customers have been challenged with finding the answers that help improve lives. Our mission is to enable this by eliminating the process complexities and identifying product and service solutions that help labs and production facilities work better, faster, and smarter.

Through our global reach and team of knowledgeable associates we proudly excel in delivering solutions that improve productivity, accelerate discovery, and encourage innovation.

**Operational Excellence** delivered by a team of people focused on your success.  
**Together, We Enable Science.**







A

### VWR® Eyewear with Adjustable Temples

- Unique ratcheting temples lock into place for a custom fit
- Ultra lightweight nylon frames and soft PVC nosepads to prevent slipping
- 8 base spherical lenses provide excellent side protection
- Anti-fog coating extends lens life



C

### VWR® Visitor Specs

- Designed to fit comfortably over most prescription glasses
- Wraparound styling offers unobstructed peripheral vision
- Contoured protective brow guard and molded-in comfort nose bridge

Description	Cat. No.	Price	
A Eyewear with Adjustable Temples	89187-984	Pk. 12/ 89.62	Cs. 144/ 799.62
B Eyewear with Wraparound Lens	89187-986	Pk. 12/ 28.93	Cs. 12/ 285.78
C Visitor Specs	89187-988	Pk. 12/ 31.45	Cs. 12/ 259.43
D Pre-Moistened Lens Cleaning Wipes	89203-550	Pk. 120/ 21.27	Cs. 8/ 142.79
E Lens Cleaning Station	89203-548	Ea./ 24.43	Cs. 24/ 469.63



B

### VWR® Eyewear with Wraparound Lenses

- Lightweight design combines a sleek appearance with rugged durability
- Rubberized temple tips and integrated nosepiece for extra comfort
- Fits comfortably with half mask respirators

## VWR® Disposable Lens Cleaning Station and Wipes

Safely clean your protective eyewear with convenient solution and wipes!



D

E

Pre-moistened wipes clean lenses without scratching, streaking, residue, or fogging. Can be used on protective eyewear, microscopes, or computer screens. 17.8x12.7cm (7x5") wipes are individually foil wrapped in a convenient dispenser box. Biodegradable.

Disposable lens cleaning station includes 3.5oz bottle of VWR Lens Cleaning Solution and 15.2x12.7cm (6x5") dry cleaning tissues. Solution cleans and coats the lenses with anti-fog, anti-static formula that will not leave behind any residue. Stations can be conveniently positioned and moved around the work area as needed.

## Adaptec™ Series Protective Eyewear, Honeywell

- Three-position adjustable nose bridge keeps eyes centered in lens
- Self-adjusting nose pads independently conform to the wearer's face for greater comfort and stability
- Temples adjust for inclination and width without removing the eyewear
- Quick-change lens replacement system
- Utilizes exclusive Adaptec 4A+ coating, protecting against fog, scratches, UV, and static
- Meets ANSI Z87.1 and CSA Z94.3 requirements



Size	Lens Tint	Cat. No.	Price	
Regular	Clear	89204-606	Ea./ 17.98	Bx. 10/ 124.81 Cs. 50/ 527.22
Regular	Smoke	89204-610	Ea./ 19.55	Bx. 10/ 136.04 Cs. 50/ 572.27
Narrow	Clear	89204-590	Ea./ 17.98	Bx. 10/ 124.81 Cs. 50/ 527.22
Narrow	Smoke	89204-594	Ea./ 19.55	Bx. 10/ 136.04 Cs. 50/ 572.27
Wide	Clear	89204-622	Ea./ 17.98	Bx. 10/ 124.81 Cs. 50/ 527.22
Wide	Smoke	89204-626	Ea./ 19.55	Bx. 10/ 136.04 Cs. 50/ 572.27

## Uvex Genesis® Protective Eyewear, Honeywell

- Dual 9-base wrap-around lens provides uncompromised peripheral vision and protection Elastomer brow guard diffuses and deflects impact
- Temple length and lens inclination are adjustable
- Soft fingers conform to any nasal profile
- Frames guaranteed for life
- Meets ANSI Z87+ and CSA Z94.3 standards



Frame Color	Lens Coating	Lens Tint	Cat. No.	Price	
Black	Dura-streme	Clear	94023-916	Ea./ 19.89	Pk. 10/ 146.19
Black	Ultra-dura®	Clear	15001-568	Ea./ 16.75	Pk. 10/ 123.00
Black	Uvextreme®	Clear	15001-570	Ea./ 18.05	Pk. 10/ 132.48
Earth	Ultra-dura®	Clear	15001-582	Ea./ 15.23	Pk. 10/ 111.81
Earth	Uvextreme®	Clear	15001-584	Ea./ 16.41	Pk. 10/ 120.43
Patriot RWB	Ultra-dura®	Clear	14227-815	Ea./ 15.23	Pk. 10/ 111.81
Patriot RWB	Uvextreme®	Clear	14227-817	Ea./ 16.41	Pk. 10/ 120.44
Vapor Blue	Ultra-dura®	Clear	15001-610	Ea./ 16.75	Pk. 10/ 123.00
Vapor Blue	Uvextreme®	Clear	15001-612	Ea./ 16.41	Pk. 10/ 120.43

## Uvex Ultra-spec® Protective Eyewear, Honeywell Safety



- Feature a 100% polycarbonate wraparound unilens design
- Side shields add extra protection without compromising visibility
- Clear lenses and frames
- The Ultra-dura® lens coating provides superior scratch and chemical resistance
- Uvextreme lens coating provides antifog, anti-scratch, antistatic, and anti-UV protection

Description	Lens Coating	Lens Tint	Cat. No.	Price	
Ultra-spec 1000 Glasses	Uncoated	Clear	14222-870	Ea./ 3.28	Cs. 200/ 483.45

## Uvex Genesis® Reading Magnifier Eyewear, Honeywell Safety



- Wrap-around lens for uncompromised peripheral vision
- Ultra-dura, scratch- and chemical-resistant hard coat is permanently bonded to the lens
- Offer 99.9% ultra-violet protection
- Flexible nasal fingers and ratcheting temples for customized fit

Lens Tint	Cat. No.	Price	
Clear	89095-318	Ea./ 16.60	Pk. 10/ 122.30
Clear	89095-320	Ea./ 16.60	Pk. 10/ 122.30
Clear	89095-322	Ea./ 16.60	Pk. 10/ 122.30
Clear	89095-324	Ea./ 16.60	Pk. 10/ 122.30
Clear	89095-326	Ea./ 16.60	Pk. 10/ 122.30

## A700 Series Protective Eyewear, Honeywell Safety

- Economic and sporty glasses provide a stylish fit for the everyday wearer
- Lightweight design is equipped with sport temples and soft temple tip pads that offer a secure, wraparound fit
- Molded universal nose bridge provides added comfort throughout extended use
- 9-base polycarbonate hardcoated lenses provide a 180° field of distortion-free vision, and offer 99.9% UV protection
- Model 89020-074 features Fog-Ban® treatment to reduce fogging in extreme conditions



Description	Frame Color	Lens Tint	Cat. No.	Price	
Lenses with Anti-Scratch Treatment	Clear	Clear	89020-064	Ea./ 4.14	Pk. 10/ 30.42
Lenses with Anti-Scratch Treatment	Gray	TSR Gray	89020-066	Ea./ 4.17	Pk. 10/ 30.67
Lenses with Anti-Scratch Treatment	Clear	Amber	89020-068	Ea./ 4.17	Pk. 10/ 30.67
Lenses with Anti-Scratch Treatment	Gray	Blue Mirror	89020-070	Ea./ 6.02	Pk. 10/ 44.39
Lenses with Anti-Scratch Treatment	Gray	I/O Silver Mirror	89020-072	Ea./ 6.02	Pk. 10/ 44.39
Lenses with Fog-Ban® Treatment	Clear	Clear	89020-074	Ea./ 4.86	Pk. 10/ 35.79

# Eye & Face Protection

## W Series Safety Eyewear for Women, Honeywell Safety

- Incorporates high style, all-day comfort, and compliance
- Smaller sizing is tailored to fit women's facial features, including vertical brow, fuller cheeks, and narrower bridge
- Features polycarbonate lenses and adjustable nosepieces
- Meets ANSI Z87+ high-impact standards

Description	Lens Coating	Lens Tint	Cat. No.		Price
W100 Series	Anti-Scratch	Clear	89092-184	Ea./ 14.30	Pk. 10/ 105.06
W100 Series	Fog-Ban®	Clear	89092-186	Ea./ 15.49	Pk. 10/ 114.14
W100 Series	Anti-Scratch	Espresso	89092-188	Ea./ 16.16	Pk. 10/ 118.76
W100 Series	Anti-Scratch	I/O Silver	89092-190	Ea./ 16.70	Pk. 10/ 123.00
W200 Series	Anti-Scratch	Clear	89092-192	Ea./ 6.58	Pk. 10/ 48.34
W200 Series	Fog-Ban®	Clear	89092-194	Ea./ 7.62	Pk. 10/ 56.01
W200 Series	Anti-Scratch	Silver Mirror	89092-196	Ea./ 10.28	Pk. 10/ 75.54



by Honeywell



## A800 Series Protective Eyewear, Honeywell Safety

- Sport-style temples feature soft, padded inserts with extra flex
- Soft nosepiece conforms to various nose bridge shapes for a nonslip fit
- 9-base polycarbonate hardcoated lens provides a 180° field of distortion-free vision and provides 99.9% UV protection
- Comply with ANSI Z87+ high impact standards

Description	Frame Color	Lens Tint	Cat. No.		Price
Lenses with Anti-Scratch Treatment	Clear	Clear	89020-076	Ea./ 5.25	Pk. 10/ 38.61
Lenses with Anti-Scratch Treatment	Gray	TSR Gray	89020-078	Ea./ 5.53	Pk. 10/ 40.67
Lenses with Anti-Scratch Treatment	Gray	I/O Silver Mirror	89020-080	Ea./ 8.53	Pk. 10/ 62.75
Lenses with Fog-Ban® Treatment	Clear	Clear	89020-082	Ea./ 5.89	Pk. 10/ 43.46
Lenses with Fog-Ban® Treatment	Gray	TSR Gray	89020-084	Ea./ 6.65	Pk. 10/ 49.04



by Honeywell



## Refine™ Protective Eyewear, 3M™

- Designed and styled specifically for women, Refine™ protective eyewear are lightweight, slim-frame safety glasses that fit and adjust comfortably to the female facial profile. Anti-fog coating and polycarbonate lens deliver clarity of vision.

Meets ANSI Z87.1 requirements.

Frame Color	Lens Coating	Lens Tint	Cat. No.		Price
Teal	Anti-Fog	Clear	89136-098	Ea./ 10.94	Pk. 10/ 91.92 Cs. 20/ 139.40



## VWR Technical Product Support

VWR Technical Product Support is your one source for all VWR product technical questions. Consisting of experienced scientists with backgrounds in your area of research, the team is committed to providing you with real-time response and proven industry solutions. For assistance, email us at [TechnicalProductSupportNA@vwr.com](mailto:TechnicalProductSupportNA@vwr.com) or call us at 1.888.897.5463.





## SecureFit™ Protective Eyewear, 3M™

Eyewear features a stylish, lightweight design that weighs less than 1oz. Proprietary 3M™ Pressure Diffusion Temple (PDT) Technology helps to provide a secure, snug fit without compromising comfort.

Lens Coating	Lens Color	Cat. No.	Price	
Anti-Scratch	Clear	89421-658	Ea./ 2.13	Cs. 20/ 42.15
Anti-Fog	Clear	89421-652	Ea./ 2.50	Cs. 20/ 49.54
Anti-Scratch	Gray	89421-660	Ea./ 2.30	Cs. 20/ 45.74
Anti-Fog	Gray	89421-654	Ea./ 2.69	Cs. 20/ 53.37
Anti-Scratch	Amber	89421-662	Ea./ 2.30	Cs. 20/ 45.74
Anti-Fog	Amber	89421-656	Ea./ 2.69	Cs. 20/ 53.37



## Virtua™ Protective Eyewear, 3M™

- Universal nose bridge helps prevent slippage.
- Wrap design provides full coverage
- Tough, polycarbonate construction provides excellent impact resistance
- Provides scratch, static, and chemical protection
- Meet ANSI Z87.1 and CSA Z94.1 standards
- Hardcoat lens coating and clear lens tint



Frame Color	Lens Coating	Lens Tint	Cat. No.	Price	
Clear	Hard Coat	Clear	47746-233	Ea./ 2.79	Cs. 20/ 46.53
Black/Gray	Hard Coat	Clear	89095-228	Ea./ 3.82	Cs. 20/ 63.65

## Crews® Protective Goggles, MCR Safety



Goggles provide a wide, unobstructed field of vision and are available in a variety of styles to protect against impact and splash. They can be worn with most half-mask respirators and will fit comfortably over most prescription eyewear.



Goggles meet or exceed ANSI Z87.1+ safety standards.

Description	Type	Cat. No.	Price	
Indirect Vented	Chemical Splash-Resistant Goggles	11000-398	Ea./ 4.16	Pk. 36/ 125.59
Indirect Vented, Antifog	Chemical Splash-Resistant Goggles	80081-782	Ea./ 10.87	Pk. 36/ 190.39

## Uvex Protégé® Protective Eyewear, Honeywell

- Stylish and ultra-lightweight (27.5g) with soft temple tips and nose pads for secure, comfortable fit
- Wraparound brow expands to fit a wide range of users
- Frames guaranteed for life
- Meets ANSI Z87+ standard and military Vo ballistic test for impact

Frame Color	Lens Coating	Lens Tint	Cat. No.	Price	
Black	Ultra-dura®	Clear	89009-112	Ea./ 9.04	Bx. 10/ 66.38
Black	Uvextra® AF	Clear	89009-114	Ea./ 10.09	Bx. 10/ 74.14
Black	Ultra-dura®	Gray	89009-116	Ea./ 10.37	Bx. 10/ 76.46
Black	Uvextra® AF	Gray	89009-118	Ea./ 11.48	Bx. 10/ 84.60
Black	Ultra-dura®	SCT-Reflect 50	89009-120	Ea./ 12.58	Bx. 10/ 92.71
Sandstone	Ultra-dura®	Clear	89009-122	Ea./ 9.04	Bx. 10/ 66.38
Sandstone	Uvextra® AF	Clear	89009-124	Ea./ 10.09	Bx. 10/ 74.14
Sandstone	Ultra-dura®	Gray	89009-126	Ea./ 10.37	Bx. 10/ 76.46
Sandstone	Uvextra® AF	Gray	89009-128	Ea./ 11.48	Bx. 10/ 84.60
Sandstone	Ultra-dura®	SCT-Reflect 50	89009-130	Ea./ 12.58	Bx. 10/ 92.71

## Uvex Futura™ Goggles, Honeywell Safety

- Wrap-around, sports-style goggles provide excellent panoramic vision
- Frosted brow guard reduces glares and indirect venting to increase airflow
- Flexible PVC body, textured neoprene headband
- Impact-resistant polycarbonate lens protects against dust, mist, and splashing
- Clear lenses are coated with Uvextreme® lens coating for anti-fog, anti-scratch, antistatic, and anti-UV protection
- Fit over most prescription eyeglasses



Meet ANSI Z87+ and CSA Z94.3.

Description	Cat. No.	Price		
Goggles	33002-179	Ea./ 17.74	Pk. 10/ 130.39	Cs. 50/ 449.09

## Virtua™ Protective Eyewear V4, 3M™

- Lightweight, unisex styling
- Soft, dual injected temples for increased comfort
- Polycarbonate lens absorbs 99.9% UV



Frame Color	Lens Coating	Cat. No.	Price	
Clear	Clear	47746-233	Ea./ 2.79	Cs. 20/ 46.53





Honeywell

## Uvex Ignite™ Safety Eyewear

- Lightweight, frameless design provides 180° of unobstructed and distortion-free vision
- Coatings are permanently bonded to the lenses
- Eyewear meets ANSI Z87.1-2010 and CSA Z94.3 standards



Lens Coating	Lens Tint	Color	Cat. No.	Price
Hardcoat	Gray	Black and Silver	89041-712	Ea./ 11.93 Pk. 10/ 87.62
Hardcoat	SCT-Reflect 50	Black and Silver	89041-716	Ea./ 14.27 Pk. 10/ 104.82
Hardcoat	Silver Mirror	Black and Silver	89041-718	Ea./ 14.27 Pk. 10/ 104.82
Hardcoat	Clear	Metallic Red and Silver	89041-720	Ea./ 11.70 Pk. 10/ 85.99
Hardcoat	Gray	Metallic Red and Silver	89041-724	Ea./ 13.17 Pk. 10/ 96.67
Hardcoat	SCT-Reflect 50	Metallic Red and Silver	89041-728	Ea./ 15.31 Pk. 10/ 112.75
Hardcoat	Silver Mirror	Metallic Red and Silver	89041-730	Ea./ 15.32 Pk. 10/ 112.76
Uvextra® AF	Clear	Metallic Red and Silver	89041-722	Ea./ 12.74 Pk. 10/ 93.90
Uvextra® AF	Gray	Black and Silver	89041-714	Ea./ 13.17 Pk. 10/ 96.67
Uvextra® AF	Gray	Metallic Red and Silver	89041-726	Ea./ 14.27 Pk. 10/ 104.82
Uvextra® AF	Clear	Black and Silver	89041-710	Ea./ 11.70 Pk. 10/ 85.99

## Uvex Stealth® Goggle

- Durable polypropylene frame and soft, flexible elastomer provide comfortable seal
- Indirect ventilation reduces fogging
- Uvextreme® lenses provide antifog, antiscratch, antistatic, and ultraviolet protection
- Dura-streme® lenses feature interior Uvextreme coating and exterior Ultra-dura® coating for enhanced durability
- One-piece, impact-resistant polycarbonate lens can be replaced quickly and easily
- Meet ANSI Z87.1-2010 and CSA Z94.3 high impact protector standards.



Description	Band	Frame Color	Lens Coating	Lens Tint	Cat. No.	Price
Goggles	Neoprene	Gray/Gray	Uvextreme®	Clear	33000-751	Ea./ 24.65 Cs. 50/ 942.14
Goggles	Neoprene	Gray/Gray	Uvextreme®	Gray	33000-752	Ea./ 24.98 Pk. 10/ 183.61 Cs. 50/ 695.65
Goggles	Neoprene	Gray/Gray	Uvextreme®	Amber	33000-760	Ea./ 24.98 Pk. 10/ 183.61 Cs. 50/ 695.65
Over-the-Glass Goggles	Neoprene	Navy	Dura-streme™	Clear	89095-446	Ea./ 28.98
Over-the-Glass Goggles	Neoprene	Navy	Dura-streme™	Gray	89095-448	Ea./ 31.07

## Uvex Seismic® (Sealed Eyewear)

- Provides protection against impact, sun, wind, dust and airborne debris
- Can be worn with temples or headband to address most applications
- Soft and flexible nasal pads conform to a variety of nasal profiles and minimize slippage
- Soft, high-quality face cushioning and padded temple tips offer all-day comfort
- Highly adjustable flame-resistant headband provides excellent fit
- Available with a variety of high performance lens coating options
- Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards



Description	Cat. No.	Price
UVEX Seismic® Eyewear	89095-424	Ea./ 25.40 Pk. 10/ 186.65

## Crews® Protective Goggles, MCR Safety



Clear protective goggles are perforated for direct ventilation to ensure maximum visibility. They can be worn with most half-mask respirators and over most prescription frames. Goggles are supplied with adjustable elastic headband to ensure comfortable and secure fit. Clear body, regular size.

Description	Cat. No.	Price	
Goggles	11000-540	Ea./ 3.94	Pk. 36/ 85.01

## Uvex Bionic® Face Shields, Honeywell Safety



- Clear polycarbonate visor enhances protection from airborne debris
- Ergonomic design permits extended use with goggles and respirator
- Visor has secure attachment with dual-position choices
- Include ratcheting headgear suspension
- Meet ANSI Z87+ and CSA Z94.3 standards

Description	Cat. No.	Price	
<b>Faceshields with Visor and Ratcheting Headgear Suspension</b>			
Uncoated Visor	33002-535	Ea./ 48.91	Cs. 4/ 143.73
Antifog/Hardcoat Visor	33002-536	Ea./ 74.28	Cs. 4/ 218.29

<b>Accessories</b>			
Description	Cat. No.	Price	
Hardhat Adapter	89009-268	Ea./ 32.35	Pk. 10/ 237.76
Bionic® Ratchet Suspension	89009-270	Ea./ 17.06	Pk. 10/ 125.74
Replacement Sweatband	89009-272	Ea./ 3.91	Pk. 10/ 28.82

## Face Shield Visors, Honeywell Safety

- Meets ANSI Z87.1-1989. CSA certified
- Fits headgear and brackets with universal slots design
- Suitable for heat deflection up to 1210C (2500F) continuous

Meets ANSI Z87.1-1989. CSA certified.

Description	Thickness	Cat. No.	Price	
Formed Visor	1cm (13/32")	13502-274	Ea./ 13.49	
Flat Visor	1cm (13/32")	13502-275	Ea./ 4.96	Cs. 10/ 34.87

## Matrix® Series Safety Face Shields, U.S. Safety



- Molded from high-strength, lightweight polycarbonate for excellent impact, heat, and chemical resistance
- Ratchet suspension allows quick adjustment to correct size
- Leatherette sweatband cushions head and absorbs sweat
- Swivel-locking window attachment simplifies window replacement
- Double Matrix™ face shield includes double-crown for complete coverage of the face and neck


Description	Cat. No.	Price		
<b>Face Shield Crowns</b>				
Face Shield	14222-559	Ea./ 26.04	Pk. 6/ 120.19	
Double Matrix® Face Shield	89011-774	Ea./ 51.25		Cs. 6/ 236.06
<b>Windows for Matrix Face Shields</b>				
Clear Acetate	89011-771	Ea./ 10.80	Pk. 12/ 99.80	Cs. 48/ 243.75
<b>Windows for Double Matrix Face Shields</b>				
Clear Acetate	89011-773	Ea./ 9.84	Pk. 12/ 99.73	Cs. 48/ 252.62

## KIMBERLY-CLARK® GUARDALL SHIELD™ Face Shield, KIMBERLY-CLARK PROFESSIONAL®



Clear face shield is designed for use in environments where the risk of exposure to blood or bodily fluid splashing exists. Face shield is equipped with a foam band and headband, and may be worn with or without glasses or goggles. The clear mylar shield provides maximum visibility and is resistant to fogging.

Description	Color	Cat. No.	Price	
Full Length Face Shield	Clear	10869-018	Cs. 40/ 241.55	
¾ Length Face Shield	Clear	89066-604	Cs. 40/ 215.48	





# Fall Protection

## Miller Manyard® II Shock-Absorbing Lanyards, Honeywell Safety

Stretchable lanyards feature a specially woven, shock-absorbing inner core that expands up to 1.1m (3.6') to reduce fall arrest forces to 408kg (900lbs.) or less. Lanyards stretch from 1.2–1.8m (4–6') allowing for maximum maneuverability while reducing the chances of tripping, snagging, or dragging. The heavy-duty, tubular outer jacket serves as a backup to the inner core. A unique warning flag signals when lanyard is unfit for service due to previous falls. The integral bright red core makes visual inspection easier and more reliable. Lanyards weigh only 0.9kg (2lbs.) and handle working loads up to 141kg (310lbs.).

**Honeywell**



Description	Cat. No.	Price
Lanyard with Two 1.9 cm (3/4") Gate Openings	56619-054	Ea./ 104.86
Lanyard with One 1.9 cm (3/4") and One 6.4 cm (2 1/2") Gate Openings	56619-056	Ea./ 152.60

## Miller Manyard® HP Shock-Absorbing Lanyards, Honeywell Safety

Lanyards feature super-strong outer jacket with shock-absorbing inner core to reduce fall arrest forces below 480kg (900lbs.). During a fall, the outer jacket extends to full length, while the inner core extends to 1.1m (3.6') to further reduce the force of the fall. A warning flag releases after a fall to indicate that a replacement is needed. Color: high-visibility green. Length: 1.8m (6').

**Honeywell**



Style	Cat. No.	Price
Single Leg	56619-066	Ea./ 85.85
Twin Leg	56619-068	Ea./ 131.41

## Miller DuraFlex® Ultra and Python® Ultra Harnesses, Honeywell Safety

Harnesses feature sleek, quick-connect chest and leg strap buckles for easy donning. Buckles have a dual-tab release mechanism to prevent accidental opening. The Comfort-Touch back D-ring pad is designed with woven, breathable material for cooler extended wear comfort. Pad orients harness for quick, tangle-free donning.

**Honeywell**



Description	Cat. No.	Price
Harness with Mating-Buckle Leg Straps	56619-012	Ea./ 170.22
Harness with Mating-Buckle Leg Straps and Side D-Rings	56619-014	Ea./ 184.69
Harness with Mating-Buckle Leg Straps	56619-018	Ea./ 154.09
Harness with Grommeted-Buckle Leg Straps	56619-020	Ea./ 163.16
Harness with Grommeted-Buckle Leg Straps and Side D-Rings	56619-022	Ea./ 177.59

## Miller Cross-Arm Anchorage Strap, Honeywell Safety

For securing to I-beams and other structures. Strap features a 5.1cm (2") D-ring that slips through a 7.6cm (3") D-ring to form a secure attachment point for lanyards and other connecting devices.

**Honeywell**



Cat. No.	Price
56619-164	Ea./ 52.91

## Miller MiniLite® Self-Retracting Lanyards, Honeywell Safety

Compact, self-retracting lanyards feature a fast-acting break system to limit free falls to just inches. Interior, frame, and components are made of corrosion-resistant stainless steel, protected by a high-impact cover. Lanyards are designed with a visual load indicator. The tamperproof locking snap hook has a 1.9cm (3/4") gate opening at the lanyard end. The 2.5cm (1") wide webbing rolls out to 3.4m (11') or retracts to 46cm (18"). Maximum working load is 141kg (310lbs.). A wide range of anchorage connectors are available. All anchorage connecting options are rated to 2268kg (5000lbs.).

**Honeywell**



Description	Cat. No.	Price
Lanyard with Steel Twist-Lock Carabiner	56619-148	Ea./ 277.49
Lanyard with Steel Twist-Lock Carabiner and Swivel Shackle	56619-150	Ea./ 322.36
Lanyard with Rebar Hook and Swivel Shackle	56619-152	Ea./ 351.44
Lanyard with Locking Snap Hook	56619-154	Ea./ 313.90

## Miller BackBiter® Tie-Back Lanyard, Honeywell Safety

This all-in-one lanyard features SoftStop shock absorber and a cross-arm anchorage connector specially designed for tie-back use. The Miller 5K snap hook has 2268kg (5000lbs.) gate-load capacity from any angle. Heavy-duty Cordura™ nylon webbing provides excellent abrasion resistance. (Sperian 913B/6FTGN)

**Honeywell**



Cat. No.	Price
56619-050	Ea./ 142.10

## Direct Plug & Battery Operated CO Alarms, Kidde

**KIDDE**



- Digital display
- Test/reset button
- 3 mounting options
- 4 quick beeps in alarm condition
- 9V battery backup
- Alerts to replace after 7 years
- Updates reading every 15 seconds

Battery Size	Gas Type	Temperature Range	Cat. No.	Price
9V	Carbon Monoxide	40.0 °F [Min], 100.0 °F [Max]	300051-566	Ea./ 95.95

## Direct Plug & Battery Operated CO Alarms, Kidde

**KIDDE**



- Digital display refreshed every fifteen seconds
- Test/reset button
- One-second alarm and "gas" on display for gas detection
- 4 quick beeps for CO alarm

Depth	Gas Type	Temperature Range	Cat. No.	Price
1.80 in	Carbon Monoxide, Gas	40.0 °F [Min], 100.0 °F [Max]	300074-568	Ea./ 72.27

## Battery Operated Smoke Alarms, Kidde

**KIDDE**



- Test button, low battery indicator, and dust cover
- Red LED indicator flashes every 30-40 seconds to indicate that the alarm is receiving power

Battery Size	Depth	Diameter	Sensor Type	Cat. No.	Price
9V	—	9.8 cm (3 7/8")	Ionization	300008-556	Ea./ 9.31

## Battery Operated Smoke Alarms, Kidde

**KIDDE**



- Test/reset button
- 4 LED modes
- Alarm memory
- End of life warning
- Sealed in Lithium battery
- Self activation
- Tamper resist

Depth	Diameter	Sensor Type	Temperature Range	Cat. No.	Price
1.55 in	5.6000 in	Ionization	40.0 °F [Min], 100.0 °F [Max]	300074-570	Ea./ 35.30

## ProLine™ Multi-Purpose Dry Chemical Fire Extinguishers, ABC Type, Kidde

**KIDDE**



- Tough impact resistant metal valve, handle and lever
- Powder-coated cylinder for corrosion protection
- Extinguishing material is monoammonium phosphate
- Meet most commercial and industrial specifications

Capacity (Weight)	Operating Time	Weight	UL Rating	Cat. No.	Price
4.5 kg (10 lbs.)	20 sec.	8.8 kg (19.5 lbs.)	4-A, 60-B:C	300000-165	Ea./ 77.32
8.2 kg (18 lbs.)	19-22 sec.	13.8 kg (30.4 lbs.)	10-A, 80-B:C	300000-166	Ea./ 148.11
2.3 kg (5 lbs.)	15 sec.	3.9 kg (8.5 lbs.)	3-A, 40-B:C	300050-260	Ea./ 52.35

## Combination Carbon Monoxide & Smoke Alarm, Kidde

**KIDDE**



- Talking Alarm - Announces the hazard type detected thereby helping to speed up the correct reaction to the hazard detected
- Test/Reset Button - Tests alarm circuitry and triggers the voice announcement
- Two LEDs are provided
- Low Battery Warning - The unit warns of a low battery condition
- Battery Safeguard - Ensures the unit cannot be accidentally mounted without batteries installed

Battery Size	Sensor Type	Temperature Range	Weight	Cat. No.	Price
(3) AA	Ionization, Fuel Cell	40.0 °F [Min], 100.0 °F [Max]	4.31 lb	300055-002	Ea./ 64.33

## AED Lifeline and Lifeline View Automated External Defibrillators, Defibtech

- Most successfully used AED in study of minimally trained users
- Easy Maintenance
- Award-winning ergonomic design
- Spray and water resistant (rated IP55)
- Built to U.S. Military specifications for use in hostile environments

**defibtech**  
Life-Saving Technology Within Reach



Description	Capacity	Dimensions	Battery Life	Charge Time	Weight	Cat. No.	Price
Defibtech Lifeline Automated External Defibrillator (AED), with 5-Year Battery and Prescription	125 Shocks or 8 Hours Continuous Operation	22 x 30 x 7 cm (8.5 x 11.8 x 2.7")	5 Years	< 9 Seconds	1.9 kg (4.2 lbs.)	89401-706	Ea./ 1850.28
Defibtech Lifeline VIEW Automated External Defibrillator (AED), with Prescription	125 Shocks or 8 Hours Continuous Operation	18.5 x 24 x 5.8 cm (7.3 x 9.5 x 2.3")	4 Years	< 4 Seconds	< 1.4 kg (< 3 lbs.)	89401-710	Ea./ 2367.63
Defibtech Lifeline AED Starter Kit	125 Shocks or 8 hours Continuous Operation	22 x 30 x 7 cm (8.5 x 11.8 x 2.7")	5 Years	< 9 Seconds	1.9 kg (4.2 lbs.)	89401-712	Ea./ 2148.10

\* For accessories see [vwr.com](http://vwr.com)

## Fendall 2000® Emergency Eyewash Station, Honeywell

- Delivers 100% sterile saline from a 100% sterile delivery system
- 24-month cartridge life
- Built-in alarm system sounds when the unit has been activated and when the required 15-minute flush is complete
- Deactivation button that allows for fast and easy maintenance without false activation
- Self-contained, no plumbing required
- Meets ANSI Z358.1-2009 15-minute flush requirement for primary eyewash stations

**Honeywell**



Description	Cat. No.	Price
Eyewash Station	89047-100	Ea./ 704.15
Sterile Saline Cartridge Refill	89047-104	Ea./ 466.72

## Fendall® Pure Flow 1000® Emergency Eyewash Station, Honeywell

- Delivers purified, contaminant-free saline solution from a sealed, integrated delivery module
- Fluid pressure balancing system provides constant flow and stream height for entire 15-minute flushing period
- Portable or wall-mountable; no plumbing required
- Meets ANSI Z358.1 standards

**Honeywell**



Description	Cat. No.	Price
Eyewash Station	56611-106	Ea./ 700.42

Accessories		Description	Cat. No.	Price
		Replacement Pack	56611-108	Ea./ 256.92
		Personal Travel Bag	89009-274	Cs. 2/ 82.73
		Universal Bottle Mounting Device	89009-276	Cs. 4/ 66.89
		Universal Eyewash Stand	89009-278	Ea./ 186.92

## Fendall® Saline Eyewash Wall Stations, Honeywell Safety

Available in 470mL (16oz.) and 950mL (32oz.) single and 950mL (32oz.) double wall stations. Two-sided tape and screws are provided for mounting. Bottles have extended flow openings and twist-off tops for easy access in an emergency. Each bottle is expiry dated and lot numbered for end-user protection. Classified as personal/secondary eyewash device.

Description	Size	Cat. No.	Price
Refill Bottle	950 mL (32 oz.)	56611-124	Ea./ 17.25 Cs. 12/ 202.00
Single Station	470 mL (16 oz.)	56611-126	Ea./ 40.74 Cs. 8/ 216.76
Single Station	950 mL (32 oz.)	56611-128	Ea./ 46.01 Cs. 8/ 359.11
Double Station	950 mL (32 oz.)	56611-130	Ea./ 68.42 Cs. 4/ 267.05

**Honeywell**



## Lifesaver® Wall-Mount Emergency Showers, Speakman®

- For immediate rinsing off of harmful contaminants
- Impeller action head for more thorough rinsing
- Stay-open valve does not require operator control
- Meet ANSI X358.1 standard

**SPEAKMAN**



Description	Cat. No.	Price
Overhead-Mount	VF-0220-SE	Ea./ 245.99
Horizontal-Mount	VF-0227-SE	Ea./ 266.00

## SCIENCEWARE® Plum Emergency Eye Wash Stations, Open, Closed, and Heated Models, Bel-Art

- 0.9% Saline mimics human tears for effective rinsing
- Universal pictogram directions overcome language barriers

**scienceware**  
BEL-ART PRODUCTS



Description	Dimensions	Cat. No.	Price
Covered Eye Wash Stations			
Covered Station, with Two 500mL (16oz.) 0.9% Saline Bottles	22.2 x 30 cm (8 <sup>3</sup> / <sub>4</sub> x 11")	89089-146	Ea./ 56.62
Covered Station, with 200mL (6.8oz.) pH Neutralizing and 500mL (16oz.) 0.9% Saline	22.2 x 30 cm (8 <sup>3</sup> / <sub>4</sub> x 11")	89089-150	Ea./ 76.59

## SCIENCEWARE® Plum DUO Emergency Eye Wash Stations, Bel-Art

- Quick twist open top with flexible eye cup; dispense bottles upright or inverted
- pH Neutralizing Solution for quick neutralization when acids or alkalis enter the eye

**scienceware**  
BEL-ART PRODUCTS



Description	Dimensions	Cat. No.	Price
Open Stations			
DUO Open Station, with 500 mL (16.9 oz.) pH Neutralizing Solution and 1000 mL (33.8 oz.) 0.9% Saline	30.5 x 38.1 cm (12 x 15')	89140-478	Ea./ 79.63
DUO Open Station, with One 1000 mL (33.8 oz.) 0.9% Saline Bottle	20.3 x 38.1 cm (8 x 15")	89140-476	Ea./ 68.69



### VWR® 25-Person Portable First Aid Kit



- Sterile items are individually wrapped
- Contents are protected from moisture, dust, and other contaminants by gasketed seal
- Sturdy, metal case has screw holes for wall mounting

Description	Cat. No.	Price	
Portable First Aid Kit with Contents	56613-217	Ea./ 66.42	Cs. 8/ 459.08

### VWR® Bulk First Aid Cabinets



- Supplies available individually to maintain or modify inventory
- Wall mountable for easy access
- Deluxe cabinet features two adjustable shelves
- All first aid products made, packaged, and inspected according to FDA Good Manufacturing Practices
- Cabinets and first aid components are ordered separately.

Description	W x D x H	Cat. No.	Price
Medium	38.1 x 12.1 x 26.7 cm (15 x 4 <sup>7</sup> / <sub>8</sub> x 10 <sup>1</sup> / <sub>2</sub> "	11001-453	Ea./ 60.80
Deluxe	43.2 x 15.2 x 55.9 cm (17 x 6 x 22")	11001-472	Ea./ 164.39
Large	30.5 x 15.2 x 45.7 cm (12 x 6 x 18")	11001-474	Ea./ 112.58

First Aid Components	Cat. No.	Price		
Triangular Bandage, Sterile	33000-831	Ea./ 4.80	Pk. 10/ 28.12	Cs. 100/ 237.14
Adhesive Tape, 12.7 mm x 2.4 m (1/2" x 2 1/2 yds.)	56612-398	Ea./ 3.09		
Gauze Compress, 60.1 x 183 cm (24 x 72")	11000-950	Ea./ 5.04		
Gauze Compress, 45.7 x 91 cm (18 x 36")	56612-401	Ea./ 5.12		Cs. 10/ 29.98
Antiseptic Spray, 59 mL (2 oz.), Pump	15000-312	Ea./ 13.74		Cs. 24/ 193.88
Burn Spray, 59 mL (2 oz.), Pump	15000-310	Ea./ 13.74		Cs. 24/ 193.00

### Biohazard PPE Kits, Honeywell Safety

Biohazard personal protective equipment (PPE) kits are designed to provide basic protection against a variety of potentially hazardous microorganisms for individuals involved with response or cleanup activities. Kits offer limited protection from biological exposure in natural disaster environments, sites exposed to the influenza virus, or cleanup activities involving Noroviruses. They are also well suited for use by medical professionals, law enforcement, correctional facilities, and emergency response personnel. Biohazard PPE kits meet World Health Organization protocol recommendations for personal protective equipment.



Size	Cat. No.	Price	
Small	89015-582	Ea./ 142.18	Cs. 5/ 415.92
Medium	89015-584	Ea./ 142.18	Cs. 5/ 415.92
Large	89015-586	Ea./ 142.18	Cs. 5/ 415.92

### General-Purpose Burn Kit, Honeywell Safety

Contains both dry and wet dressings. Dry dressings protect against contamination and wet dressings help draw heat out of the burn.

### Honeywell



Description	Cat. No.	Price	
General-Purpose Burn Kit	57100-340	Ea./ 161.89	

### Burn Jel® Pain Relieving Gel, Honeywell Safety

Pain relieving gel provides fast pain relief by cooling and soothing. Water-soluble. Can be added to any first aid kit. Five year shelf life.

### Honeywell



Size	Cat. No.	Price
3.5g (0.13oz.) packets	11001-450	Pk. 6/ 6.31

### First Aid Cream with Aloe, Honeywell Safety

Helps prevent infection and relieves pain due to minor cuts, scrapes, and burns. Each unit includes six 0.9g pouches of cream.

### Honeywell



Description	Cat. No.	Price		
First Aid Cream with Aloe	57100-308	Ea./ 4.57	Pk. 60/ 267.89	Cs. 600/ 2357.50

### VWR® 25-Person First Aid Cabinet



- Complete First Aid for 25 People
- Meets OSHA Requirements
- Wall-mount bracket

Description	Cat. No.	Price	
First Aid Kit with Contents	56613-213	Ea./ 48.65	Cs. 10/ 420.63
Refill -Contents only	56613-214	Ea./ 31.16	Cs. 10/ 269.39

## VWR® AlcoSCRUB® Instant Antiseptic Hand Cleanser

- Fast-acting antimicrobial gel for use when water is not available
- Ideal for reducing bacteria counts on hands prior to donning gloves and entering an aseptic environment
- Dries quickly and leaves no sticky residue
- Emollients help moisturize hands and keep them chap-free
- Contains 62% ethyl alcohol formula



Size	Packaging	Cat. No.	Price	
473 mL (16 oz.)	Pump Bottle	56700-116	Ea./ 20.39	Cs. 12/ 184.81
800 mL (27 oz.)	Bag-In-a-Box	56700-132	Ea./ 20.65	Cs. 12/ 174.06
946 mL (32 oz.)	Pump Bottle	56700-148	Ea./ 29.93	Cs. 12/ 261.02

Accessories				
Description	Cat. No.	Price		
Wall Bracket for 473 mL (16 oz.) Bottle	56614-422	Ea./ 8.47	Cs. 12/ 80.87	
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-In-a-Box	56700-138	Ea./ 31.81	Cs. 12/ 386.56	

## VWR® Antimicrobial Laboratory Hand Soap-PCM

- Designed for laboratory workers who wash their hands frequently
- Will not dry out the skin and replenishes natural oils
- 1% chloroxylenol (PCMX) antimicrobial agent is effective against bacteria and fungi



Description	Size	Cat. No.	Price	
Pump Bottle	946 mL (32 oz.)	89005-464	Ea./ 48.91	Cs. 6/ 228.15
Pump Bottle	473 mL (16 oz.)	89005-470	Ea./ 28.96	Cs. 12/ 270.25
Refill Jug	3.8 L (1 gal.)	89005-476	Ea./ 140.71	Cs. 4/ 437.60
Flip-Top Bottle	118 mL (4 oz.)	89005-480	Ea./ 8.32	Cs. 12/ 77.73

## VWR® Antimicrobial Laboratory Hand Soap-TS

- Ideal for laboratory and healthcare personnel required to wash frequently
- Fast acting antimicrobial agent provides efficacy against a wide variety of bacteria
- pH balanced formulation is gentle on the hands



Description	Size	Cat. No.	Price	
Pump Bottle	946 mL (32 oz.)	89005-478	Ea./ 40.22	Cs. 6/ 187.61

## VWR® Hand Cream

- Designed specifically for laboratory technicians who wash frequently
- Non-greasy skin moisturizer absorbs quickly upon application
- Prevents irritation from latex gloves, harsh soaps, and other irritants
- Fragrance-free, petroleum free



Description	Size	Cat. No.	Price	
Tube	89 mL (3 oz.)	89005-466	Ea./ 13.18	Cs. 12/ 123.00
Pump Bottle	473 mL (16 oz.)	89005-468	Ea./ 39.73	Cs. 6/ 185.37
Refill Jug	3.8 L (1 gal.)	89005-482	Ea./ 150.03	Cs. 4/ 466.59

## VWR® Hand Sanitizer Gel

- Non-drying, antimicrobial hand gel for use anywhere soap and water are not available
- Quick-drying gel leaves no sticky residue and is ideal for reducing bacteria on hands prior to gloving
- Special emollients help moisturize hands and prevent chapping
- Meets OSHA requirements for hand washing



Description	Size	Cat. No.	Price	
Pump Bottle	473 mL (16 oz.)	89005-474	Ea./ 26.21	Cs. 6/ 122.30

## VWR® Laboratory Hand Soap-NA

- Ideal for frequent use, especially where risk of bacterial contamination is not an issue
- Replenishes natural oils and prevents skin from drying or cracking
- Pump bottle



Description	Size	Cat. No.	Price	
Pump Bottle	946 mL (32 oz.)	89005-472	Ea./ 29.93	Cs. 6/ 140.02

## VWR® MicroDispenser™ Touch-Free Soap Dispenser

- Reduces cross-contamination and waste in the cleanroom and gowning areas
- Activated by an electronic eye
- Delivers a consistent, premeasured dose of soap, lotion, or sanitizer into the palm
- Gravity fed with no tubes or pumps
- Easy delivery system allows dispenser to be use for different soaps or lotions by changing spout
- No-drip unit may be wall-mounted
- Complies with OSHA, CDC, and ADA requirements



Description	Size	Cat. No.	Price	
Touch-Free Dispenser	500 mL (16.9 oz.)	89128-812	Ea./ 133.49	

## VWR® SoftCIDE® Extra-Mild Hand Soap

- Antimicrobial Strength
- Effective Against a Broad Spectrum of Microorganisms
- pH Balanced for Skin



Size	Packaging	Cat. No.	Price	
946 mL (32 oz.)	Pump Bottle	56614-420	Ea./ 47.00	Cs. 6/ 206.55
3.8 L (1 gal.)	Refill Jug	56614-424	Ea./ 134.17	Cs. 4/ 405.23
473 mL (16 oz.)	Pump Bottle	56700-124	Ea./ 28.68	Cs. 6/ 125.96

Accessories				
Description	Cat. No.	Price		
Pump for 3.78 L (1 gal.) Refill Jug	56614-415	Ea./ 8.68	Cs. 12/ 77.01	
Wall Bracket for 473 mL (16 oz.) Bottle	56614-422	Ea./ 8.47	Cs. 12/ 80.87	

**VWR® SoftCIDE®-NA Hand Soap**

- Extra-Mild Cleansing
- Frequent-Use Formula
- pH Balanced for Skin



Size	Packaging	Cat. No.	Price	
946 mL (32 oz.)	Pump Bottle	56700-144	Ea./ 28.80	Cs. 12/ 274.05

Accessories				
Description	Cat. No.	Price		
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-In-a-Box	56700-138	Ea./ 31.81	Cs. 12/ 386.56	

**VWR® SoftCIDE®-ES Antimicrobial Hand Soap**



SoftCIDE®-ES Hand Soap features a mild formulation that is designed for frequent hand washing.

Size	Packaging	Cat. No.	Price	
27 oz.	Bag-In-a-Box Carton	89137-122	Ea./ 22.52	Cs. 12/ 226.60

**Antibacterial Soap and Instant Sanitizers, Micronova**

Hy-G-Clenz™ is an antibacterial lotion soap effective against a wide range of both gram-positive and gram-negative bacteria. The unique blend of 0.3% triclosan and natural moisturizers offers an ideal formulation for frequent handwashing. Compliant with OSHA standards.



Description	Size	Packaging	Cat. No.	Price	
Hy-G-Clenz™ Soap	500 mL (16.9 oz.)	Pump Bottle	68400-029	Ea./ 29.48	Cs. 6/ 131.96
NovaClenz™ Sanitizer	500 mL (16.9 oz.)	Pump Bottle	68400-031	Ea./ 30.44	Cs. 6/ 137.76
AquaHol™ Sanitizer	500 mL (16.9 oz.)	Pump Bottle	68400-440	Cs. 6/ 240.08	

**Alcare® Foamed Alcohol Hand Cleaner, STERIS®**



- Idea for when soap and water are not readily available
- Eliminates 100% of bacteria in 60 seconds
- Lightly fragrant foam rubs in quickly

Size	Cat. No.	Price	
266 mL (9 oz.)	16200-136	Ea./ 30.74	Cs. 24/ 519.33
160 mL (5.4 oz.)	16200-138	Ea./ 20.44	Cs. 24/ 346.46



**VWR® SoftGUARD® Extra-Strength Barrier Hand Cream**

- Nongreasy cream absorbs immediately
- Prevents and relieves irritation caused by latex chemicals and harsh soaps
- Fragrance-free



Size	Packaging	Cat. No.	Price	
59 mL (2 oz.)	Flip-Top Bottle	56700-122	Cs. 24/ 144.04	
89 mL (3 oz.)	Flip-Top Tube	56614-410	Ea./ 11.77	Cs. 12/ 113.32
237 mL (8 oz.)	Flip-Top Tube	16005-134	Ea./ 29.78	Cs. 6/ 135.30
473 mL (16 oz.)	Pump Bottle	56614-414	Ea./ 39.90	Cs. 6/ 175.77

Accessories				
Description	Cat. No.	Price		
Pump for 3.78 L (1 gal.) Refill Jug	56614-415	Ea./ 8.68	Cs. 12/ 77.01	

**Supreno® SE Powder-Free Nitrile Gloves, Microflex®**

- Soft, durable nitrile for improved strength and comfort
- Interior polymer coating
- Textured fingers for reliable grip
- Ambidextrous
- Powder-free
- Color: Blue



Cuff Thickness	4.3 mil
Finger Thickness	7.9 mil
Palm Thickness	5.5 mil

Size	Length	Cat. No.	Price	
X-Small	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-668	Pk 100/ 32.60	Cs. 1000/ 270.01
Small	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-660	Pk 100/ 32.60	Cs. 1000/ 270.01
Medium	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-662	Pk 100/ 32.60	Cs. 1000/ 270.01
Large	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-664	Pk 100/ 32.60	Cs. 1000/ 270.01
X-Large	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-666	Pk 100/ 32.60	Cs. 1000/ 270.01

**FreeForm® SE Powder-Free Nitrile Gloves, Microflex®**

- Soft and durable
- Textured fingers and beaded cuff
- Polymer-coated for quick donning, even wet
- Ambidextrous
- Textured fingers for secure grip
- Color: Blue



Cuff Thickness	3.5 mil
Finger Thickness	5.5 mil
Palm Thickness	3.9 mil

Size	Length	Cat. No.	Price	
X-Small	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-680	Pk 100/ 33.83	Cs. 1000/ 279.32
Small	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-682	Pk 100/ 33.83	Cs. 1000/ 279.32
Medium	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-684	Pk 100/ 33.83	Cs. 1000/ 279.32
Large	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-686	Pk 100/ 33.83	Cs. 1000/ 279.32
X-Large	24.5 cm (9 <sup>5</sup> / <sub>8</sub> " )	32916-688	Pk 100/ 33.83	Cs. 1000/ 279.32



# Hand Protection

## VWR® Soft Nitrile Examination Gloves

- Ambidextrous Gloves Protect Hands From Biohazards and a Broad Range of Chemicals
- Made From Premium Nitrile for High Quality and Consistency
- Fully Textured Finish and Beaded Cuff



Cuff Thickness	2.5 mil
Disposable/Reusable	Disposable
Finger Thickness	3.1 mil
Palm Thickness	3.1 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Color	Cat. No.	Price
X-Small	22.9 cm (9")	Blue	89038-267	Pk. 100/ 19.69 Cs. 1000/ 160.66
Small	22.9 cm (9")	Blue	89038-268	Pk. 100/ 19.69 Cs. 1000/ 160.66
Medium	22.9 cm (9")	Blue	89038-270	Pk. 100/ 19.69 Cs. 1000/ 160.66
Large	22.9 cm (9")	Blue	89038-272	Pk. 100/ 19.69 Cs. 1000/ 160.66
X-Large	22.9 cm (9")	Blue	89038-274	Pk. 100/ 19.69 Cs. 1000/ 160.66

## VWR® Nitrile Extended Cuff Exam Gloves

- Ambidextrous with a 12" extended cuff for extra protection
- Made from premium nitrile for high quality and consistency
- Provide hand protection against biohazards and a broad range of chemicals



Cuff Thickness	3.3 mil
Disposable/Reusable	Disposable
Finger Thickness	6.1 mil
Palm Thickness	4.7 mil

Size	Length	Color	Cat. No.	Price
X-Small	29 cm (11 7/16")	Blue	89521-894	Pk. 50/ 22.45 Cs. 500/ 191.33
Small	29 cm (11 7/16")	Blue	89521-896	Pk. 50/ 22.45 Cs. 500/ 191.33
Medium	29 cm (11 7/16")	Blue	89521-898	Pk. 50/ 22.45 Cs. 500/ 191.33
Large	29 cm (11 7/16")	Blue	89521-900	Pk. 50/ 22.45 Cs. 500/ 191.33
X-Large	29 cm (11 7/16")	Blue	89521-902	Pk. 50/ 22.45 Cs. 500/ 191.33

## VWR® Nitrile 200 Examination Gloves

- Ambidextrous with textured fingers and a rolled, beaded cuff
- Made from premium nitrile for high quality and consistency
- Packaged 200 per box to save space and reduce waste
- Color: Blue



Cuff Thickness	2.4 mil
Disposable/Reusable	Disposable
Finger Thickness	3.9 mil
Palm Thickness	2.8 mil

Size	Length	Cat. No.	Price
X-Small	22.9 cm (9")	89428-746	Pk. 200/ 31.09 Cs. 2000/ 242.41
Small	22.9 cm (9")	89428-748	Pk. 200/ 31.09 Cs. 2000/ 242.41
Medium	22.9 cm (9")	89428-750	Pk. 200/ 31.09 Cs. 2000/ 242.41
Large	22.9 cm (9")	89428-752	Pk. 200/ 31.09 Cs. 2000/ 242.41
X-Large	22.9 cm (9")	89428-754	Pk. 200/ 31.09 Cs. 2000/ 242.41
2X-Large	22.9 cm (9")	89428-756	Pk. 200/ 31.09 Cs. 2000/ 242.41

## VWR® Powder-Free Nitrile Examination Gloves

- Ambidextrous gloves are extra soft and comfortable for every day use
- Protect hands from biohazards and a broad range of chemicals
- Beaded cuff allows easy donning
- Color: Blue



Cuff Thickness	3.9 mil
Disposable/Reusable	Disposable
Finger Thickness	5.5 mil
Palm Thickness	4.7 mil

Size	Length	Color	Cat. No.	Price
X-Small	22.9 cm (9")	Blue	82026-423	Pk. 100/ 21.93 Cs. 1000/ 170.69
Small	22.9 cm (9")	Blue	82026-424	Pk. 100/ 21.93 Cs. 1000/ 170.69
Medium	22.9 cm (9")	Blue	82026-426	Pk. 100/ 21.93 Cs. 1000/ 170.69
Large	22.9 cm (9")	Blue	82026-428	Pk. 100/ 21.93 Cs. 1000/ 170.69
X-Large	22.9 cm (9")	Blue	82026-430	Pk. 100/ 21.93 Cs. 1000/ 170.69

## VWR® MICROGRIP® PURPLE NITRILE® Poly-Coated Powder-Free Gloves

- Durable gloves are microtextured to enhance grip
- Consistent polymer coating eases donning and removal
- Feature AQL level of 1.5 for pinhole protection
- Length: 26cm (10")
- Thickness: 4.72 mil (finger), 4.33 mil (palm)
- Color: Purple



Finger Thickness	4.72 mil
Length	25.4 cm (10")
Palm Thickness	4.33 mil

Size	Cat. No.	Price
X-Small	40101-440	Pk. 100/ 41.42 Cs. 1000/ 336.00
Small	40101-344	Pk. 100/ 41.42 Cs. 1000/ 336.00
Medium	40101-346	Pk. 100/ 41.42 Cs. 1000/ 336.00
Large	40101-348	Pk. 100/ 41.42 Cs. 1000/ 336.00
X-Large	40101-350	Pk. 100/ 41.42 Cs. 1000/ 336.00

# Ansell

## PROTECTION THAT MATTERS TODAY. COMFORT THAT IMPACTS TOMORROW.

Put an end to hand fatigue with the first Ergonomic Certified Exam Glove in the industry. XCEED® gloves made with Avantex™, our proprietary technology, have been proven to reduce muscle effort. Prolonged muscle effort may lead to hand fatigue and injuries that may impact your productivity. Now comfort goes hand in hand with superior barrier protection.



**MICROFLEX**  
THE MOST TRUSTED NAME IN GLOVES

### Microflex® XCEED® Powder-Free Nitrile Exam Gloves

Size	Cat. No.	Price
Extra-Small	89174-538	Cs. 2500/ 397.70
Small	89174-540	Cs. 2500/ 397.70
Medium	89174-542	Cs. 2500/ 397.70
Large	89174-544	Cs. 2500/ 397.70
Extra-Large <sup>1</sup>	89174-546	Cs. 2500/ 397.70

<sup>1</sup> XL contains 230 gloves by weight

THE 1<sup>ST</sup>  
CERTIFIED  
ERGONOMIC  
EXAM GLOVE  
us<sub>o</sub>ergo



250  
GLOVES



Promo Code 4351

## Buy 1 Case of ANY Microflex® Gloves and get a FREE 30-count sample pack of XCEED®.\*

To purchase your case of Microflex gloves, visit [vwr.com](http://vwr.com), call 800.932.5000, or contact your VWR Sales Representative.

To redeem your FREE 30-count sample pack, have your VWR invoice or VWR packing slip handy, and visit [us.vwr.com/promotions](http://us.vwr.com/promotions), search for promo code 4351, and fill out the online form by January 15, 2016.

\* Limited to 1 redemption per person. Please specify glove size when redeeming. Please allow 4-6 weeks for redemption, while supplies last. Offer valid with purchases through December 31, 2015.

# Hand Protection

## UltraSense™ EC Powder-Free Nitrile Gloves, Microflex®

- Ultra-soft, powder-free gloves are made from a nitrile formulation that has the fit and feel of latex and provides reliable protection against many hazardous and infectious substances. Non-stick surface resists tapes and adhesives. Ambidextrous. Textured Fingers. Extended beaded cuff.
- Length: 29 cm (11 7/16")
- Caution: Components used in making these gloves may cause allergic reactions in some users. Follow your institution's policies for use.
- Color: blue

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Size	Cat. No.	Price	
Small	89065-280	Pk. 100/ 38.06	Cs. 1000/ 316.11
Medium	89065-282	Pk. 100/ 38.06	Cs. 1000/ 316.11
Large	89065-284	Pk. 100/ 38.06	Cs. 1000/ 316.11
X-Large	89065-286	Pk. 100/ 38.06	Cs. 1000/ 316.11
2X-Large	89065-288	Pk. 100/ 38.06	Cs. 1000/ 316.11

## UltraSense™ Powder-Free Nitrile Gloves, Microflex®

UltraSense™ powder-free nitrile gloves offer a blend of comfort and durability unique to nonlatex gloves. The proprietary, ultra-soft formulation provides a comfortable fit and feel while maintaining reliable barrier protection against many hazardous and infectious substances. These highly elastic gloves conform to the hand to allow a full range of motion, thus reducing hand fatigue and stress. Textured fingers offer excellent grip in wet or dry conditions, and a polymer coating allows quick and easy donning. The nonlatex composition eliminates the possibility of natural rubber latex allergic reactions. For single use only. Ambidextrous. Beaded cuff.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	2.8 mil
Finger Thickness	4.7 mil
Palm Thickness	3.5 mil

Size	Length	Color	Cat. No.	Price	
X-Small	24.5 cm (9 5/8")	Blue	32919-000	Pk. 100/ 28.78	Cs. 1000/ 238.92
Small	24.5 cm (9 5/8")	Blue	32919-002	Pk. 100/ 28.78	Cs. 1000/ 238.92
Medium	24.5 cm (9 5/8")	Blue	32919-004	Pk. 100/ 28.78	Cs. 1000/ 238.92
Large	24.5 cm (9 5/8")	Blue	32919-006	Pk. 100/ 28.78	Cs. 1000/ 238.92
X-Large	24.5 cm (9 5/8")	Blue	32919-008	Pk. 100/ 28.78	Cs. 1000/ 238.92

## Ultraform® Powder-Free Nitrile Exam Gloves, Microflex®

Ultraform® Powder-Free Nitrile Exam Gloves have textured Fingertips and its unique soft formulation forms to your hand effortlessly as if it is second skin. In field tests users wearing Ultraform® actually experienced an increase in fine motor task performance compared to a bare hand.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	2 mil
Finger Thickness	3.2 mil
Length	23 cm (9")
Palm Thickness	2 mil

Size	Color	Cat. No.	Price	
XS	Cobalt Blue	89235-576	Pk. 300/ 45.53	Cs. 3000/ 377.56
S	Cobalt Blue	89235-578	Pk. 300/ 45.53	Cs. 3000/ 377.56
M	Cobalt Blue	89235-580	Pk. 300/ 45.53	Cs. 3000/ 377.56
L	Cobalt Blue	89235-582	Pk. 300/ 45.53	Cs. 3000/ 377.56
XL	Cobalt Blue	89235-584	Pk. 250/ 52.65	Cs. 2500/ 436.54

## Aloe Sense Nitrile Exam Gloves, Powder-Free, Microflex

- Extra sensitivity with soothing aloe. These extra soft nitrile exam gloves offer exceptional tactile sensitivity and comfort. Soothing aloe helps protect hands from drying and cracking
- Color: blue

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Size	Cat. No.	Price	
X-Small	89427-558	Pk. 100/ 35.57	Cs. 1000/ 290.80
Small	89427-560	Pk. 100/ 31.10	Cs. 1000/ 251.52
Medium	89427-562	Pk. 100/ 31.10	Cs. 1000/ 251.52
Large	89427-564	Pk. 100/ 31.10	Cs. 1000/ 251.52
X-Large	89427-566	Pk. 100/ 35.57	Cs. 1000/ 290.80

## MidKnight™ Nitrile Examination Gloves, Microflex®

- Powder-free gloves provide exceptional tactile sensitivity, comfort, and durability. Distinct color masks stains. Fully textured for a firm grip. Ambidextrous. Beaded cuff.
- Color: Black

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	3.1 mil
Finger Thickness	5.5 mil
Palm Thickness	4.7 mil

Size	Length	Color	Cat. No.	Price	
X-Small	24.5 cm (9 5/8")	Black	94001-364	Pk. 100/ 31.24	Cs. 1000/ 258.71
Small	24.5 cm (9 5/8")	Black	94001-366	Pk. 100/ 31.24	Cs. 1000/ 258.71
Medium	24.5 cm (9 5/8")	Black	94001-368	Pk. 100/ 31.24	Cs. 1000/ 258.71
Large	24.5 cm (9 5/8")	Black	94001-370	Pk. 100/ 31.24	Cs. 1000/ 258.71
X-Large	24.5 cm (9 5/8")	Black	94001-372	Pk. 100/ 31.24	Cs. 1000/ 258.71
XX-Large	24.5 cm (9 5/8")	Black	94001-374	Pk. 100/ 31.24	Cs. 1000/ 258.71

## Tranquility® Nitrile Gloves, Microflex®

Latex-free nitrile gloves contain no natural rubber proteins and are soft, thin, and conform to the hand for excellent dexterity and grip. Recommended when enhanced comfort and tactile sensitivity are a must for everyday use of small instruments. Ambidextrous. Beaded Cuff. Textured fingers. Powder-free.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	2.8 mil
Disposable/Reusable	Disposable
Finger Thickness	4.3 mil
Palm Thickness	3.1 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Color	Cat. No.	Price	
X-Small	24.1 cm (9 1/2")	White	94024-056	Pk. 100/ 24.37	Cs. 1000/ 202.35
Small	24.1 cm (9 1/2")	White	94024-058	Pk. 100/ 24.37	Cs. 1000/ 202.35
Medium	24.1 cm (9 1/2")	White	94024-060	Pk. 100/ 24.37	Cs. 1000/ 202.35
Large	24.1 cm (9 1/2")	White	94024-062	Pk. 100/ 24.37	Cs. 1000/ 202.35
X-Large	24.1 cm (9 1/2")	White	94024-064	Pk. 100/ 20.14	Cs. 1000/ 167.22




## Touch N Tuff® 92-600, Nitrile Gloves, Powder-Free, Ansell

The Touch N Tuff 92-600 gloves are thin (4 mil), 100% nitrile disposable gloves which are applicable for chemical splash protection. They offer three times the puncture resistance of standard latex or vinyl gloves. These gloves combine excellent fingertip sensitivity with exceptional durability to give a high level of protection against grease and oil. They are lightweight and comfortable to wear.

Disposable/Reusable	Disposable
Powdered/Powder-Free	Powder-Free

Size	Length	Thickness	Color	Cat. No.		Price
Small	24.1 cm (9 1/2")	4.72 mil	Blue	34800-500	Pk. 100/ 29.44	Cs. 1000/ 249.13
Medium	24.1 cm (9 1/2")	4.72 mil	Blue	34800-502	Pk. 100/ 29.44	Cs. 1000/ 249.13
Large	24.1 cm (9 1/2")	4.72 mil	Blue	34800-504	Pk. 100/ 29.44	Cs. 1000/ 249.13
X-Large	24.1 cm (9 1/2")	4.72 mil	Blue	34800-506	Pk. 100/ 29.44	Cs. 1000/ 249.13

# Ansell



## KIMBERLY-CLARK® PURPLE NITRILE™ and PURPLE NITRILE-XTRA™ Examination Gloves, KIMBERLY-CLARK PROFESSIONAL®

- Offer excellent tactile sensitivity and dexterity
- Textured fingertips and beaded cuff
- Length: 24.1 cm (9 1/2") or 30.5 cm (12")
- Thickness: 5.9 mil (finger), 4.7 mil (palm), 3.5 mil (cuff)

Exceed ASTM standard for critical defects. Meets Chemotherapy Permeation Testing per ASTM D6978-05.



Disposable/Reusable	Disposable
Environmentally Preferable Attribute	Product and/or packaging is recyclable or reduces waste
Finger Thickness	5.9 mil
Palm Thickness	4.7 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Cat. No.		Price
<b>PURPLE NITRILE® Gloves</b>				
X-Small	24.1 cm (9 1/2")	32934-076	Pk. 100/ 32.83	Cs. 1000/ 270.61
Small	24.1 cm (9 1/2")	32934-078	Pk. 100/ 32.53	Cs. 1000/ 270.61
Medium	24.1 cm (9 1/2")	32934-080	Pk. 100/ 31.97	Cs. 1000/ 267.70
Large	24.1 cm (9 1/2")	32934-082	Pk. 100/ 31.97	Cs. 1000/ 267.70
X-Large	24.1 cm (9 1/2")	32934-084	Pk. 90/ 32.53	Cs. 900/ 270.61
<b>PURPLE NITRILE-XTRA® Gloves</b>				
Small	30.5 cm (12")	32933-970	Pk. 50/ 28.17	Cs. 500/ 251.98
Medium	30.5 cm (12")	32933-972	Pk. 50/ 28.17	Cs. 500/ 251.98
Large	30.5 cm (12")	32933-974	Pk. 50/ 28.17	Cs. 500/ 251.98
X-Large	30.5 cm (12")	32933-976	Pk. 50/ 28.17	Cs. 500/ 251.98

## KIMBERLY-CLARK® STERLING™ Nitrile and STERLING™ Nitrile-XTRA™ Exam Gloves, KIMBERLY-CLARK PROFESSIONAL®

- Excellent tactile sensitivity allows easy handling of delicate instruments
- Textured fingertips and beaded cuff
- Length: 24.1cm (9 1/2")
- Thickness: 3.5mil (finger), 3.1mil (palm), 2.8mil (cuff)
- Color: gray



Cuff Thickness	2.8 mil
Disposable/Reusable	Disposable
Environmentally Preferable Attribute	Product and/or packaging is recyclable or reduces waste
Finger Thickness	3.5 mil
Palm Thickness	3.1 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Cat. No.		Price
<b>STERLING™ Nitrile</b>				
X-Small	24.1 cm (9 1/2")	89140-816	Pk. 200/ 44.61	Cs. 2000/ 389.84
Small	24.1 cm (9 1/2")	89140-818	Pk. 200/ 44.61	Cs. 2000/ 389.84
Medium	24.1 cm (9 1/2")	89140-820	Pk. 200/ 44.61	Cs. 2000/ 389.84
Large	24.1 cm (9 1/2")	89140-822	Pk. 200/ 44.61	Cs. 2000/ 389.84
X-Large	24.1 cm (9 1/2")	89140-824	Pk. 170/ 41.78	Cs. 1700/ 389.84

## KIMTECH PURE® G5 Nitrile Gloves, KIMBERLY-CLARK PROFESSIONAL®

Ambidextrous, powder-free nitrile gloves contain no latex. Static dissipative in use. Beaded cuff for easier donning.

Disposable/Reusable	Disposable
Environmentally Preferable Attribute	Product and/or packaging is recyclable or reduces waste
Palm Thickness	5.1 mil

Size	Length	Thickness	Color	Cat. No.		Price
X-Small	25.4 cm (10")	6.2 mil	White	14215-738	Pk. 100/ 33.52	Cs. 1000/ 300.69
Small	25.4 cm (10")	6.2 mil	White	14215-734	Pk. 100/ 40.56	Cs. 1000/ 363.84
Medium	25.4 cm (10")	6.2 mil	White	14215-732	Pk. 100/ 42.17	Cs. 1000/ 377.80
Large	25.4 cm (10")	6.2 mil	White	14215-730	Pk. 100/ 40.56	Cs. 1000/ 363.84
X-Large	25.4 cm (10")	6.2 mil	White	14215-736	Pk. 100/ 40.56	Cs. 1000/ 363.84



# Hand Protection

## KIMBERLY-CLARK® PURPLE NITRILE™ Exam Gloves - Sterile Pairs, KIMBERLY-CLARK PROFESSIONAL®

Sterile nitrile gloves offer excellent tactile sensitivity and dexterity as well as superior fit and comfort. Beaded cuff for added strength and easier donning. Glove fingers are thicker for greater barrier protection. Textured fingertips enhance wet and dry grip. Ambidextrous and powder-free. Nitrile Sterile Pairs.



Size	Length	Color	Cat. No.	Price
Small	24.1 cm (9 1/2")	Purple	37001-712	Cs. 200/ 288.96
Medium	24.1 cm (9 1/2")	Purple	37001-714	Cs. 200/ 309.80
Large	24.1 cm (9 1/2")	Purple	37001-716	Cs. 200/ 309.80

## ColorTouch® Pink Powder-Free Latex Examination Gloves, Microflex®

Gloves deliver medical-grade barrier protection with consistent comfort and quality. High quality, polymer-coated latex is easy to don and reduces hand fatigue. Fully textured for a secure grip. For single use only. Ambidextrous. Beaded cuff.



Cuff Thickness	3.9 mil
Disposable/Reusable	Disposable
Finger Thickness	6.7 mil
Palm Thickness	5.9 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Cat. No.	Price
X-Small	24.5 cm (9 5/8")	89107-526	Bx. 100/ 27.43 Cs. 1000/ 227.15
Small	24.5 cm (9 5/8")	89107-528	Bx. 100/ 27.43 Cs. 1000/ 227.15
Medium	24.5 cm (9 5/8")	89107-530	Bx. 100/ 27.43 Cs. 1000/ 227.15
Large	24.5 cm (9 5/8")	89107-532	Bx. 100/ 22.67 Cs. 1000/ 187.72

## Black Dragon Zero Powder-Free Nitrile Exam Gloves, Microflex®

Black nitrile gloves with textured fingertips for better tactile sensitivity and grip.



Cuff Thickness	3.1 mil
Disposable/Reusable	Disposable
Finger Thickness	4.7 mil
Palm Thickness	3.5 mil

Size	Length	Cat. No.	Price
X-Small	24.1 cm (9 1/2")	89230-600	Pk. 100/ 27.93 Cs. 1000/ 230.90
Small	24.1 cm (9 1/2")	89230-602	Pk. 100/ 27.93 Cs. 1000/ 230.90
Medium	24.1 cm (9 1/2")	89230-604	Pk. 100/ 24.15 Cs. 1000/ 199.71
Large	24.1 cm (9 1/2")	89230-606	Pk. 100/ 24.15 Cs. 1000/ 199.71
X-Large	24.1 cm (9 1/2")	89230-608	Pk. 100/ 27.93 Cs. 1000/ 230.90
2X-Large	24.1 cm (9 1/2")	89230-610	Pk. 100/ 27.93 Cs. 1000/ 230.90

## Blaze® Powder-Free Nitrile Examination Gloves, Microflex

The Blaze® high visibility, orange glove is perfect for safety and EMS applications. The 10.6" cuff provides enhanced durability with exam grade protection. Textured fingers for increased gripping power.



Cuff Thickness	3.9 mil
Disposable/Reusable	Disposable
Finger Thickness	6.7 mil
Palm Thickness	5.1 mil

Size	Length	Cat. No.	Price
Small	28 cm (11")	89500-608	Pk. 100/ 23.73 Cs. 1000/ 190.74
Medium	28 cm (11")	89500-610	Pk. 100/ 23.73 Cs. 1000/ 190.74
Large	28 cm (11")	89500-612	Pk. 100/ 23.73 Cs. 1000/ 190.74
X-Large	28 cm (11")	89500-614	Pk. 100/ 23.73 Cs. 1000/ 190.74
2X-Large	28 cm (11")	89500-616	Pk. 100/ 23.73 Cs. 1000/ 190.74

## Cobalt® Powder-Free Nitrile Examination Gloves, Microflex

This soft and stretchy nitrile glove is the best-selling glove from the Microflex® brand of products. Durable and puncture resistant with a fully textured surface for enhanced grip. Ideal for jobs requiring exceptional tactile sensitivity.



Cuff Thickness	3.5 mil
Disposable/Reusable	Disposable
Finger Thickness	4.7 mil
Palm Thickness	3.9 mil

Size	Length	Cat. No.	Price
Small	24.1 cm (9 1/2")	89500-618	Pk. 100/ 20.00 Cs. 1000/ 158.26
Medium	24.1 cm (9 1/2")	89500-620	Pk. 100/ 20.00 Cs. 1000/ 158.26
Large	24.1 cm (9 1/2")	89500-622	Pk. 100/ 20.00 Cs. 1000/ 158.26
X-Large	24.1 cm (9 1/2")	89500-624	Pk. 100/ 23.13 Cs. 1000/ 182.98

## VWR® Protection Apparel

The competitively priced VWR Protection Apparel portfolio has been engineered to meet the demands of cleanrooms, critical environments, manufacturing facilities, research and clinical labs, and other specialized environments.

Our complete head-to-toe collection of single-use apparel offers comfort, durability, and the freedom to choose appropriate levels of protection for your environment's specific needs. Go to [vwr.com](http://vwr.com) for more information.



## Supreno® EC Powder-Free Nitrile Gloves, Microflex®

Soft, durable nitrile formulation delivers improved strength and comfort. Gloves are suitable for high-risk applications and feature an extended cuff to protect the wrist and forearm. Interior polymer coating makes gloves easy to don. Textured fingers allow for reliable grip in wet and dry conditions. Online chlorination. Ambidextrous. Powder-free. Beaded cuff.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	4.7 mil
Disposable/Reusable	Disposable
Finger Thickness	7.9 mil
Palm Thickness	5.9 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Color	Cat. No.		Price
Small	29.5 cm (11 5/8")	Blue	32916-670	Pk. 50/ 26.57	Cs. 500/ 219.14
Medium	29.5 cm (11 5/8")	Blue	32916-672	Pk. 50/ 26.57	Cs. 500/ 219.14
Large	29.5 cm (11 5/8")	Blue	32916-674	Pk. 50/ 26.57	Cs. 500/ 219.14
X-Large	29.5 cm (11 5/8")	Blue	32916-676	Pk. 50/ 26.57	Cs. 500/ 219.14
2X-Large	29.5 cm (11 5/8")	Blue	32916-678	Pk. 50/ 26.57	Cs. 500/ 219.14

## FreeForm® EC Powder-Free Nitrile Gloves, Microflex®

Made of durable, super-soft nitrile, these gloves allow for a full range of motion, helping to minimize hand stress. Gloves have microtextured fingertips for a secure grip in wet and dry conditions. Extended cuff provides increased protection over the wrist and arm. Powder-free and polymer-coated for easy donning. Ambidextrous. Beaded cuff.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	3.5 mil
Disposable/Reusable	Disposable
Finger Thickness	6.3 mil
Palm Thickness	4.7 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Color	Cat. No.		Price
Small	29 cm (11 7/16")	Blue	32916-778	Pk. 50/ 30.54	Cs. 500/ 252.79
Medium	29 cm (11 7/16")	Blue	32916-780	Pk. 50/ 30.54	Cs. 500/ 252.79
Large	29 cm (11 7/16")	Blue	32916-782	Pk. 50/ 30.54	Cs. 500/ 252.79
X-Large	29 cm (11 7/16")	Blue	32916-784	Pk. 50/ 30.54	Cs. 500/ 252.79
2X-Large	29 cm (11 7/16")	Blue	32916-786	Pk. 50/ 25.23	Cs. 500/ 208.91

## VWR® Powdered Latex Examination Gloves

- Manufactured From Natural Rubber Latex
- Ambidextrous Design with Straight Fingers, Beaded Cuff, and Smooth Finish
- For Single Use Only
- Color: Natural

**VWR®**  
COLLECTION



Length	24 cm (9 1/2")
Thickness	5.5 mil (0.11–0.17 mm) finger, 4.7 mil (0.09–0.15 mm) palm, 3.9 mil (0.08–0.12 mm) cuff

Size	Length	Cat. No.		Price
Small	24.1 cm (9 1/2")	414004-424	Pk. 100/ 21.84	Cs. 1000/ 146.96
Medium	24.1 cm (9 1/2")	414004-425	Pk. 100/ 21.84	Cs. 1000/ 146.96
Large	24.1 cm (9 1/2")	414004-426	Pk. 100/ 21.84	Cs. 1000/ 146.96
X-Large	24.1 cm (9 1/2")	414004-427	Pk. 90/ 21.84	Cs. 900/ 146.96

## VWR® Powder-Free Latex Examination Gloves

- Manufactured From Natural Rubber Latex
- Ambidextrous Design with Straight Fingers, Beaded Cuff, and Fully Textured Finish
- For Single Use Only

**VWR®**  
COLLECTION



Cuff Thickness	3.9 mil (0.08–0.12 mm)
Finger Thickness	6.3 mil (0.13–0.19 mm)
Palm Thickness	5.5 mil (0.11–0.17 mm)

Size	Length	Color	Cat. No.		Price
X-Small	24.1 cm (9 1/2")	Natural Yellow	414004-428	Pk. 100/ 27.04	Cs. 1000/ 175.76
Small	24.1 cm (9 1/2")	Natural Yellow	414004-429	Pk. 100/ 27.04	Cs. 1000/ 175.76
Medium	24.1 cm (9 1/2")	Natural Yellow	414004-430	Pk. 100/ 27.04	Cs. 1000/ 175.76
Large	24.1 cm (9 1/2")	Natural Yellow	414004-431	Pk. 100/ 27.04	Cs. 1000/ 175.76
X-Large	24.1 cm (9 1/2")	Natural Yellow	414004-432	Pk. 90/ 27.04	Cs. 900/ 175.76

## Black Dragon® Powder-Free Black Latex Examination Gloves, Microflex

- Offer comfort and strength in a distinctive black gloves that provides better framing effect
- Meet maximum powder and maximum water extractable protein requirements
- Fully textured finish and beaded cuff

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	3.9 mil
Finger Thickness	5.1 mil
Palm Thickness	4.7 mil

Size	Length	Color	Cat. No.		Price
Extra-Small	24.5 cm (9 5/8")	Black	89173-086	Bx. 100/ 25.44	Cs. 2000/ 420.85
Small	24.5 cm (9 5/8")	Black	89173-088	Bx. 100/ 25.44	Cs. 2000/ 420.85
Medium	24.5 cm (9 5/8")	Black	89173-090	Bx. 100/ 28.59	Cs. 2000/ 486.25
Large	24.5 cm (9 5/8")	Black	89173-092	Bx. 100/ 25.44	Cs. 2000/ 420.85
Extra-Large	24.5 cm (9 5/8")	Black	89173-094	Bx. 100/ 25.44	Cs. 2000/ 420.85



# Hand Protection

## Evolution One™ Latex Gloves, Microflex®

- Ambidextrous gloves
- Interior polymer coating for superior antisticking properties in all conditions
- Fully textured, beaded cuff
- Powder-free
- Color: Natural



Cuff Thickness	4.7 mil
Finger Thickness	8.7 mil
Palm Thickness	6.7 mil

Size	Length	Cat. No.	Price
X-Small	25.4 cm (10")	32916-530	Pk. 100/ 34.38 Cs. 1000/ 284.53
Small	25.4 cm (10")	32916-532	Pk. 100/ 34.38 Cs. 1000/ 284.53
Medium	25.4 cm (10")	32916-534	Pk. 100/ 34.38 Cs. 1000/ 284.53
Large	25.4 cm (10")	32916-536	Pk. 100/ 34.38 Cs. 1000/ 284.53
X-Large	25.4 cm (10")	32916-538	Pk. 100/ 34.38 Cs. 1000/ 284.53

## Diamond Grip Plus™ Latex Gloves, Microflex®

- Ambidextrous gloves
- Integrated polymer technologies for powder-free donning
- Fully textured for a secure grip
- Color: Neutral



Cuff Thickness	3.9 mil
Finger Thickness	6.3 mil
Palm Thickness	5.1 mil

Size	Length	Color	Cat. No.	Price
X-Small	24.8 cm (9 13/16")	Natural	32916-632	Pk. 100/ 31.01 Cs. 1000/ 256.74
Small	24.8 cm (9 13/16")	Natural	32916-634	Pk. 100/ 31.01 Cs. 1000/ 256.74
Medium	24.8 cm (9 13/16")	Natural	32916-636	Pk. 100/ 31.01 Cs. 1000/ 256.74
Large	24.8 cm (9 13/16")	Natural	32916-638	Pk. 100/ 31.01 Cs. 1000/ 256.74
X-Large	24.8 cm (9 13/16")	Natural	32916-640	Pk. 100/ 31.01 Cs. 1000/ 256.74

## Safegrip® Powder-Free Latex Gloves, Microflex®

- These gloves are up to four times thicker than standard examination gloves. They offer added durability in the palm and fingers. Textured fingers provide a secure grip in wet or dry conditions. Extended cuff offers increased protection over the wrist and forearm. Ambidextrous. Powder-free. Beaded cuff
- Length: 30 cm (11 13/16")
- Caution: This product contains natural rubber latex which may cause allergic reactions. Safe use of this glove by or on latex sensitized individuals has not been established
- Color: blue



Size	Cat. No.	Price
Small	32916-600	Pk. 50/ 41.27 Cs. 500/ 340.80
Medium	32916-602	Pk. 50/ 41.27 Cs. 500/ 340.80
Large	32916-604	Pk. 50/ 41.27 Cs. 500/ 340.80
X-Large	32916-606	Pk. 50/ 41.27 Cs. 500/ 340.80

## Diamond Grip™ Latex Gloves, Microflex®

- Thicker than typical latex gloves for enhanced protection
- Textured fingers for gripping in wet and dry conditions
- Ambidextrous
- Powder-free
- Fully chlorinated
- Color: Neutral



Cuff Thickness	5.1 mil
Finger Thickness	9.1 mil
Palm Thickness	6.3 mil

Size	Length	Color	Cat. No.	Price
X-Small	24.5 cm (9 5/8")	Natural	32916-498	Pk. 100/ 34.24 Cs. 1000/ 283.60
Small	24.5 cm (9 5/8")	Natural	32916-506	Pk. 100/ 34.24 Cs. 1000/ 283.60
Medium	24.5 cm (9 5/8")	Natural	32916-500	Pk. 100/ 34.24 Cs. 1000/ 283.60
Large	24.5 cm (9 5/8")	Natural	32916-502	Pk. 100/ 34.24 Cs. 1000/ 283.60
X-Large	24.5 cm (9 5/8")	Natural	32916-503	Pk. 100/ 34.24 Cs. 1000/ 283.60

## ComfortGrip® Latex Gloves, Microflex®

Disposable, medical grade examination gloves are made of natural rubber latex, which offers excellent barrier integrity and elasticity for comfortable hand protection. These low-protein gloves contain ≤50µg of total water-extractable protein per gram. Ambidextrous. Powder-free. Beaded cuff. Fully textured.



Cuff Thickness	3.9 mil
Disposable/Reusable	Disposable
Finger Thickness	5.9 mil
Palm Thickness	5.1 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Color	Cat. No.	Price
X-Small	24.5 cm (9 5/8")	Natural	14900-532	Pk. 100/ 27.18 Cs. 1000/ 224.77
Small	24.5 cm (9 5/8")	Natural	14900-534	Pk. 100/ 27.18 Cs. 1000/ 224.77
Medium	24.5 cm (9 5/8")	Natural	14900-536	Pk. 100/ 27.18 Cs. 1000/ 224.77
Large	24.5 cm (9 5/8")	Natural	14900-538	Pk. 100/ 27.18 Cs. 1000/ 224.77
X-Large	24.5 cm (9 5/8")	Natural	14900-540	Pk. 100/ 22.47 Cs. 1000/ 185.77

## Memphis Glove® Sensatouch™ Powder-Free Disposable Vinyl Gloves, MCR Safety

- Medical grade PS
- Ideal for electronics assembly, food processing, laboratory work, and general pharmaceutical use
- Component materials comply with FDA regulations for food contact



Size	Length	Thickness	Color	Cat. No.	Price
Large	24.1 cm (9 1/2")	5 mil	Clear	80081-293	Pk. 100/ 16.31 Cs. 1000/ 102.84
Medium	24.1 cm (9 1/2")	5 mil	Clear	80081-295	Pk. 100/ 16.31 Cs. 1000/ 102.84
X-Large	24.1 cm (9 1/2")	5 mil	Clear	80081-299	Pk. 100/ 17.50 Cs. 1000/ 102.84

## VWR® Polyethylene Disposable Gloves

- Ultra-Soft and Pliable
- Tough, Waterproof Construction
- Resistant to Most Chemicals and Detergents
- Extra-Long Cuffs Provide Added Protection
- Convenient Pull-Out Box Dispenser



Size	Cat. No.	Price
Small	32915-224	Pk. 100/ 32.19 Cs. 1000/ 210.56
Medium	32915-246	Pk. 100/ 32.19 Cs. 1000/ 210.56
Large	32915-268	Pk. 100/ 32.19 Cs. 1000/ 210.56
Elbow Length	32915-272	Cs. 500/ 383.02



## VWR® Glove Liners

- Ambidextrous glove liners
- Reduces perspiration and wicks away moisture
- Low-lint, 100% 15 denier nylon composition
- Sturdy, launderable, and reusable
- Color-coded cuffs indicate size
- Pre-laundered; will not shrink



Description	Size	Cat. No.	Price
Full Finger Liners	Small	94000-608	Pk. 20/ 35.81 Cs. 300/ 352.02
Full Finger Liners	Medium	94000-610	Pk. 20/ 35.81 Cs. 300/ 352.02
Full Finger Liners	Large	94000-612	Pk. 20/ 35.81 Cs. 300/ 352.02
Full Finger Liners	X-Large	94000-614	Pk. 20/ 35.81 Cs. 300/ 352.02
Half Finger Liners	Small	94000-616	Pk. 20/ 33.95 Cs. 300/ 333.77
Half Finger Liners	Medium	94000-618	Pk. 20/ 33.95 Cs. 300/ 333.77
Half Finger Liners	Large	94000-620	Pk. 20/ 33.95 Cs. 300/ 333.77
Half Finger Liners	X-Large	94000-622	Pk. 20/ 33.95 Cs. 300/ 333.77

## VWR® Glove Box Holders, Epoxy-Coated

- Steel wire racks hold most major glove box brands



Capacity	H x W x D	Cat. No.	Price
1 Box	10.2 x 14 x 20.8 cm (4 x 5 1/2 x 8 3/16")	89011-726	Ea./ 25.05
3 Boxes	25 x 9.6 x 43.2 cm (9 13/16 x 3 3/4 x 17")	89011-728	Ea./ 54.34

## VWR® Glove Box Holders, Acrylic

- Constructed of tough, clear acrylic
- Polyester foam insert securely holds glove boxes



Capacity	H x W x D	Cat. No.	Price
1 Box	14.1 x 26 x 11 cm (5 1/2 x 10 1/4 x 4 5/16")	89011-720	Ea./ 63.24
2 Boxes	29.5 x 26 x 11 cm (11 5/8 x 10 1/4 x 4 5/16")	89011-722	Ea./ 66.10
3 Boxes	29.5 x 38.5 x 11 cm (11 5/8 x 15 3/16 x 4 5/16")	89011-724	Ea./ 76.24

## Silver Shield® /4H® Gloves, North Safety Products

- Resist permeation of more than 280 chemicals
- Compacted, flexible five-layer film is 2.7mil thick
- Protect hands in chemical and petrochemical laboratories, spill cleanups, and other hazardous applications
- Ambidextrous, disposable gloves can be used as secondary inner layer for maximum protection

Size	Length	Cat. No.	Price
6	36.8 cm (14 1/2")	11000-652	Pk. 10/ 78.25 Cs. 50/ 383.29
7	36.8 cm (14 1/2")	11000-650	Pk. 10/ 78.25 Cs. 50/ 383.29
8	36.8 cm (14 1/2")	11000-648	Pk. 10/ 78.25 Cs. 50/ 383.29
9	40.6 cm (16")	11000-646	Pk. 10/ 94.69 Cs. 50/ 463.78
10	40.6 cm (16")	11000-644	Pk. 10/ 94.69 Cs. 50/ 463.78
11	40.6 cm (16")	11000-642	Pk. 10/ 78.25 Cs. 50/ 383.29



## Choices That Deliver. Products That Do More.

VWR Collection is an exclusive line of products that offers the right products, at the right price, when you need them...with a name you trust. Whether you're in a lab or production environment, you face the challenge of balancing the need to stretch your dollars with the need for quality and innovation. The VWR Collection helps you do both.





**VWR** COLLECTION

## VWR® CryoGuard Cryogenic Gloves

- Multi-layer, insulated gloves are lightweight, flexible, and durable
- Allow for dexterity when working in temperatures as low as -196°C.
- Two layers of insulation material bonded together at the edges to trap insulating air without adding additional bulk
- Inner lining wicks moisture from the skin
- Waterproof gloves incorporate a seamless 100% waterproof layer
- All wrist-length gloves also incorporate an uninsulated knit cuff

Size	Length	Cat. No.	Price
<b>Water-Resistant Gloves</b>			
Small	Wrist	97008-196	Ea./ 99.25
Medium	Wrist	97008-198	Ea./ 99.07
Large	Wrist	97008-200	Ea./ 99.07
X-Large	Wrist	97008-202	Ea./ 99.07
Small	Mid-Arm	97008-204	Ea./ 110.42
Medium	Mid-Arm	97008-206	Ea./ 110.23
Large	Mid-Arm	97008-208	Ea./ 110.23
X-Large	Mid-Arm	97008-210	Ea./ 110.42
Small	Elbow	97008-212	Ea./ 126.96
Medium	Elbow	97008-214	Ea./ 127.04
Large	Elbow	97008-216	Ea./ 126.96
X-Large	Elbow	97008-218	Ea./ 126.96
Small	Shoulder	97008-220	Ea./ 151.25
Medium	Shoulder	97008-222	Ea./ 151.25
Large	Shoulder	97008-224	Ea./ 151.25
X-Large	Shoulder	97008-226	Ea./ 151.25
<b>Waterproof Gloves</b>			
Small	Wrist	97008-228	Ea./ 107.45
Medium	Wrist	97008-230	Ea./ 107.27
Large	Wrist	97008-232	Ea./ 107.45
X-Large	Wrist	97008-234	Ea./ 107.27
Small	Mid-Arm	97008-236	Ea./ 119.14
Medium	Mid-Arm	97008-238	Ea./ 119.51
Large	Mid-Arm	97008-240	Ea./ 119.14
X-Large	Mid-Arm	97008-242	Ea./ 119.14
Small	Elbow	97008-244	Ea./ 135.76
Medium	Elbow	97008-246	Ea./ 136.01
Large	Elbow	97008-248	Ea./ 135.76
X-Large	Elbow	97008-250	Ea./ 135.76
Small	Shoulder	97008-252	Ea./ 162.92
Medium	Shoulder	97008-254	Ea./ 162.92
Large	Shoulder	97008-256	Ea./ 162.92
X-Large	Shoulder	97008-258	Ea./ 162.92

## Butyl Gloves, Honeywell



- High permeation resistance to gas and water vapors
- Resistant to oxygenated solvents and most oxidizing chemicals
- Remain flexible and sensitive, even at lower temperatures
- Hand-specific, curved design improves fit and comfort
- Rolled cuff
- Color: Black



Size	Length	Thickness	Cat. No.	Price
<b>Smooth Finish</b>				
7	28 cm (11")	13 mil	32887-918	PR./ 29.43
8	28 cm (11")	13 mil	32887-920	PR./ 32.09
<b>Rough Finish</b>				
8	28 cm (11")	13 mil	32887-910	PR./ 40.12
9	28 cm (11")	13 mil	32887-912	PR./ 40.12
10	28 cm (11")	13 mil	32887-904	PR./ 36.46
7	28 cm (11")	16 mil	32887-928	PR./ 43.59
8	28 cm (11")	16 mil	32887-930	PR./ 43.59
9	28 cm (11")	16 mil	32887-932	PR./ 43.59

## FlexTech® Nylon Gloves with Polyurethane Palm Coating, Wells Lamont®

**WELLS LAMONT**  
Industrial

- Ideal for computer products, quality control, and assembly applications
- Lightweight nylon shell with polyurethane-coated palms for protection and dexterity
- Nonslip surface and open, uncoated back for breathability
- Easy to launder



Size	Color	Cat. No.	Price
XS	Charcoal Gray Shell / Gray Palm	89030-798	Pk. 12/ 23.72
S	Charcoal Gray Shell / Gray Palm	89030-800	Pk. 12/ 23.67
M	Charcoal Gray Shell / Gray Palm	89030-802	Pk. 12/ 23.67
L	Charcoal Gray Shell / Gray Palm	89030-804	Pk. 12/ 24.36
XL	Charcoal Gray Shell / Gray Palm	89030-806	Pk. 12/ 23.72

## Lightweight KevlarKleen® Gloves, Ansell



Style 70-400 cut-resistant gloves are knit from 100% Kevlar® continuous filament fiber. These gloves are suitable for use in computer manufacturing, electronics and electrical assembly, and automotive paint room applications. They can also be used as cleanroom undergloves. Ambidextrous. Elastic cuff with color-coded edge.

Size	Length	Cuff Color	Cat. No.	Price
Large	22.9 cm (9")	Red	56614-204	Pk. 12/ 99.04 Cs. 144/ 946.24
Small	28 cm (11")	Blue	56614-200	Pk. 12/ 118.27 Cs. 144/ 1130.01
Medium	28 cm (11")	Green	56614-202	Pk. 12/ 114.11 Cs. 144/ 1089.05



## Nitri-Knit™ Supported Nitrile Gloves, Honeywell Safety

- High nitrile content offers superior resistance to cuts, snags, and punctures
- Interlock knit liner adds strength and comfort
- Treated with permanent antibacterial and anti-mildew agent
- Color-coded stitching makes size identification fast and easy
- Compliant with USDA and FDA CFR 21 food processing regulations
- Length: 30cm (12")

**Honeywell**



Size	Length	Color	Stitching Color	Style	Cat. No.		Price
7	30.5 cm (12")	Blue	Pink	Not Insulated	57100-100		Pk. 12/ 108.13 Cs. 144/ 1271.09
7	30.5 cm (12")	Blue	Pink	Insulated	89022-154	Ea./ 16.93	Pk. 12/ 99.51 Cs. 144/ 1006.87
8	30.5 cm (12")	Blue	Blue	Not Insulated	89140-170		Pk. 12/ 108.13 Cs. 144/ 1271.09
8	30.5 cm (12")	Blue	Blue	Insulated	89022-156	Ea./ 16.93	Pk. 12/ 99.51 Cs. 144/ 1006.87
9	30.5 cm (12")	Blue	Green	Not Insulated	57100-104		Pk. 12/ 108.13 Cs. 144/ 1271.09
9	30.5 cm (12")	Blue	Green	Insulated	89022-158	Ea./ 16.93	Pk. 12/ 99.51 Cs. 144/ 1006.87
10	30.5 cm (12")	Blue	Yellow	Not Insulated	57100-106		Pk. 12/ 108.13 Cs. 144/ 1271.09
10	30.5 cm (12")	Blue	Yellow	Insulated	89022-160	Ea./ 16.93	Pk. 12/ 99.51 Cs. 144/ 1006.87
11	30.5 cm (12")	Blue	Red	Not Insulated	11001-526		Pk. 12/ 119.17 Cs. 144/ 1271.09
11	30.5 cm (12")	Blue	Red	Insulated	89022-162	Ea./ 16.93	Pk. 12/ 99.51 Cs. 144/ 1006.87

## TRIonic® Controlled Environment Acid Gloves, Triple-Polymer, MAPA® AdvanTech

- Tri-polymer blend gloves offer excellent alternative performance to natural rubber gloves
- Superior resistance to many aggressive chemicals
- Chlorination process used allows for easy donning, doffing, and double-gloving
- Precise fit for comfort and reduced hand fatigue
- Meet or exceed ASTM D3577 requirements for AQL, F739 for permeation, and D471 for degradation
- ISO Class 4 (FED-STD-209E Class 10/M2.5)
- In compliance with FDA CFR 21 170-199
- CE marked

**MAPA**  
PROFESSIONAL



Size	Model	Length	Thickness	Color	Grip Texture	Cat. No.	Price
9	O-240	35.6 cm (14")	20 mil	Orange	Diamond	32916-234	Pk. 12/ 60.53 Cs. 72/ 317.35
7	E-194	35.6 cm (14")	20 mil	Natural	Z-Pattern	32916-250	Pk. 12/ 59.03 Cs. 72/ 298.06
8	E-194	35.6 cm (14")	20 mil	Natural	Z-Pattern	32916-271	Pk. 12/ 59.03 Cs. 72/ 298.06
9	E-194	35.6 cm (14")	20 mil	Natural	Z-Pattern	32916-293	Pk. 12/ 59.03 Cs. 72/ 298.06
10	E-194	35.6 cm (14")	20 mil	Natural	Z-Pattern	32916-318	Pk. 12/ 59.03 Cs. 72/ 298.06
11	E-194	35.6 cm (14")	20 mil	Natural	Z-Pattern	32916-330	Pk. 12/ 59.03 Cs. 72/ 298.06

## FlexTech® Stretch Kevlar® Gloves with Foam Nitrile Palm Coating, Wells Lamont®

- Lightweight gloves ideal for handling sharp objects
- Cut-resistant Kevlar® shell and black foam nitrile palm coating provide protection without sacrificing dexterity or comfort
- Seamless design for a better fit
- Easy to launder
- Color-coded wrist for quick size identification

**WELLS LAMONT**  
Industrial



Size	Cat. No.	Price
XS	89030-808	Pk. 1/ 124.24
S	80092-390	Ea./ 10.65 Pk. 12/ 103.57
M	80092-388	Ea./ 10.65 Pk. 12/ 103.57
L	80092-386	Ea./ 10.65 Pk. 12/ 103.57
XL	80092-392	Ea./ 10.65 Pk. 12/ 103.57

## FlexTech® Cut-Resistant HDPE Fiber Gloves, Wells Lamont®

- Ideal for handling sharp metal, glass, and delicate parts
- Made of a high-density polyethylene fiber with a polyurethane palm coating
- Great dexterity and excellent grip for superior sense of touch
- Easy to launder
- Speckled gray nylon conceals dirt and extends glove wear life

**WELLS LAMONT**  
Industrial



Size	Color	Cat. No.	Price
X-Small	Gray	89030-788	Pk. 12/ 179.13
Small	Gray	89030-790	Pk. 12/ 179.13
Medium	Gray	89030-792	Pk. 12/ 179.13
Large	Gray	89030-794	Pk. 12/ 179.13
X-Large	Gray	89030-796	Pk. 12/ 179.13

## WELLS LAMONT Industrial



### Touchscreen Cut Resistant Gloves, Wells Lamont

- Patent pending yarn technology delivers cut resistance and touchscreen capability
- Ultra-lightweight construction provides bare hand dexterity and superior tactile sensitivity
- Minimal particle shedding to meet cleanroom classifications and requirements
- Meets Category II using the Helmke Drum Test referenced in IEST –RP-CC003.3
- Ambidextrous
- ANSI Level 4

Size	Cat. No.	Pack of 12 Pairs
X-Small	10153-784	299.41
Small	10153-786	299.41
Medium	10153-788	299.41
Large	10153-790	299.41
X-Large	10153-780	299.41



### Industries

Laboratory  
Cleanroom  
Electronics

Pharmaceutical  
Industrial  
Manufacturing

### Light Task Plus 3™ Polyurethane-Coated Cut-Resistant Gloves, Honeywell

- Perfect balance of mechanical protection and wearer comfort
- Ideal for material handling and assembly work involving sharp objects
- Seamless Dyneema® shell is stronger than steel and outperforms aramid fibers in cut and abrasion resistance
- Tough polyurethane palm coating is abrasion- and tear-resistant yet light enough to ensure dexterity and tactility
- Gloves are tested for cut resistance in accordance with EN 388.

### Honeywell



Size	Color	Cat. No.	Price
Small	Gray	89066-222	Pk. 12/ 270.31 Cs. 72/ 1441.69
Medium	Gray	89066-224	Pk. 12/ 270.31 Cs. 72/ 1441.69
Large	Gray	89066-226	Pk. 12/ 270.31 Cs. 72/ 1441.69
X-Large	Gray	89066-228	Pk. 12/ 270.31 Cs. 72/ 1441.69
XX-Large	Gray	89066-230	Pk. 12/ 270.31 Cs. 72/ 1441.69

### Kevlar® Wool-Lined Heat-Resistant Gloves, Wells Lamont®

- 100% Kevlar outer shell
- Lined with virgin wool
- Provide protection from temperatures up to 371°C (700°F)
- Length: 33cm (13")

### WELLS LAMONT Industrial



Size	Cat. No.	Price
X-Large	32935-691	Ea./ 110.26 Pk. 6/ 1072.46 Cs. 48/ 3279.14

### Whizard® Polyester/Wire Cut-Resistant Glove Liners, Wells Lamont®

- Polyester fiber and stainless steel provide the ultimate cut resistance
- Designed to be a true lightweight alternative to steel mesh glove
- Ergonomically designed for comfort
- Reusable and ambidextrous

Size	Cat. No.	Price
Small	32935-392	Bg. 12/ 171.73
Medium	32935-394	Bg. 12/ 198.02
Large	32935-396	Bg. 12/ 225.18
X-Large	32935-398	Bg. 12/ 181.25

### WELLS LAMONT Industrial



### Polar Bear® Cut-Resistant Knit Gloves, Ansell

- Spectra® polyolefin fiber core and high-strength outer wrap for superior cut resistance
- Provide protection when worn alone or as glove liner
- Knitted, elasticized wrist reduces cuff blowout, even after multiple launderings in bleach
- Color-coded cuffs make size identification fast and easy
- Shrink-resistant
- Ambidextrous

### Ansell



Size	Color	Cuff Color	Style	Cat. No.	Price
Small (7)	White	Red	Style 74-045	47745-058	Ea./ 30.59 Cs. 12/ 292.49
Medium (8)	White	Yellow	Style 74-045	47745-060	Ea./ 30.59 Cs. 12/ 292.49
Large (9)	White	Lt. Blue	Style 74-045	47745-062	Ea./ 30.59 Cs. 12/ 292.49
X-Large (10)	White	Black	Style 74-045	47745-064	Ea./ 34.89 Cs. 12/ 333.13
Large (9)	Gray	Lt. Blue	Style 74-075	55005-035	Ea./ 31.12 Cs. 12/ 285.69

## High Five A+ Aloe-Coated Green Nitrile Gloves, Microflex

- 100% latex-free/powder-free
- 100% inspected
- Superior puncture and chemical resistance
- Tested for use with chemotherapy drugs
- Non-sterile/ambidextrous
- Textured
- 100 gloves per box
- color: green

**MICROFLEX**  
THE MOST TRUSTED NAME IN GLOVES



Size	Length	Thickness	Cat. No.	Price
Medium	24.1 cm (9 1/2")	5.5 mil	10119-324 Bx. 100/ 40.83 Cs. 1000/ 408.34	
Large	24.1 cm (9 1/2")	5.5 mil	10119-326 Bx. 100/ 40.83 Cs. 1000/ 408.34	
X-Large	24.1 cm (9 1/2")	5.5 mil	10119-328 Bx. 100/ 40.83 Cs. 1000/ 408.34	

## Bemac Petrochief® Liquid-Proof Gloves, Wells Lamont®

- Red PVC/NBR blended coating specifically designed for the petrochemical industry
- Removable washable foam lining keeps hands warm
- Gauntlet cuff provides additional arm protection
- Treated to resist the growth of mold, mildew, and odor-causing bacteria

## WELLS LAMONT Industrial



Cuff Style	Gauntlet
Lining	Removable, Washable Foam

Size	Material	Cat. No.	Price
L	PVC/NBR Blended Coating with Sandy Finish	80091-724	Ea./ 16.70 Pk. 12/ 136.23

## Nylon Gloves with Foam Nitrile-Coated Palm, Wells Lamont®

- Lightweight seamless gloves ideal for handling electronics and small parts
- High level of dexterity and sensitivity
- Gray foam nitrile palms for excellent grip and resistance to snags and abrasions
- 13 Gauge Synthetic Knit

## WELLS LAMONT Industrial



Size	Color	Cat. No.	Price
XS	White Shell / Gray Palm	89040-194	Pk. 12/ 41.96
S	White Shell / Gray Palm	80092-406	Ea./ 3.58 Pk. 12/ 34.82
M	White Shell / Gray Palm	80092-404	Ea./ 3.58 Pk. 12/ 34.82
L	White Shell / Gray Palm	80092-402	Ea./ 3.58 Pk. 12/ 34.82
XL	White Shell / Gray Palm	80092-408	Ea./ 3.58 Pk. 12/ 34.82

## Bemac Polarflex2® Liquid Resistant Gloves, Wells Lamont®

- Red PVC/NBR gloves with Polartec® liner
- Treated to resist mold, mildew, and odor-causing germs
- Sandy finish for better grip

## WELLS LAMONT Industrial



Cuff Style	Gauntlet
Lining	Polartec®

Size	Material	Cat. No.	Price
L	PVC/NBR with Sandy Finish	80091-616	Ea./ 37.39 Pk. 12/ 364.50

## Jackson Safety™ G60 PURPLE NITRILE® Cut Resistant Gloves, KIMBERLY-CLARK PROFESSIONAL®

- Ambidextrous
- Ideal for metal fabrication, glass/sharp part handling, and automotive assembly
- Flexible, nitrile-dotted palm for enhanced grip
- Dyneema® fabric enhances breathability
- Color: white and black



Size	Cat. No.	Price
Small	89011-804	Cs. 24/ 288.07
Medium	89011-806	Cs. 24/ 311.13
Large	89011-808	Cs. 24/ 311.13
X-Large	89011-810	Cs. 24/ 288.07
XX-Large	89011-812	Cs. 24/ 288.07

## Leather Palm Gloves, Wells Lamont®

- Standard shoulder split palm
- Wing thumb
- Safety cuff

## WELLS LAMONT Industrial



Size	Cat. No.	Price
Large	80092-124	Ea./ 5.26 Pk. 12/ 51.23
Small	80092-126	Ea./ 5.26 Pk. 12/ 51.23

## Non-Sterile Spec-Tec™ Stretch Glove Liners, Wells Lamont

High performance fiber blended with Lycra® for stretch and reusability.

## WELLS LAMONT Industrial

Size	Cuff Color	Cat. No.	Price
S	Blue	80091-146	Pk. 10/ 417.77
M	Orange	80091-144	Pk. 10/ 417.77
L	Green	80091-142	Pk. 10/ 428.92
XL	Red	80091-148	Pk. 10/ 417.77





# Hand Protection

## Nylon Glove Liners, Wells Lamont®

- Made of 100% nylon with latex-free, fitted cuffs
- Ambidextrous
- Full finger or half-finger liners available
- Color-coded by a band on the cuff
- Reusable

**WELLS LAMONT**  
Industrial

Description	Size	Length	Cuff Color	Cuff Style	Cat. No.	Price
Full-Finger Liners	Small	22.9 cm (9")	Green	Regular Cuff	14224-270	Pk. 25/ 66.63 Cs. 100/ 231.72
Full-Finger Liners	Medium	22.9 cm (9")	Orange	Regular Cuff	13500-888	Pk. 25/ 66.63 Cs. 100/ 231.72
Full-Finger Liners	Large	22.9 cm (9")	Blue	Regular Cuff	14224-272	Pk. 25/ 66.63 Cs. 100/ 231.72
Full-Finger Liners	Small	22.9 cm (9")	Green	Extended Cuff	32935-100	Pk. 25/ 92.12 Cs. 100/ 327.96
Full-Finger Liners	Medium	22.9 cm (9")	Orange	Extended Cuff	32935-102	Pk. 25/ 92.12 Cs. 100/ 327.96
Full-Finger Liners	Large	22.9 cm (9")	Blue	Extended Cuff	32935-104	Pk. 25/ 92.12 Cs. 100/ 327.96
Half-Finger Liners	Men's	17.8 cm (7")	Black	Regular Cuff	14224-274	Pk. 25/ 91.26 Cs. 100/ 317.37
Half-Finger Liners	Women's	17.8 cm (7")	Red	Regular Cuff	14224-276	Pk. 25/ 91.26 Cs. 100/ 317.37

## Cotton Lisle Inspection Gloves, Wells Lamont®

Hand and product protection for light-duty inspection purposes.

**WELLS LAMONT**  
Industrial



Description	Size	Length	Cat. No.	Price
Lightweight	Men's	22.9 cm (9")	32935-460	Pk. 12/ 13.89 Cs. 1200/ 730.47
Lightweight	Women's	22.9 cm (9")	32935-461	Pk. 12/ 13.89 Cs. 1200/ 730.47

## Spec-Tec® Spectra® Fiber Sterile Critical Environment Glove Liners, Wells Lamont®

- Cu-resistant liners feature excellent tactile sensitivity
- Spectra fiber is an ultrahigh molecular weight polyethylene fiber for moderate cut resistance with high reusability
- Knit cuff
- Color: white

**WELLS LAMONT**  
Industrial



Size	Cat. No.	Price
Large	80091-122	Pk. 20/ 300.72
Medium	80091-124	Pk. 20/ 275.69
Small	80091-126	Pk. 20/ 276.10

## Sterile Spec-Tec™ Stretch Glove Liners, Wells Lamont®

- High performance fiber blended with Lycra® for stretch and reusability.

**WELLS LAMONT**  
Industrial



Size	Cuff Color	Cat. No.	Price
S	Blue	80091-132	Pk. 20/ 543.89
M	Orange	80091-130	Pk. 20/ 543.89
L	Green	80091-128	Pk. 20/ 543.89
XL	Red	80091-134	Pk. 20/ 543.89

## Grip N® Work Gloves, Honeywell

- PVC coating for nonskid grip and outstanding abrasion resistance
- Seamless, knitted cotton construction for cool comfort and good dexterity
- Launderable
- Ambidextrous

**NORTH**  
by Honeywell



Size	Cat. No.	Price
Men's Universal	32888-002	Pk. 12/ 32.18 Cs. 144/ 343.34
Women's Universal	32888-004	Pk. 12/ 32.18 Cs. 144/ 343.34

## VWR® Extreme Temperature Mitt

- Ideal for handling extremely hot or cold beakers, flasks, bottles, and similar items
- Studded, oversized surface and internal ribs ensure safe grip
- Silicone rubber mitt is designed to comfortably fit your hand
- Withstands temperatures from -57 to 260°C (-70 to 500°F) for brief periods of time
- CE marked

**VWR**  
COLLECTION



Description	Cat. No.	Price
Silicone Rubber Mitt	89026-680	Ea./ 23.69

## Cowhide Driver's Gloves, Wells Lamont®

- For multipurpose work
- Made from grain cowhide
- Bound hem, gunn pattern, and elastic shirred back
- Straight or keystone thumb

**WELLS LAMONT**  
Industrial



Size	Cat. No.	Price
Small	32935-448	Pr. 1/ 19.00 Pk. 12/ 185.21
Medium	32935-449	Pr. 1/ 19.00 Pk. 12/ 185.21
Large	32935-450	Pr. 1/ 19.00 Pk. 12/ 185.21
X-Large	32935-451	Pr. 1/ 20.19 Pk. 12/ 196.74

## SCIENCEWARE® Clavies™ Biohazard Autoclave Gloves, Bel-Art

- Soft, pliable, washable
- Heat-resistant up to 232° C (450°F)
- Color: bright orange



Overall Length	Gauntlet Length	Cat. No.	Price	
33 cm (13')	13 cm (5')	32885-805	Ea./ 45.74	Cs. 24/ 492.07
47 cm (18.5")	28 cm (11")	32885-826	Ea./ 61.46	Cs. 24/ 648.70

## ZetexPlus Reversible Heat Resistant Mitts, Newtex Industries

Protection from temperatures up to 1093°C (2000°F). Woven from 100% premium ZetexPlus texturized fiberglass and treated with a proprietary vermiculite coating. Double Stitched and reinforced. Premium wool liner. Available in 28, 35.6 or 58.4cm (11, 14, or 23") lengths. 35.6cm (14") cuff protects wrists. 58.4cm (23") mitt features a gauntlet style cuff. Reversible. One size fits all. Made in the USA.

Length	Cat. No.	Price
28 cm (11')	32885-281	Pr. 1/ 80.76
35.6 cm (14")	32885-304	Pr. 1/ 98.66
58.4 cm (23")	32885-326	Pr. 1/ 138.47



## ZetexPlus Heat Resistant Gloves, Newtex Industries

Protection from temperatures up to 1093°C (2000°F). Woven from 100% premium ZetexPlus texturized fiberglass and treated with a proprietary vermiculite coating. Double Stitched and reinforced. Premium wool liner. Available in 28, 35.6 or 58.4cm (11, 14, or 23") lengths. 35.6cm (14") cuff protects wrists. 58.4cm (23") glove features a gauntlet style cuff. One size fits all. Made in the USA.

Length	Cat. No.	Price
28 cm (11')	32885-348	Pr./ 111.31
58.4 cm (23")	32885-383	Pr./ 169.87
35.6 cm (14")	89135-682	Pr./ 140.30
		Cs. 12/ 1355.07



## Zetex Heat Resistant Gloves, Newtex Industries

Protection from temperatures up to 538°C (1000°F). Woven from 100% premium Zetex texturized fiberglass. Double Stitched and reinforced. Premium wool liner. 35.6cm (14") length. Cuff protects wrists. One size fits all. Made in the USA.

Length	Cat. No.	Price
35.6 cm (14")	32885-406	Pr./ 98.03



## ZetexPlus Heat Resistant Gloves with Double Palm, Newtex Industries

Protection from temperatures up to 1093°C (2000°F). Woven from 100% premium ZetexPlus texturized fiberglass and treated with a proprietary vermiculite coating. The double palm allows for a longer product life and improved heat resistance. Double Stitched and reinforced. Premium wool liner. Available in 35.6 or 58.4cm (14 or 23") lengths. 35.6cm (14") cuff protects wrists. 58.4cm (23") glove features a gauntlet style cuff. One size fits all. Made in the USA.

Length	Cat. No.	Price
35.6 cm (14")	89370-992	Pr./ 103.54
58.4 cm (23")	30617-966	Ea./ 149.29



## ZetexPlus Reversible Heat Resistant Mitts with Double Palm, Newtex Industries

Protection from temperatures up to 1093°C (2000°F). Woven from 100% premium ZetexPlus texturized fiberglass and treated with a proprietary vermiculite coating. The double palm allows for a longer product life and improved heat resistance. Double Stitched and reinforced. Premium wool liner. Available in 35.6 or 58.4cm (14 or 23") lengths. 35.6cm (14") cuff protects wrists. 58.4cm (23") mitt features a gauntlet style cuff. Reversible. One size fits all. Made in the USA.

Length	Cat. No.	Price
35.6 cm (14")	89370-996	Pr./ 73.07
58.4 cm (23")	30617-968	Ea./ 99.42



# Hand Protection

## Zetex Heat Resistant Gloves with Leather Palm, Newtex Industries

Protection from temperatures up to 316°C (600°F). The back of the glove is woven from 100% Zetex highly texturized fiberglass. The palm and thumb are made of leather which provides superior grip and dexterity. 35.6cm (14") length. Cuff protects the wrist. Made in the USA.

Length	Cat. No.	Price
35.6 cm (14")	32885-461	Pr./ 120.03



## Z-Flex Aluminized Heat Resistant Gloves, Newtex Industries

Protection from radiant temperatures up to 1649°C (3000°F). Made from Z-Flex Multilayer Aluminized technology, which reflects 95% of radiant heat. Double Stitched and reinforced. Premium wool liner. 35.6cm (14") length. Cuff protects wrists. One size fits all. Made in the USA.

Length	Cat. No.	Price
35.6 cm (14")	32885-450	Pr./ 147.21



## Zetex Reversible Heat Resistant Mitts, Newtex Industries

Protection from temperatures up to 538°C (1000°F). Woven from 100% premium Zetex texturized fiberglass. Double Stitched and reinforced. Premium wool liner. 35.6cm (14") length. Cuff protects wrists. Reversible. One size fits all. Made in the USA.

Length	Cat. No.	Price
35.6 cm (14")	32885-508	Pr./ 76.91



## ZetexPlus Heat Resistant Gloves with Aramid Palm, Newtex Industries

Protection from temperatures up to 316°C (600°F). The back of the glove is woven from ZetexPlus highly texturized fiberglass treated with a Vermiculite Coating. The palm and thumb are made of corespun aramid which provides superior cut and abrasion resistance. 35.6cm (14") length. Cuff protects the wrist. Made in the USA.

Description	Length	Cat. No.	Price
14"	35.6 cm (14")	62111-343	Pr./ 203.72



## Z-Flex Aluminized Heat Resistant Gloves with ZetexPlus Palm, Newtex Industries

Protection from temperatures up to 1093°C (2000°F). The back of the glove is made from Z-Flex Multilayer Aluminized technology, which reflects 95% of radiant heat. The palm of the glove is woven from 100% premium ZetexPlus texturized fiberglass and treated with a proprietary vermiculite coating. Double Stitched and reinforced. Premium wool liner. 35.6cm (14") length. Cuff protects wrists. One size fits all. Made in the USA.

Length	Cat. No.	Price
35.6 cm (14")	89370-994	Pr./ 88.73



## TNT® Blue 92-675, Nitrile Gloves, Disposable, Ansell

Ideal for manufacturing, light-duty maintenance and cleanup, intricate parts handling, lab analysis/technical work, and automotive applications. Ambidextrous and durable, yet soft for improved comfort. Powder-free. Static-dissipative. Textured fingers for exceptional grip. Rolled cuff. Component materials comply with FDA regulations for food contact. Color: blue.

Disposable/Reusable	Disposable
Powdered/Powder-Free	Powder-Free

Size	Length	Thickness	Color	Cat. No.	Price
Small	24.1 cm (9 1/2")	5 mil	Blue	32889-884	Pk. 100/ 24.50 Cs. 1000/ 212.39
Medium	24.1 cm (9 1/2")	5 mil	Blue	32889-886	Pk. 100/ 24.50 Cs. 1000/ 212.39
Large	24.1 cm (9 1/2")	5 mil	Blue	32889-888	Pk. 100/ 24.50 Cs. 1000/ 212.39
X-Large	24.1 cm (9 1/2")	5 mil	Blue	32889-890	Pk. 100/ 24.50 Cs. 1000/ 212.39





## AciTek® 49-252, Cleanroom Acid, Gloves, Ansell

These hand-specific, powder-free gloves are made from 100% natural latex polymer, which offers good protection from a wide spectrum of acids, etchants, and solvents. The ergonomic design, featuring a straight cuff, provides exceptional flexibility and comfort for extended wearing. Gloves are chlorinated inside and outside. Fishscale texture on fingers and palms provides a sure hold on glassware and other smooth or slippery surfaces

Color: orange



Disposable/Reusable	Disposable
Grip Texture	Fishscale textured fingers and palms
Palm Thickness	20 mil

Size	Length	Cat. No.	Price	
7	35.6 cm (14")	47748-240	Pk. 12/ 66.13	Cs. 72/ 322.63
8	35.6 cm (14")	47748-242	Pk. 12/ 66.13	Cs. 72/ 322.63
9	35.6 cm (14")	47748-244	Pk. 12/ 80.01	Cs. 72/ 390.38
10	35.6 cm (14")	47748-246	Pk. 12/ 66.13	Cs. 72/ 322.63

## Unsupported Neoprene Gloves, Ansell

Style 29-865 neoprene gloves offer broad-spectrum protection with excellent resistance to a wide range of chemicals, including oils, acids, caustics, and solvents. Flock-lined gloves are case-hardened to increase chemical and abrasion resistance over ordinary neoprene gloves. Gloves are suitable for petrochemicals and refining operations, cleaning and degreasing, and electronics applications. Hand-specific. Straight cuff edge. Embossed finish.



Size	Length	Thickness	Cat. No.	Price	
7-7 1/2	33 cm (13")	18 mil	32890-052	Pk. 12/ 130.30	Cs. 144/ 1261.17
8-8 1/2	33 cm (13")	18 mil	32890-054	Pk. 12/ 130.30	Cs. 144/ 1261.17
9-9 1/2	33 cm (13")	18 mil	32890-056	Pk. 12/ 130.30	Cs. 144/ 1261.17
10	33 cm (13")	18 mil	32890-058	Pk. 12/ 130.30	Cs. 144/ 1261.17
11	33 cm (13")	18 mil	32890-060	Pk. 12/ 130.30	Cs. 144/ 1261.17

## Sol-Vex® Nitrile Gloves, Ansell

Chemical-resistant gloves are suitable for chemical processing, food processing, aerospace and automotive degreasing, machining operations using cutting oil and coolants, electronics, and other applications.

Component materials comply with FDA regulations for food contact.



Disposable/Reusable	Disposable
Powdered/Powder-Free	Powder-Free

Size	Length	Thickness	Style	Cat. No.	Price	
7-7 1/2	33 cm (13")	11 mil	Unlined	32890-088	Pk. 12/ 46.99	Cs. 144/ 454.91
8-8 1/2	33 cm (13")	11 mil	Unlined	32890-090	Pk. 12/ 51.78	Cs. 144/ 502.02
9-9 1/2	33 cm (13")	11 mil	Unlined	32890-092	Pk. 12/ 51.78	Cs. 144/ 502.02
10	33 cm (13")	11 mil	Unlined	32890-094	Pk. 12/ 51.78	Cs. 144/ 502.02
11	33 cm (13")	11 mil	Unlined	32890-096	Pk. 12/ 51.78	Cs. 144/ 502.02
7-7 1/2	33 cm (13")	15 mil	Unlined	32890-106	Pk. 12/ 60.42	Cs. 144/ 585.02
8-8 1/2	33 cm (13")	15 mil	Unlined	32890-108	Pk. 12/ 60.42	Cs. 144/ 585.02
9-9 1/2	33 cm (13")	15 mil	Unlined	32890-110	Pk. 12/ 60.42	Cs. 144/ 585.02
10	33 cm (13")	15 mil	Unlined	32890-112	Pk. 12/ 52.82	Cs. 144/ 505.99
11	33 cm (13")	15 mil	Unlined	32890-114	Pk. 12/ 60.42	Cs. 144/ 585.02
6-6 1/2	33 cm (13")	15 mil	Flock-Lined	32890-126	Pk. 12/ 60.01	Cs. 144/ 581.60
7-7 1/2	33 cm (13")	15 mil	Flock-Lined	32890-128	Pk. 12/ 60.01	Cs. 144/ 581.60
8-8 1/2	33 cm (13")	15 mil	Flock-Lined	32890-130	Pk. 12/ 60.01	Cs. 144/ 581.60
9-9 1/2	33 cm (13")	15 mil	Flock-Lined	32890-132	Pk. 12/ 77.89	Cs. 144/ 752.95
10	33 cm (13")	15 mil	Flock-Lined	32890-134	Pk. 12/ 77.89	Cs. 144/ 752.95
11	33 cm (13")	15 mil	Flock-Lined	32890-136	Pk. 12/ 60.01	Cs. 144/ 581.60

## NeoTouch® 25-101, Chemical-Resistant Gloves, Neoprene, Ansell

This glove is made with neoprene, an alternative to natural rubber latex that protects against Type I allergies. It provides excellent resistance to acids, bases and alcohols. Its exclusive formulation provides superior comfort. It is an exam and food grade glove and complies with FDA food handling requirements (21 CFR 177.2600).

Grip Texture	Textured Fingertips
Powdered/Powder-Free	Powder-Free

Size	Length	Thickness	Color	Cat. No.	Price	
X-Small	24.1 cm (9 1/2")	5 mil	Green	89011-902	Pk. 100/ 48.88	Cs. 1000/ 394.43
Small	24.1 cm (9 1/2")	5 mil	Green	89011-904	Pk. 100/ 50.17	Cs. 1000/ 404.85
Medium	24.1 cm (9 1/2")	5 mil	Green	89011-906	Pk. 100/ 50.17	Cs. 1000/ 404.85
Large	24.1 cm (9 1/2")	5 mil	Green	89011-908	Pk. 100/ 50.17	Cs. 1000/ 404.85
X-Large	24.1 cm (9 1/2")	5 mil	Green	89011-910	Pk. 100/ 50.17	Cs. 1000/ 404.85



# Hand Protection

## Integra® EC, Extended Cuff Blue Nitrile Gloves, Microflex

Integra EC is a durable, 8 mil glove for tough jobs where extra durability or safety is needed. The added thickness of these gloves gives strength and durability. Great protection against bloodborne pathogens. Extra thickness and extended cuff provide extra protection.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	5.5 mil
Disposable/Reusable	Disposable
Finger Thickness	7.5 mil
Palm Thickness	6.7 mil

Description	Size	Length	Cat. No.		Price
Integra® EC Nitrile Gloves	Small	29.2 cm (11 1/2")	10030-242	Bx. 50/ 31.46	Cs. 500/ 267.97
Integra® EC Nitrile Gloves	Medium	29.2 cm (11 1/2")	10030-246	Bx. 50/ 31.46	Cs. 500/ 267.97
Integra® EC Nitrile Gloves	Large	29.2 cm (11 1/2")	10030-248	Bx. 50/ 31.46	Cs. 500/ 267.97
Integra® EC Nitrile Gloves	X-Large	29.2 cm (11 1/2")	10030-250	Bx. 50/ 31.46	Cs. 500/ 267.97
Integra® EC Nitrile Gloves	2X-Large	29.2 cm (11 1/2")	10030-252	Bx. 50/ 31.46	Cs. 500/ 267.97

## Ultra One® Latex Gloves, Microflex®

A standard for high-risk applications, these gloves have extended, beaded cuffs for increased protection over the wrist and forearm. Fingertip texturing allows for a better grip in wet and dry conditions. Ambidextrous. Powder-free.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	7.1 mil
Disposable/Reusable	Disposable
Finger Thickness	13.8 mil
Palm Thickness	9.8 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Color	Cat. No.		Price
Small	30 cm (11 13/16")	Natural	32916-516	Pk. 50/ 37.60	Cs. 500/ 310.33
Medium	30 cm (11 13/16")	Natural	32916-518	Pk. 50/ 37.60	Cs. 500/ 310.33
Large	30 cm (11 13/16")	Natural	32916-520	Pk. 50/ 37.60	Cs. 500/ 310.33
X-Large	30 cm (11 13/16")	Natural	32916-522	Pk. 50/ 37.60	Cs. 500/ 310.33

## Synetron® Polymer-Coated Latex Examination Gloves, Microflex®

Gloves are made from soft natural rubber latex for improved elasticity and greater comfort. Interior polymer coating provides superior antisticking properties, resulting in highly effective donning in wet, damp, or dry conditions. Extended, beaded cuff provides greater protection over the wrist and forearm. Ambidextrous. Powder-free. Color: natural.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	6.7 mil
Disposable/Reusable	Disposable
Finger Thickness	11.8 mil
Palm Thickness	9.1 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Cat. No.		Price
Small	30 cm (11 13/16")	32916-540	Pk. 50/ 39.09	Cs. 500/ 323.48
Medium	30 cm (11 13/16")	32916-542	Pk. 50/ 39.09	Cs. 500/ 323.48
Large	30 cm (11 13/16")	32916-544	Pk. 50/ 39.09	Cs. 500/ 323.48
X-Large	30 cm (11 13/16")	32916-546	Pk. 50/ 39.09	Cs. 500/ 323.48
2X-Large	30 cm (11 13/16")	32916-798	Pk. 50/ 32.31	Cs. 500/ 267.34

## NeoPro® EC Powder-Free Chloroprene Gloves, Microflex®

Gloves are made entirely from a synthetic material with comfort close to latex that provides unique protection against a variety of chemicals. They offer exceptional film consistency, manual dexterity, tactile sensitivity, fine motor skill function, and reduced hand fatigue. Extended, beaded cuff guards against spills and splashes. Ideal for high-risk environments. Textured fingertips for a more secure grip. Ambidextrous. Powder-free. Polymer coated for easy donning.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	4.7 mil
Finger Thickness	8.3 mil
Palm Thickness	6.3 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Color	Cat. No.		Price
Small	30 cm (11 13/16")	Green	32916-690	Pk. 50/ 27.38	Cs. 500/ 210.95
Medium	30 cm (11 13/16")	Green	32916-692	Pk. 50/ 27.38	Cs. 500/ 210.95
Large	30 cm (11 13/16")	Green	32916-694	Pk. 50/ 27.38	Cs. 500/ 210.95
X-Large	30 cm (11 13/16")	Green	32916-696	Pk. 50/ 27.38	Cs. 500/ 210.95
2X-Large	30 cm (11 13/16")	Green	32916-698	Pk. 50/ 29.44	Cs. 500/ 243.91

## NeoPro® Powder-Free Chloroprene Gloves, Microflex®

Gloves are made entirely from a synthetic material with comfort close to latex that provides unique protection against a variety of chemicals. They offer exceptional film consistency, manual dexterity, tactile sensitivity, fine motor skill function, and reduced hand fatigue. Textured for a more secure grip. Ambidextrous. Powder-free. Beaded cuff.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	4.3 mil
Disposable/Reusable	Disposable
Finger Thickness	6.7 mil
Palm Thickness	5.1 mil

Size	Length	Color	Cat. No.		Price
X-Small	24.5 cm (9 5/8")	Green	32916-788	Pk. 100/ 33.63	Cs. 1000/ 278.42
Small	24.5 cm (9 5/8")	Green	32916-790	Pk. 100/ 33.63	Cs. 1000/ 278.42
Medium	24.5 cm (9 5/8")	Green	32916-792	Pk. 100/ 33.63	Cs. 1000/ 278.42
Large	24.5 cm (9 5/8")	Green	32916-794	Pk. 100/ 33.63	Cs. 1000/ 278.42
X-Large	24.5 cm (9 5/8")	Green	32916-796	Pk. 100/ 33.63	Cs. 1000/ 278.42

## Derma Free® Vinyl Gloves, Microflex®

These ambidextrous, nonsterile, medical-exam-grade gloves are made of 100% synthetic vinyl. They are ideal for food service, food processing, or any application where personal hygiene is critical. Gloves are thicker for added protection and have a smooth surface, allowing for more natural tactile sensitivity. Powder-free. Beaded cuff.

**MICROFLEX®**  
THE MOST TRUSTED NAME IN GLOVES®



Cuff Thickness	3.9 mil
Disposable/Reusable	Disposable
Finger Thickness	3.9 mil
Palm Thickness	4.3 mil
Powdered/Powder-Free	Powder-Free

Size	Length	Color	Cat. No.		Price
Small	22.9 cm (9")	Clear	32916-802	Pk. 100/ 12.23	Cs. 1000/ 101.13
Medium	22.9 cm (9")	Clear	32916-804	Pk. 100/ 14.81	Cs. 1000/ 122.36
Large	22.9 cm (9")	Clear	32916-806	Pk. 100/ 14.81	Cs. 1000/ 122.36
X-Large	22.9 cm (9")	Clear	32916-808	Pk. 100/ 14.81	Cs. 1000/ 122.36

## AK Natural Latex Cleanroom Gloves, Honeywell Safety

For cleanroom hand tasks and protection from acids and caustics.

Meet IES RP-005.2 (modified) particulate and extractables test. Meet ASTM 739 permeation standard.

**Honeywell**



Size	Length	Thickness	Color	Cat. No.		Price
10	38 cm (15")	20 mil	Orange	32888-202	Pk. 10/ 78.84	Cs. 100/ 628.18
11	38 cm (15")	20 mil	Orange	32888-204	Pk. 10/ 66.36	Cs. 100/ 519.15
7	38 cm (15")	20 mil	Orange	32888-206	Pk. 10/ 66.36	Cs. 100/ 519.15
8	38 cm (15")	20 mil	Orange	32888-208	Pk. 10/ 78.84	Cs. 100/ 628.18
9	38 cm (15")	20 mil	Orange	32888-210	Pk. 10/ 78.84	Cs. 100/ 628.18

## Sol-Vex® II Unsupported Nitrile Gloves, Ansell

Chemical-resistant gloves are suitable for meat processing, parts degreasing, machining operations, wiping down parts and machinery, and handling hoses, belts, and steel chains. Gloves feature form-fitting fingers and a tapered wrist for a more comfortable, ergonomic fit. Tough nitrile compound provides long wear and good protection against abrasion, cuts, snags, and punctures. Strong resistance to degradation ensures that gloves will not weaken or swell. Gloves are free of protein allergens and will not promote contact dermatitis. Hand-specific. Powder-free. Straight cuff edge. Feature a raised-diamond pattern for superior grip on wet material. Color: green. Gloves are available unlined or with cotton flocked lining.

**Ansell**



Disposable/Reusable	Disposable
Powdered/Powder-Free	Powder-Free

Size	Length	Thickness	Color	Style	Cat. No.		Price
7	33 cm (13")	15 mil	Green	37-676, Flock-Lined	80092-500	Pk. 12/ 49.30	Cs. 144/ 530.89
8	33 cm (13")	15 mil	Green	37-676, Flock-Lined	80092-502	Pk. 12/ 49.30	Cs. 144/ 530.89
9	33 cm (13")	15 mil	Green	37-676, Flock-Lined	80092-504	Pk. 12/ 49.30	Cs. 144/ 530.89
10	33 cm (13")	15 mil	Green	37-676, Flock-Lined	80092-506	Pk. 12/ 49.30	Cs. 144/ 530.89
11	33 cm (13")	15 mil	Green	37-676, Flock-Lined	80092-508	Pk. 12/ 49.30	Cs. 144/ 530.89



# Head Protection

## Wide Brim Hard Hats, Honeywell Safety

The Everest style high-density polyethylene hard hats feature a wide brim for added protection against UV rays, rain, and falling debris. Accessory slots allow attachment of face and hearing protection accessories. Hats are available with four-point suspension with pin lock adjustment, or with six-point suspension with ratchet adjustment. Both suspension types offer a forehead comfort band and crown pad, two-level adjustment, and self-centering.



Description	Color	Cat. No.	Price	
Ratchet Adjustment	Black	13502-118	Ea./ 27.94	Cs. 12/ 263.08
Ratchet Adjustment	Dark Green	13502-120	Ea./ 27.94	Cs. 12/ 263.08
Ratchet Adjustment	Red	13502-122	Ea./ 27.94	Cs. 12/ 263.08
Ratchet Adjustment	Sky Blue	13502-124	Ea./ 27.94	Cs. 12/ 263.08
Ratchet Adjustment	Yellow	13502-126	Ea./ 27.94	Cs. 12/ 263.08
Ratchet Adjustment	White	13502-128	Ea./ 27.94	Cs. 12/ 263.08
Ratchet Adjustment	Orange	13502-130	Ea./ 27.94	Cs. 12/ 263.08
Pin Lock Adjustment	Dark Green	13502-146	Ea./ 19.91	Cs. 12/ 187.99
Pin Lock Adjustment	Red	13502-148	Ea./ 19.91	Cs. 12/ 187.99
Pin Lock Adjustment	Sky Blue	13502-150	Ea./ 19.91	Cs. 12/ 187.99
Pin Lock Adjustment	Yellow	13502-152	Ea./ 19.91	Cs. 12/ 187.99
Pin Lock Adjustment	White	13502-154	Ea./ 19.91	Cs. 12/ 187.99
Pin Lock Adjustment	Orange	13502-156	Ea./ 19.91	Cs. 12/ 187.99

## Accessories for Tychem® Hoods, Bullard®

Peak hard hats feature a grooved high-density polyethylene outer shell, rain trough, and accessory slots. Four-point hats come with ratchet or pin lock adjustments. Suspension offers a three-level height adjustment.



Description	Cat. No.	Price
Classic Hard Hat with Pinlock Suspension, White	16005-042	Ea./ 24.71
Classic Hard Hat with Ratchet Suspension, White	16005-044	Ea./ 28.40

## Four-Point Suspension Hard Hats, Honeywell Safety

Peak hard hats feature a grooved high-density polyethylene outer shell, rain trough, and accessory slots. Four-point hats come with ratchet or pin lock adjustments. Suspension offers a three-level height adjustment.



Description	Color	Cat. No.	Price	
Pin Lock 4-Point Plastic Suspension	White	13502-193	Ea./ 7.85	Cs. 20/ 122.91
Pin Lock 4-Point Plastic Suspension	Sky Blue	13502-195	Ea./ 7.85	Cs. 20/ 122.91
Pin Lock 4-Point Plastic Suspension	Yellow	13502-197	Ea./ 7.85	Cs. 20/ 122.91
Pin Lock 4-Point Plastic Suspension	Dark Green	13502-200	Ea./ 7.85	Cs. 20/ 122.91
Pin Lock 4-Point Plastic Suspension	Orange	13502-201	Ea./ 7.85	Cs. 20/ 122.91

## Howard Leight Laser Lite® Earplugs, Honeywell



- Single-use earplugs feature T-shape for easy insertion
- Nonallergenic polyurethane foam expands to fit virtually every wearer
- Vibrant colors make protection visible
- Noise reduction rating: 32dB




Description	Noise Reduction Rating	Packaging	Cat. No.	Price
Uncorded Earplugs	32 dB	Bulk Pack	55533-028	Cs. 2000/ 431.81
Uncorded Earplugs	32 dB	Individual Poly Bag	55533-030	Pk. 200/ 45.46 Cs. 2000/ 345.38
Corded Earplugs	32 dB	Individual Poly Bag	82007-111	Pk. 100/ 48.37 Cs. 1000/ 367.40

## Howard Leight QB2HYG® Banded Hearing Protector, Honeywell Safety



- Offers highest attenuation among supra-aural hearing protectors
- Lightweight, portable, and perfect when noise hazards are intermittent
- Soft pods rest partially in the ear for balance of protection and comfort
- Design prevents ear pods from touching dirty or contaminated surfaces
- Reusable when cleaned with soap and water
- Noise reduction rating: 25dB



Noise Reduction Rating	Cat. No.	Price
25 dB	46000-096	Ea./ 8.39 Pk. 10/ 63.71 Cs. 100/ 558.90

## E-A-Rflex™ Banded Hearing Protectors, 3M™



3M™ E-A-Rflex™ Earplugs feature premolded earplugs with a swept-back, triple flange design.



Description	Color	Noise Reduction Rating	Cat. No.	Price
Hearing Protector with UltraFit™ Tips	Blue/ Yellow	27 dB	55666-289	Pk. 10/ 215.81 Cs. 100/ 1385.54

## Howard Leight Lightweight Earmuffs, Honeywell



- Ideal for prolonged use and comfort
- Adjustable crown strap allows a secure fit
- High visibility red cups with black band



Noise Reduction Rating	Cat. No.	Price
25 dB	55533-010	Ea./ 14.97 Cs. 20/ 227.72

## E-A-Rsoft™ Yellow Neons™ Earplugs, 3M™

E-A-Rsoft™ Yellow Neons™ Earplugs seal the ear canal with soft, slow-recovery foam for excellent noise reduction and comfort.

Description	Size	Color	Noise Reduction Rating	Packaging	Cat. No.		Price
Corded	Regular	Yellow	33 dB	Poly Bag	89006-844	Bx. 200/ 98.82	Cs. 2000/ 563.98

## Howard Leight Quiet™ Earplugs, Honeywell

- Easy to clean for long-term use
- Smooth, non-irritating skin provides all-day comfort
- No-roll design is easy to handle and fit
- ANSI S12.6 compliant, CSA certified, and CE marked
- Noise reduction rating: 26dB



Description	Noise Reduction Rating	Cat. No.	Price
Earplugs	26 dB	55533-018	Pk. 100/ 71.85 Cs. 1000/ 544.50
Earplugs with Cord	26 dB	55533-020	Pk. 100/ 118.43 Cs. 1000/ 899.72

## Howard Leight Max® and Max Lite® Earplugs, Honeywell

- Pre-shaped foam earplugs feature a smooth outer skin for maximum user comfort
- Disposable plugs are nonirritating and nonallergenic
- Available with or without connecting cord
- Max Lite® low-pressure self-adjusting foam earplugs fit smaller ear canals

Meet ANSI S3.19 standard. CE marked. CSA certified.

Model	Max Earplugs
Noise Reduction Rating	33 dB

**Honeywell**



Description	Model	Noise Reduction Rating	Cat. No.	Price
Uncorded Earplugs	Max Earplugs	33 dB	55533-002	Pk. 200/ 60.58 Cs. 2000/ 460.20
Uncorded Earplugs	Max Lite Earplugs	30 dB	55533-004	Pk. 200/ 45.06 Cs. 2000/ 342.36
Corded Earplugs	Max Lite Earplugs	30 dB	55533-006	Pk. 100/ 44.33 Cs. 1000/ 367.09
Corded Earplugs	Max Earplugs	33 dB	55533-008	Pk. 100/ 52.11 Cs. 1000/ 436.40
Dispenser Box with Uncorded Earplugs	Max Earplugs	33 dB	55533-026	Cs. 2000/ 496.38

## E-A-R™ Classic™ Foam Earplugs, 3M™

- Provide comfortable, effective seal while exerting low pressure in the ear
- Gradually expand and conform to the ear canal for a custom-fit seal
- Washable, flame-retardant, and moisture-resistant
- Noise reduction rating: 29dB



Description	Color	Noise Reduction Rating	Packaging	Cat. No.	Price
Corded	Yellow	30 dB	Poly Bag	55615-664	Bx. 200/ 114.41 Cs. 2000/ 800.00
Uncorded	Yellow	29 dB	Pillow Pack	33001-580	Bx. 200/ 59.29 Cs. 2000/ 381.42
Uncorded	Yellow	29 dB	Poly Bag	47751-992	Pk. 200/ 60.10 Cs. 2000/ 385.87
Uncorded	Yellow	29 dB	Econopack Dispenser	89009-266	Pk. 1000/ 221.09 Cs. 3000/ 425.83

## SparkPlugs® Earplugs, Moldex®

- Randomly multi-colored earplugs increase worker compliance
- Extra soft, low pressure foam provides comfortable fit
- Tapered shape ensures easy insertion and removal
- Shaped to fit even small ear canals
- Disposable



Description	Noise Reduction Rating	Cat. No.	Price
Earplugs	31 dB	56610-677	Pk. 200/ 39.40 Cs. 2000/ 394.08
Earplugs with Cord	31 dB	56610-679	Pk. 100/ 36.53 Cs. 2000/ 730.37

## PlugStation™ Earplug Dispensers, Moldex®

- Highly visible earplug dispensers for easy dispensing of SparkPlugs® or Pura-Fit® earplugs
- Dispensers deliver plugs individually, eliminating individual paper/polybag packaging
- Disposable dispenser is sealed and completely recyclable



Description	Cat. No.	Price
PlugStation™ with SparkPlugs® Earplugs	56610-665	Ea./ 48.45 Cs. 6/ 290.74
PlugStation™ with SparkPlugs® Earplugs	56610-667	Ea./ 93.17 Cs. 4/ 372.69
PlugStation™ with Pura-Fit® Earplugs	56610-669	Ea./ 54.05 Cs. 6/ 324.98
PlugStation™ with Pura-Fit® Earplugs	56610-671	Ea./ 105.34 Cs. 4/ 421.33

# Radiation Protection

## Radiacwash™ Decontaminant, Biodex Medical Systems

- For safe removal of radioactive contaminants
- Removes general contaminants such as soil, grease, and residue



Description	Cat. No.	Price
Pour Bottle	21876-302	Ea./ 49.48
Spray Bottle	21876-347	Ea./ 22.83
Towelettes	21908-861	Pk. 100/ 39.06 Cs. 1000/344.62

## Scienceware® Beta Blocking Apron, Bel-Art

- Beta-blocking neoprene blocks up to 96% of the high energy beta rays from Strontium-90 and over 98% of the beta rays from Phosphorous-32
- Strap system places weight of apron on the shoulders instead of the neck
- For use in with radiation protection shield
- One size fits all
- Color: black



Size	Weight	Cat. No.	Price
51 x 82 cm long (20 x 32 1/4")	1.5 kg (3.4 lbs.)	47750-408	Ea./ 333.48

## Beta Storage Box with Lid, Scienceware®

- Reduces exposure to radioactive isotopes
- For tube holders or other beta-exposed items



Interior Dimensions	Cat. No.	Price
22.9L x 15.2W x 17.8H cm (9 x 6 x 7")	32800-056	Ea./ 203.70

## Beta Dry Waste Box with Lid, Scienceware®

- Comes complete with a 1.5mil thick polyethylene bag
- All edges have matte finish to prevent stress cracking from solvents in the air



Dimensions	Cat. No.	Price
30.4L x 20.3W x 38.1H cm (12 x 8 x 15")	32800-052	Ea./ 580.13

## Beta Containers, Mitchell Plastics™

- Enable safe storage of reagents that emit beta isotopes such as 3H, 14C, 32P, and 35S
- Provide protection from exposure to beta radiation
- Withstands temperatures as low as -70°C (-94°F)



Dimensions	Size	Cat. No.	Price
12.1H x 28W x 20.3D cm (43/4 x 11 x 8")	Small	56615-900	Ea./ 171.29
25.4H x 30.5W x 24.8D cm (10 x 12 x 93/4")	Large	56615-902	Ea./ 213.05

## Scienceware® Benchtop Beta Shields, Bel-Art

- Fabricated from 9.5mm (3/8") thick clear acrylic
- Reduces exposure to radioactive isotopes
- Non-skid feet



Dimensions	Cat. No.	Price
37.5 H x 30.5 W x 20.3 D, cm (143/4 x 12 x 8")	66001-120	Ea./ 231.22
52.7 H x 35.6 W x 30.5 D, cm (203/4 x 14 x 12")	66001-122	Ea./ 348.83
52.1 H x 40.6 W x 31.4 D, cm (201/2 x 16 x 123/8")	66001-124	Ea./ 457.77

## Nalgene® Benchtop Beta Shields, Thermo Scientific

- Meet OSHA Standard 29CFR Part 1910.1030 for use as protection against bloodborne pathogens
- Transparent, stable, and freestanding
- Angled top



Dimensions	Cat. No.	Price
61 H x 45.7 W x 30.5 D, cm (24 x 18 x 12")	56615-848	Cs./ 381.05
45.7 H x 30.5 W x 30.5 D, cm (18 x 12 x 12")	56615-860	Cs./ 243.58

## Scienceware® Radiation Dots, Bel-Art

- Adhere to plastics and glass to identify "hot" labware
- Displays radiation symbol on a yellow background
- Tape roll includes 1000 dots
- Color coding complies with OSHA regulations



Diameter	Cat. No.	Price
6.4 mm (1/4")	62866-186	RL 1/ 43.13



## VWR® N95 Disposable Respirators

- Meet NIOSH Requirements for Minimum Filter Efficiency of 95% Against 0.3µm Particles
- Provide Protection Against Solid and Liquid Particles That Do Not Contain Oil
- Lightweight Construction Allows for Comfortable, Extended Use



Description	Cat. No.	Price
N95 Respirator	89201-508	Pk. 20/ 23.94 Cs. 240/ 253.47
N95 Respirator with Valve	89201-510	Pk. 10/ 19.35 Cs. 120/ 204.71

## 8576 P95 Particulate Respirator with Nuisance Level Acid Gas Relief, 3M™

Excellent choice for work settings that involve heat, humidity, and long wear periods. Suggested uses include glass etching, chemical processing, paper processing, aluminum smelting, and brewing operations. Designed to provide comfortable, reliable worker protection against certain oil- and non-oil-based aerosol particles including those present with nuisance levels of acid gas such as sulphur dioxide, hydrogen fluoride, and chlorine. (Nuisance level acid gas refers to concentrations not exceeding the OSHA PEL or applicable government occupational exposure limits, whichever is lower.) Lightweight construction promotes greater worker comfort and contributes to increased wear time.



Description	Cat. No.	Price
8576 P95 Particulate Respirator with Nuisance Level Acid Gas Relief	56222-364	Pk. 10/ 71.03 Cs. 80/ 514.98

## 8293 P100 Particulate Respirator, 3M™

- For workplace applications involving OSHA substance-specific particle exposures including lead, cadmium, and arsenic
- 3M Cool Flow® exhalation valve, a comfortable faceseal, and adjustable straps
- Provides minimum filtration efficiency of 99.97% against certain solid and liquid aerosols including oils



Description	Cat. No.	Price
8293 P100 Particulate Respirator	56221-028	Ea./ 15.62 Cs. 20/ 282.50

## SAF-T-FIT™ Plus N1105 Respirator, Honeywell Safety

- For use iwth particulate aerosols free of oil
- Latex-free



Size	Cat. No.	Price
Medium/Large	89013-590	Bx. 20/ 25.34

## SAF-T-FIT® Plus N1125 Disposable Respirators, Honeywell

- N95 protection provides 95% particulate efficiency against oil-free particulates
- Exhalation valve improves comfort during extended wear
- Adjustable boomerang nose seal fits securely and comfortably
- Color-coded for quick size identification
- NIOSH 95 approved
- Latex free



Size	Nose Seal Color	Cat. No.	Price
Small	Red	89013-600	Bx. 20/ 60.45
Medium/Large	Green	89013-602	Bx. 20/ 60.45
X-Large	Blue	89013-604	Bx. 20/ 60.45

## VFlex™ N95 Particulate Respirators, 3M™

- Unique embossed 'V' shapes on the front panel keep filter media away from the mouth
- Pleats expand to provide a comfortable seal while giving a spacious feel
- Pleats flex with mouth movement for easier talking
- Tabs on the side are designed as handles
- Compatible with a variety of 3M eyewear and hearing protection



Size	Cat. No.	Price
Standard	89166-430	Pk. 50/ 47.99 Cs. 400/ 296.34

## 9210+ and 9211+ N95 Particulate Respirators, 3M™

- Lightweight and feature a three-panel, collapse-resistant design that offers a low profile for better visibility
- Conform to a wide range of face sizes
- Comfortable nose clip adjusts easily and helps provide a custom fit and secure seal
- Individually packaged to prevent contamination during storage



Description	Cat. No.	Price
9210+	10031-464	Pk. 20/ 27.94 Cs. 240/ 335.30
9211+	10031-466	Pk. 10/ 22.35 Cs. 120/ 178.05

## 8577 P95 Particulate Respirator with Nuisance Level Organic Vapor Relief, 3M™

- Ideal for work settings that involve heat, humidity, and long wear periods
- Designed to provide comfortable, reliable worker protection against certain oil- and non-oil-based aerosol particles
- Features 3M Cool Flow® Exhalation Valve for cool, dry comfort and "M" nose clip to help provide a custom fit and secure seal



Description	Cat. No.	Price
8577 P95 Particulate Respirator with Nuisance Level Organic Vapor Relief	56222-366	Pk. 10/ 71.35 Cs. 80/ 517.25

# Respiratory Protection

## 8210 N95 Respirator, 3M™

- Provides reliable worker protection against certain solid and liquid aerosols that do not contain oil
- Provides minimum filtration efficiency of 95%
- Lightweight construction for greater worker comfort
- Adjustable noseclip for custom fit and secure seal



Description	Cat. No.	Price
8210 N95 Respirator	56222-362	Pk. 20/ 22.18 Cs. 160/ 266.11

## 6000 Series Full Facepiece Respirators, 3M™

- Reusable, lightweight full facepieces
- The Cool Flow® exhalation valve reduces heat and moisture buildup
- Large lens is coated for scratch-resistance



Description	Size	Cat. No.	Price
Full Facepiece Respirators	Large	56612-880	Ea./ 187.46 Cs. 4/ 673.95

Accessories			
Description	Cat. No.	Price	
Inhalation Gasket	56221-891	Pk. 20/ 35.69 Cs. 80/ 125.55	
Spectacle Kit	56621-882	Cs. 1/ 148.62	
Lens Covers	56621-884	Pk. 25/ 62.03 Cs. 100/ 223.02	
Exhalation Valve	56621-886	Cs. 10/ 53.06	
Inhalation Valve	56621-888	Pk. 40/ 77.02 Cs. 200/ 374.40	

## 6000 Series Cartridges with Stacked P100 Filter, 3M™

- For use with 3M™ 6000 series respirator facepieces
- NIOSH approved P100 filter is permanently attached
- Manufacturer's time use restrictions of 40 hours of use or 30 days
- Certain Organic Vapors/Acid Gas/P100 approved for use against chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)
- Multi-Gas/Vapor/P100 approved for use against certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)



Cartridge Type	NIOSH Approval	Cat. No.	Price
Multi-Gas/Vapor/P100	TC-84A-0704	56621-048	Pk. 2/ 33.51 Cs. 60/ 903.55
Certain Organic Vapors/Acid Gas/P100	TC-84A-0701	56621-894	Pk. 2/ 33.10 Cs. 60/ 890.79

## 8211 N95 Particulate Respirator, 3M™

- Provide comfortable reliable worker protection in grinding, sanding, and other dusty operations
- 3M Cool Flow® Exhalation Valve, adjustable "M" nose clip, comfortable face seal, and durable braided headband
- Ideal for work settings that involve heat, humidity, or long periods of wear
- Provides minimum 95% filtration efficiency against certain solid and liquid particles that do not contain oil



Description	Cat. No.	Price
8211 N95 Particulate Respirator	43100-118	Pk. 10/ 44.45 Cs. 80/ 302.67

## 6000 Series Half Facepiece Respirators, 3M™


- Use with 3M™ 6000 series cartridges and filter
- Drop-down respirators can be used with hardhats



Description	Size	Cat. No.	Price
Half Facepiece Drop Down Respirator Only	Medium	46000-288	Cs. 24/ 492.04
Half Facepiece Drop Down Respirator Only	Large	46000-290	Cs. 24/ 492.04
Half Facepiece Respirator with P100 Filters	Small	56222-440	Ea./ 28.02 Cs. 24/ 604.47
Half Facepiece Respirator with P100 Filters	Medium	56222-442	Ea./ 28.02 Cs. 24/ 604.47
Half Facepiece Respirator with P100 Filters	Large	56222-444	Ea./ 32.68 Cs. 24/ 604.47
Half Facepiece Respirator Only	Small	56222-901	Ea./ 18.23 Cs. 24/ 393.40
Half Facepiece Respirator Only	Medium	56222-903	Ea./ 18.23 Cs. 24/ 392.64
Half Facepiece Respirator Only	Large	56222-905	Ea./ 18.23 Cs. 24/ 392.64

## 5000 Series Disposable Respirators, 3M™

- Maintenance-free, economical worker protection
- Suitable for gas and vapor protection come with replaceable prefilters
- Unique cradle suspension holds respirator in place



Description	Size	Cat. No.	Price
Organic Vapors (TC-23C-859)	Small	56222-408	Ea./ 28.22 Cs. 12/ 306.22
Organic Vapors (TC-23C-859)	Medium	56222-409	Ea./ 24.19 Cs. 12/ 259.84
Organic Vapors (TC-23C-859)	Large	56222-410	Ea./ 24.19 Cs. 12/ 259.84
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Small	56222-420	Ea./ 29.58 Cs. 12/ 321.71
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Medium	56222-421	Ea./ 25.35 Cs. 12/ 273.52
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Large	56222-422	Ea./ 25.35 Cs. 12/ 273.52
Organic Vapors/P95 Assembly	Small	56222-460	Ea./ 36.28 Cs. 12/ 393.71
Organic Vapors/P95 Assembly	Medium	56222-462	Ea./ 31.03 Cs. 12/ 334.84
Organic Vapors/P95 Assembly	Large	56222-464	Ea./ 31.72 Cs. 12/ 334.84

## Ordering Products is Easy Through vwr.com

Our website gives you maximum control over the ordering process. With customizable options, you can simplify procurement by matching the process to your own business practices. To learn more, visit [vwr.com](http://vwr.com).



## 6000 Series Cartridges, 3M™

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product. OSHA regulations require that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.



Approved For Use Against	Cartridge Type	Cat. No.	Price
Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen fluoride; Hydrogen sulfide	Certain Organic Vapors/Acid Gas	56222-937 Pk. 2/ 17.15	Cs. 60/ 443.88

## 7500 Series Half Facepiece Respirators, 3M™

- Durable and reusable
- Made from soft, resilient silicone and heat-resistant plastics
- The Cool Flow® exhalation valve reduces heat and moisture buildup



Size	Cat. No.	Price
Small	43100-104	Ea./ 40.22 Cs. 10/ 361.53
Medium	43100-106	Ea./ 40.22 Cs. 10/ 361.53
Large	43100-108	Ea./ 40.22 Cs. 10/ 361.53

## 7800 Series Full Facepiece Respirators, 3M™

- Double flanged face seal, nosecup, and six adjustable straps for a reliable fit
- Durable, scratch-resistant polycarbonate lens



Description	Size	Cat. No.	Price
Full Facepiece Respirators	Large	56222-100	Ea./ 550.90
Full Facepiece Respirators	Small	56222-175	Ea./ 550.90
Full Facepiece Respirators	Medium	56222-177	Ea./ 550.90

## Prefilters, 3M™

- For use with 5000 series respirators

All prefilters are NIOSH 42 CFR 84 approved.



Description	Usage	Cat. No.	Price
P95 Particulate Filter	Protects against solids from processing minerals, coal, iron ore, cotton, flour; metal fumes from welding, brazing, cutting of metals; liquid/oil based particles from sprays that do not emit harmful vapors. Use with 5000 series respirators.	43100-074 Pk. 2/ 12.79	Cs. 100/ 294.09
Hydrogen Fluoride P95 Filter	Provides relief from hydrogen fluoride and nuisance level acid gas odors below the OSHA PELs.	43100-076 Pk. 2/ 12.74	Cs. 100/ 561.45
Organic Vapor P95 Filter	Provides relief from nuisance level organic vapor and acid gas odors below the OSHA PELs.	43100-078 Pk. 2/ 10.97	Cs. 100/ 481.58
N95 Filter	For use with 3M™ 5000 series respirators, 6000 series cartridges, and prefilter retainer 56222-826.	56221-054 Pk. 10/ 21.98	Cs. 100/ 198.00
P95 Prefilter	For oil and non-oil environments. Use with 5000 and 6000 series respirators.	56222-471 Pk. 10/ 26.05	Cs. 100/ 233.72
Prefilter Retainer	For use with 56221-054 prefilter.	56222-826 Pk. 20/ 58.96	Cs. 100/ 265.02
Prefilter Adapter	For use with 56222-931 filter.	56222-828 Pk. 20/ 73.90	Cs. 100/ 332.13
P100 Filter	Provides 99.97% efficiency in removing solid and liquid particles including those containing oil. Use with 3M™ 5000, 6000, and 7000 series respirators.	56222-931 Pk. 2/ 10.07	Cs. 100/ 420.72
P100 Filter	Provides relief from nuisance odors generated from chlorine, sulfur dioxide and hydrogen fluoride. 99.97% efficient at removing solid and liquid particles including those containing oil. Use with 3M™ 5000, 6000, and 7000 series respirators.	56621-938 Pk. 2/ 13.44	Cs. 100/ 604.22
P100 Filter	Removes organic vapor odors below the OSHA PELs. 99.97% efficient at removing solid and liquid particles including those containing oil. Use with 3M™ 5000, 6000, 7000 series respirators.	56621-940 Pk. 2/ 13.21	Cs. 100/ 594.10

## Respirator Cleaning Wipes, 3M™

Ideal for cleaning elastomeric facepiece respirators. Individually packed towelettes are formulated with a pleasing fragrance, alcohol-free, and will not damage facepiece materials. Dimensions: 20.3x25.4cm (8x10"). Packaged in a dispenser box.



Description	Cat. No.	Price
Respirator Cleaning Wipes	56616-231	Pk. 100/ 63.65 Cs. 500/ 289.14



# Respiratory Protection

## Air Purifying Dual Cartridge Respirators, North®

- Reliable and latex-free respirators offer direct cartridge-to-facepiece connection
- 7700 and 7600 series have facepieces made of nonallergenic silicone
- 5500 and 5400 series have facepieces made of thermoplastic elastomer
- NIOSH approved when used with North® N-Series cartridges



89400-382



82030-980



Description	Size	Cat. No.	Price
7700 Series Half-Mask Respirators	Small	56222-944	Ea./ 44.80 Cs. 12/ 430.50
7701 Series Half-Mask Respirators	Medium	56222-946	Ea./ 44.80 Cs. 12/ 430.50
7702 Series Half-Mask Respirators	Large	56222-948	Ea./ 44.80 Cs. 12/ 430.50
5500 Series Half-Mask Respirators	Small	56223-220	Ea./ 22.56 Cs. 12/ 216.83
5501 Series Half-Mask Respirators	Medium	56223-222	Ea./ 22.55 Cs. 12/ 216.83
5502 Series Half-Mask Respirators	Large	56223-224	Ea./ 22.56 Cs. 12/ 216.83
7600 Series Full Facepiece Respirators	Small	56222-952	Ea./ 395.41
7601 Series Full Facepiece Respirators	Medium/Large	56222-950	Ea./ 434.95
5400 Series Full Facepiece Respirators	Small	45000-756	Ea./ 187.48
5401 Series Full Facepiece Respirators	Medium/Large	45000-754	Ea./ 187.48

## Respirator Cartridges and Filters, North® N-Series

- Simplify your inventory with one line of cartridges and filters
- NIOSH approved when used with North Safety Products 7700, 7600, 5500, and 5400 air purifying respirators

Accessories			
Description	Cat. No.	Price	
Acid Gas Cartridge	89400-380	Pk. 2/ 20.37	Cs. 18/ 294.12
Ammonia/Methylamine Cartridge	89400-384	Pk. 2/ 21.66	Cs. 18/ 313.36
N99 Particulate Filter	56222-963	Pk. 10/ 23.84	Cs. 12/ 229.54
P100 Any Particulates Filter	56222-964	Pk. 2/ 13.97	Cs. 72/ 807.22
N95 Particulate Filter	56222-965	Pk. 10/ 17.66	Cs. 12/ 169.64
N95 Dust Filter Assembly	56222-972	Pk. 2/ 18.23	Cs. 12/ 175.54
Organic Vapor Cartridge with P100 Filter	89400-390	Pk. 2/ 37.47	Cs. 12/ 361.34
Acid Gas Cartridge with P100 Filter	89400-392	Pk. 2/ 38.31	Cs. 12/ 369.48
Ammonia/Methylamine Cartridge with P100 Filter	89400-396	Pk. 2/ 39.56	Cs. 12/ 381.44
Defender™ Multi-Purpose Cartridge	56223-250	Pk. 2/ 20.85	Cs. 18/ 300.64
Defender™ Multi-Purpose Cartridge with P100 Filter	89400-398	Pk. 2/ 42.65	Cs. 24/ 411.17
Flexible, Low Profile P100 Any Particulates Filter	82030-980	Pr./ 15.73	Cs. 50/ 632.42
Adapter Assembly for Flexible, Low Profile Filter 56223-266	56223-268	Pk./ 10.66	Cs. 24/ 206.06
Quantitative Fit Test Adapter	56233-370	Ea./ 150.56	
Respirator Wipes	56223-061	Pk. 100/ 43.03	Cs. 10/ 344.65
Organic Vapor Cartridge	89400-378	Pk. 2/ 19.39	Cs. 18/ 281.02




## Call or E-mail Us for Expert Technical Support

Contact the VWR North American Technical Product Support Team for answers to all of your questions regarding products, applications, specifications, regulatory compliance, and more. We are ready to provide you with proven industry solutions.

Phone: 1.888.VWR.LINE (1.888.897.5463)

E-mail: [TechnicalProductSupportNA@vwr.com](mailto:TechnicalProductSupportNA@vwr.com)

Online: [www.vwr.com/tps](http://www.vwr.com/tps)





## AIRWAVE DISPOSABLE RESPIRATORS

- More surface area for easier breathing.
- Collapse resistant Dura-Mesh® shell helps respirator last longer, reduces waste and increases cost savings.
- Most models feature the exclusive adjustable and hangable SmartStrap®.
- Give AirWave a trial run.

Request free samples at [vwr.com/promotions](http://vwr.com/promotions) or scan the QR code

Enter promo code 4397 in the Search Box, and fill in the online form before December 31, 2015.



**TRY THEM FOR FREE!**



Description	Size	Cat. No.		Price
4200 N95 Respirator	S	89216-293	Pk. 10/ 21.08	Cs. 80/ 168.67
4200 N95 Respirator	M/L	89216-291	Pk. 10/ 21.08	Cs. 80/ 168.67
4600 N95 SmartStrap Respirator	S	10065-312	Pk. 10/ 31.56	Cs. 100/ 315.48
4600 N95 SmartStrap Respirator	M/L	10065-310	Pk. 10/ 31.56	Cs. 100/ 315.48
4800 N95 SmartStrap Respirator plus Nuisance Organic Vapors	M/L	10040-388	Pk. 8/ 49.31	Cs. 80/ 493.15

When requesting your free samples at [vwr.com/promotions](http://vwr.com/promotions), indicate the product (from above list) that you would like to try. Also indicate the total number of respiratory protection users at your lab/facility. VWR and Moldex reserve the right to offer free samples to laboratories, research facilities, and production facilities only.

### Proven Value to Help You Re-Focus Valuable Scientific Time

With support from **VWRCATALYST**, your business can maintain a competitive edge. Our services re-focus scientific time to help you accelerate productivity and drive scientific innovation.

Comprehensive services from **VWRCATALYST** include:

- Safety Services
- Procurement and Supply Management
- Laboratory and Production Support
- Scientific Support
- Equipment and Instrument Services
- Lean Six Sigma Process Consulting



Watch an introductory video, download case studies, and more at [vwr.com/vwrcatalyst](http://vwr.com/vwrcatalyst).





## Standard Ball Valve Lockout, Brady®

- Features easy to use, single-piece design and is ideal for securing valve handles in the on or off position.
- For use on ball valve sizes from 6-25mm (1/4-1"). Accepts 7mm (9/32") padlock shackles.



Description	Cat. No.	Price
Standard Ball Valve Lockout	89011-764	Ea./ 43.36

## Gate Valve Lockouts, Brady Worldwide

- Made of injection-molded polypropylene
- Devices feature unique knockout center that accommodates OS&Y or "rising stem" valves
- Color: red.

Description	Fits Valve Size	Cat. No.	Price
Mini	2.5–6.4 cm (1–2 1/2")	89011-760	Ea./ 29.67
Small	6.4–12.7 cm (2 1/2–5")	89011-762	Ea./ 49.76
Medium	12.7–16.5 cm (5–6 1/2")	12222-780	Ea./ 59.60



## Lockout / Tagout

- Keeps employees and machine operators safe from the unexpected startup of machinery and equipment during servicing or maintenance.



Description	Cat. No.	Price
Safety Padlock, 1.5" Shackle		
Kit with 2 Steel Padlocks	89008-002	Kt. 2/ 126.33
Personal Padlock Pouch	89008-000	Kt. 2/ 128.21



## Safety Padlock, Brady®

- Unique cylinder is insulated to protect workers from shocks
- Tamper resistant
- Ribbed design for easier gripping and handling



Description	Color	Cat. No.	Price
Keyed Different	Black	89007-302	Pk. 6/ 135.61
Keyed Different	Blue	89007-294	Pk. 6/ 135.61
Keyed Different	Green	89007-296	Pk. 6/ 135.61
Keyed Different	Orange	89007-300	Pk. 6/ 135.61
Keyed Different	Red	89007-292	Pk. 6/ 135.61
Keyed Different	Yellow	89007-298	Pk. 6/ 135.61



## Combination Lockout Satchel, Brady Worldwide®

A variety of electrical and valve lockouts, with Brady® Safety padlocks and tags, in a handy shoulder bag. Everything needed to lockout the most common mechanical and electrical control points. Extra valve lockout devices are included.



Description	Cat. No.	Price
Combination Lockout Satchel, with Brady® Safety Lockouts and Tags	89008-134	Kt. 2/ 598.45

## Combination Lockout Toolbox, Brady Worldwide®

The combination lockout toolbox gives users all the basics for locking out gate and ball valves, breakers, switches, and plugs.



Description	Cat. No.	Price
Combination Lockout Toolbox, with Brady® Safety Padlocks and Tags	89008-128	Kt. 2/ 419.06







## MATERIAL LEGEND

PS VINYL  
RP .050 RIGID PLASTIC

AL .040 ALUMINUM  
FG FIBERGLASS



PS 7 x 10	89185-740	6.09	PS 7 x 10	56607-515	6.08	PS 7 x 10	89185-834	6.09	PS 7 x 10	56606-850	6.26	PS 7 x 10	56606-860	7.87
PS 10 x 14	89185-742	7.64	PS 10 x 14	56607-517	7.64	PS 10 x 14	89185-836	7.64	PS 10 x 14	56606-852	7.87	PS 10 x 14	94008-284	7.64
RP 7 x 10	89185-744	8.20	RP 7 x 10	56607-516	8.44	RP 7 x 10	94008-644	8.20	RP 7 x 10	89185-850	8.20	RP 7 x 10	89185-862	8.20
RP 10 x 14	89185-746	12.21	RP 10 x 14	56607-518	12.21	RP 10 x 14	89185-838	12.21	RP 10 x 14	56606-853	12.53	RP 10 x 14	56606-863	12.53
AL 10 x 14	89185-736	21.34	AL 7 x 10	89185-760	18.72	AL 7 x 10	89185-828	18.72	AL 7 x 10	89185-840	18.72	AL 7 x 10	89185-854	18.72
FG 10 x 14	89185-738	24.85	AL 10 x 14	89185-762	21.34	AL 10 x 14	89185-830	21.34	AL 10 x 14	89185-842	21.34	AL 10 x 14	89185-856	21.34
			FG 10 x 14	89185-764	24.85	FG 10 x 14	89185-832	24.85	FG 10 x 14	89185-844	24.85	FG 10 x 14	89185-858	24.85



PS 7 x 10	89185-906	6.08	PS 7 x 10	94004-772	6.09	PS 7 x 10	89185-930	6.09	PS 7 x 10	89185-952	6.08	PS 7 x 10	89185-966	6.09
PS 10 x 14	89185-908	7.64	PS 10 x 14	94004-774	7.64	PS 10 x 14	89185-932	7.64	PS 10 x 14	89185-954	7.64	PS 10 x 14	89185-968	7.64
RP 7 x 10	89185-910	8.20	RP 7 x 10	94004-776	8.20	RP 7 x 10	89185-934	8.20	RP 7 x 10	89185-956	8.20	RP 7 x 10	89185-970	8.20
RP 10 x 14	89185-912	12.20	RP 10 x 14	94004-778	12.21	RP 10 x 14	56606-804	12.21	RP 10 x 14	89185-958	12.20	RP 10 x 14	89185-972	12.21
AL 10 x 14	89185-914	21.34	AL 10 x 14	94004-770	21.34	AL 7 x 10	89185-928	18.72	AL 7 x 10	89185-948	18.72	AL 7 x 10	89185-960	18.72
FG 10 x 14	89185-916	24.85				AL 10 x 14	94005-030	21.34	AL 10 x 14	89185-950	21.34	AL 10 x 14	89185-962	21.34
												FG 10 x 14	89185-964	24.85

## Banners, National Marker


Description	Size	Material	Cat. No.	Price
A American Pride Company Pride	3 x 5'	10oz. Polyethylene	89186-040	Ea./ 228.91
A American Pride Company Pride	3 x 10'	10oz. Polyethylene	89186-042	Ea./ 381.46
B Be Careful Carelessness Can Hurt You And Others	3 x 5'	10oz. Polyethylene	89186-044	Ea./ 228.91
B Be Careful Carelessness Can Hurt You And Others	3 x 10'	10oz. Polyethylene	89186-046	Ea./ 381.46
C Don't Forget Lockout Tagout	3 x 5'	10oz. Polyethylene	89186-060	Ea./ 228.91
C Don't Forget Lockout Tagout	3 x 10'	10oz. Polyethylene	89186-062	Ea./ 381.46
D Safety Protects People Quality Protects Jobs	3 x 5'	10oz. Polyethylene	89186-052	Ea./ 228.91
D Safety Protects People Quality Protects Jobs	3 x 10'	10oz. Polyethylene	89186-054	Ea./ 381.46
E Safety Starts With You	3 x 5'	10oz. Polyethylene	89186-048	Ea./ 228.91
E Safety Starts With You	3 x 10'	10oz. Polyethylene	89186-050	Ea./ 381.46
F Teamwork Improves Safety	3 x 5'	10oz. Polyethylene	89186-056	Ea./ 228.91
F Teamwork Improves Safety	3 x 10'	10oz. Polyethylene	89186-058	Ea./ 381.46



# Safety Signs, Printers & Labels

## Lockout/Tagout, National Marker

Description	Size	Material	Cat. No.	Price
A Caution/Do Not Remove This Tag	6 x 3"	.015mil Unrippable PS	89186-020	Pk. 25/ 31.67
B Danger/Do Not Operate Equipment	6 x 3"	.015mil Unrippable PS	36434-626	Pk. 10/ 23.46
C Danger/Do Not Operate/Do Not Remove This Tag	6 x 3"	.015mil Unrippable PS	89186-012	Pk. 25/ 31.67
D Danger/Do Not Operate/Do Not Remove This Tag/To Do So Without Authority Will Mean Immediate Discharge...	6 x 3"	.015mil Unrippable PS	89186-010	Pk. 25/ 31.67
E Danger/Do Not Operate/Men Working on Machinery	6 x 3"	.015mil Unrippable PS	89186-016	Pk. 25/ 31.67
F Danger/Do Not Operate/This Tag & Lock To Be Removed Only By Person Shown On Back	6 x 3"	.015mil Unrippable PS	94016-430	Pk. 10/ 23.46
G Danger/Do Not Remove This Tag	6 x 3"	.015mil Unrippable PS	89186-008	Pk. 25/ 31.67
H Danger/Do Not Start/This Tag & Lock To Be Removed Only By Person Shown On Back	6 x 3"	.015mil Unrippable PS	89186-006	Pk. 10/ 23.46
I Danger/Equipment Locked Out/This Tag & Lock To Be Removed Only By Person Shown On Back	6 x 3"	.015mil Unrippable PS	94016-442	Pk. 10/ 23.46
J Danger/Equipment Lock-Out/A Life Is On The Line!	6 x 3"	.015mil Unrippable PS	94016-444	Pk. 10/ 23.46
K Danger/Equipment Needs Repair	6 x 3"	.015mil Unrippable PS	94020-318	Pk. 25/ 31.67
L Danger/Hands Off/Do Not Operate	6 x 3"	.015mil Unrippable PS	89186-014	Pk. 25/ 31.67
M Danger/This Tag & Lock To Be Removed Only By Person Shown On Back	6 x 3"	.015mil Unrippable PS	56607-832	Pk. 10/ 23.46
N Danger/Unsafe/Do Not Use	6 x 3"	.015mil Unrippable PS	89186-018	Pk. 25/ 31.67
O Emergency Shower & Eye Wash Test Record	6 x 3"	.015mil Unrippable PS	94020-456	Pk. 25/ 32.52
P Fire Extinguisher Recharge & Inspection Record	6 x 3"	.015mil Unrippable PS	94020-436	Pk. 25/ 31.67
Q Inspection Record	6 x 3"	.015mil Unrippable PS	94020-332	Pk. 25/ 31.67
R Premium Lockout Kit*	—	—	89186-032	Ea./ 368.16




\*Premium Lockout Kit includes:  
 17" rugged poly carrying case  
 (3) 1½" lockout hasps  
 (3) ¾" shackle locks  
 (16) ID labels  
 (20) lockout tags and fasteners  
 (3) single pole breaker lockouts


(2) double pole circuit breaker lockouts  
 (1) large plug lockout  
 (1) valve wheel lockout device (fits handles 1 – 2½")  
 (1) valve wheel lockout device (fits handles 2½ – 5")  
 (1) electrical switch lockout  
 (15) 3 x 5" lockout labels  
 (1) lockout training booklet

## Tape & Labels, National Marker

Description	Size	Material	Cat. No.	Price
A Barrier Tape, Black/Yellow Stripe	2" x 18'	—	36434-300	Ea./ 8.71
A Barrier Tape, Black/Yellow Stripe	2" x 36'	—	36434-302	Ea./ 17.28
B Biohazard Warning Labels (Roll of 500)	3 x 3"	PS Paper	36434-434	Ea./ 38.58
C Write-On Chemical Hazard Warning Labels	7/8 x 2 7/8"	PS Paper	56607-837	Pk. 500/ 25.16
D Hazardous Waste - Handle With Care (with Accumulation Start Date) Label	4 x 6"	PS Vinyl	56606-701	Pk. 25/ 15.36



Description	Size	Material	Cat. No.	Price
Includes 1 NFPA Diamond, 3 Sets of Each Number 0-4, and 1 of Each Symbol.	4 x 4"	PS Vinyl	89186-022	Ea./ 15.93
Includes 1 NFPA Diamond, 3 Sets of Each Number 0-4, and 1 of Each Symbol.	10 x 10"	PS Vinyl	89186-024	Ea./ 29.26
Includes 1 NFPA Diamond, 3 Sets of Each Number 0-4, and 1 of Each Symbol.	10 x 10"	Plastic	89186-028	Ea./ 39.86
Includes 1 NFPA Diamond, 3 Sets of Each Number 0-4, and 1 of Each Symbol.	15 x 15"	PS Vinyl	89186-026	Ea./ 35.88
Includes 1 NFPA Diamond, 3 Sets of Each Number 0-4, and 1 of Each Symbol.	15 x 15"	PS Vinyl	89186-030	Ea./ 59.04



## Fire Extinguisher Signs, National Marker

Description	Size	Material	Cat. No.	Price
A Fire Extinguisher	12 x 9"	PS Vinyl	89185-986	Ea./ 4.52
B Fire Extinguisher (ANSI-Regulated)	14 x 10"	.040 Aluminum	89185-984	Ea./ 21.34
B Fire Extinguisher (ANSI-Regulated)	10 x 7"	PS Vinyl	94014-052	Ea./ 6.09
B Fire Extinguisher (ANSI-Regulated)	14 x 10"	PS Vinyl	89185-980	Ea./ 7.64
B Fire Extinguisher (ANSI-Regulated)	10 x 7"	Rigid Plastic	94014-056	Ea./ 8.20
B Fire Extinguisher (ANSI-Regulated)	14 x 10"	Rigid Plastic	89185-982	Ea./ 12.20
C Fire Extinguisher, Vertical	12 x 4"	Rigid Plastic	89185-974	Ea./ 8.24
D Fire Extinguisher, Vertical	18 x 4"	PS Vinyl	94017-016	Ea./ 3.92
D Fire Extinguisher, Vertical	18 x 4"	Rigid Plastic	94017-018	Ea./ 5.75



## Safety Signs, National Marker

Description	Size	Material	Cat. No.	Price
A Caution/UV Light Do Not Look Directly At Light	10 x 14"	Rigid Plastic	94007-236	Ea./ 12.21
B Danger/Wear Chemical Goggles, Face Shield And Rubber Gloves When Handling Chemicals	10 x 14"	PS Vinyl	94011-298	Ea./ 7.64
C Make It Home Safely! Without An Accident Others Are Depending On You (Digital Scoreboard)	20 x 28"	.085 Styrene	89186-038	Ea./ 503.13
D Notice/No Eating Or Drinking In This Area	10 x 14"	Rigid Plastic	94018-490	Ea./ 8.20
E Notice/Safety Glasses Required In This Area	7 x 10"	Rigid Plastic	94018-924	Ea./ 503.13
F On Target For Safety Without A Lost Time Accident (Digital Scoreboard)	20 x 28"	.085 Styrene	89186-036	Ea./ 7.64
G Radiation Hazard	7 x 7"	Rigid Plastic	94020-696	Ea./ 503.13
H Safety First/This Department Has Worked Xxx Days... (Digital Scoreboard)	20 x 28"	.085 Styrene	89186-034	Ea./ 503.13
H Safety First/We Have Proudly Worked Xxx Days... (Digital Scoreboard)	20 x 28"	.085 Styrene	94012-466	Ea./ 503.13
I Take Pride In Safety Without A Lost Time Accident (Digital Scoreboard)	20 x 28"	.085 Styrene	94012-454	Ea./ 23.11
J Walk-On Floor Sign - Personal Protective Equipment Required	17" Dia.	PS Vinyl	94023-542	Ea./ 21.69





## VWR® General-Purpose, Oil-Only, and Hazmat Pads and Rolls

- Soak up leaks and spills fast, keeping floors at your workplace clean, dry, and safe
- High-capacity absorbents stay on the job longer and are perfect for stocking spill kits
- Can be incinerated after use to reduce waste
- General-purpose absorbents soak up water-based liquids, petroleum products, and solvents
- Oil-only absorbents soak up oils but repel water
- Hazmat absorbents soak up aggressive fluids such as acids, caustics, and bases



Description	W x L	Color	Cat. No.	Price
Hazmat Socks	7.6dia. x 122L cm (3 x 48")	Yellow	89169-000	Cs. 30/ 131.01
Hazmat Pillows	5.7W x 20.3L x 5.1D cm (18 x 8 x 2")	Yellow	89169-002	Cs. 20/ 87.35
General-Purpose Pads	38.1 x 48.3 cm (15 x 19")	Gray	82028-028	Pk. 100/ 82.89
General-Purpose Roll	76.2 cm x 45.7 m (30" x 150')	Gray	82028-018	Rl. 1/ 152.33
Oil-Only Pads	38.1 x 48.3 cm (15 x 19")	White	82028-020	Pk. 100/ 69.43
Oil-Only Roll	76.2 cm x 45.7 m (30" x 150')	White	82028-022	Rl. 1/ 136.47
Hazmat Pads	38.1 x 48.3 cm (15 x 19")	Yellow	82028-024	Pk. 100/ 87.36
Hazmat Roll	76.2 cm x 45.7 m (30" x 150')	Yellow	82028-026	Rl. 1/ 159.05

## PIG® Universal Pads and Rolls, New Pig

- Eight-layer pads and rolls combine grip and strength to reduce slip hazards and keep floors clean
- Polypropylene (made with 50% recycled content) soaks up and retains liquids
- Dimpled for quicker absorption of water-based liquids, petroleum products, solvents, and a broad range of chemicals
- Choose light, medium, or heavyweight depending on the amount of liquid you need to absorb
- Can be incinerated after use to reduce waste Color: dark gray



Description	Capacity	W x L	Weight	Cat. No.	Price
Lightweight Pads	83.3 L (22 gal.)	38.1 x 50.8 cm (15 x 20')	7.7 kg (17 lbs.)	56620-034	Pk. 200/ 98.36
Mediumweight Roll	177.9 L (47 gal.)	83.8 cm x 61 m (33" x 200')	15.9 kg (35 lbs.)	56620-238	Ea./ 152.49
Heavyweight Roll	152.2 L (40.2 gal.)	76.2 cm x 45.7 m (30" x 150')	13.6 kg (30 lbs.)	56620-040	Ea./ 171.05

## PIG® Absorbent Mat Pads in Dispenser Box, New Pig


- Eight-layer pads and rolls combine grip and strength to reduce slip hazards and keep floors clean



Description	Dimensions	Packaging	Cat. No.	Price
Mediumweight	38.1 x 50.8 cm (15 x 20")	50 Pads	89073-826	Cs. 50/ 57.86
Heavyweight	38.1 x 50.8 cm (15 x 20")	100 Pads	46000-492	Pk. 100/ 98.36

## PIG® Absorbent Mat Pads, New Pig

- Eight-layer pads and rolls combine grip and strength to reduce slip hazards and keep floors clean
- Polypropylene (made with 50% recycled content) soaks up and retains liquids
- Dimpled for quicker absorption of water-based liquids, petroleum products, solvents, and a broad range of chemicals
- Choose light, medium, or heavyweight depending on the amount of liquid you need to absorb
- Can be incinerated after use to reduce waste
- Color: dark gray



Description	Dimensions	Packaging	Cat. No.	Price
Mediumweight	38.1 x 50.8 cm (15 x 20')	125 Pads	56620-044	Pk. 125/ 98.36

## PIG® Absorbent Mat Roll, New Pig

Eight layers of 100% polypropylene are thermally bonded to make PIG Mat exceptionally strong; won't rip, tear or fray even when saturated. Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup. Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind.



Description	Dimensions	Cat. No.	Price
Mediumweight	76.2 cm x 61 m (30" x 200')	56620-042	Ea./ 169.34

**Use PIG HazMat Absorbents for:**

- Sulfuric acid
- Hydrochloric acid
- Nitric acid
- Hydrofluoric acid
- Phosphoric acid
- Sodium hydroxide
- Potassium hydroxide
- Hydrogen peroxide



# Highly corrosive liquids? Pick PIG!

PIG HazMat Absorbents are made to handle the widest range of acids, bases and unknown liquids — even high concentrations like 98% sulfuric acid and 30% sodium hydroxide.

Don't let the pink color fool you! Whether you're using them to line an acid cabinet, clean up drips on the lab table or respond to a major spill, PIG HazMat Absorbents are tough as nails. You get the same toughness and durability that makes PIG the world's #1 selling absorbent brand.



**PIG® HazMat Pads**

Cat. No.	Weight	Size	Absorbs up to	Price
56220-194	Heavy	15"W x 20"L	22 gallons	Pk. 100 / 98.36

**PIG® HazMat Rolls**

Cat. No.	Weight	Size	Absorbs up to	Price
56620-086	Heavy	30"W x 150'L	40.2 gallons	Ea. / 167.62

**SEE YOUR REP ABOUT OUR FULL RANGE OF HAZMAT ABSORBENTS AND SPILL KITS.**



# Spill Control

## PIG® HazMat Mat Pad in Dispenser Box, New Pig

Absorbs the widest range of acids, bases and unknown liquids, even those with high concentrations like 98% sulfuric acid and 30% sodium hydroxide. Chemical-resistant mat won't degrade or cause a dangerous reaction upon contact with corrosive spills. Eight layers of 100% polypropylene are thermally bonded to make PIG Mat exceptionally strong; won't rip, tear or fray even when saturated. Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup. Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue.



Description	Dimensions	Cat. No.	Price
Heavyweight, 100 Pads	38.1 x 50.8 cm (15 x 20")	89094-218	Pk. 100/ 117.57

## PIG® 4-in-1® Absorbent Mat Roll in Dispenser Box, New Pig

- Fast-wicking absorbent takes the shape of a pad, roll, wiper, or sock
- Perforated sections tear off and fold easily for versatile use
- Durable spunbonded polypropylene top layer resists scuffs and tears when used as a roll
- Soft bottom layer grips floors
- Absorbs up to 34L (9gal.) of oils, coolants, solvents, and water
- Gray color hides grime
- Supplied in convenient dispenser box



Description	Dimensions	Cat. No.	Price
Mediumweight	40.6 cm x 24 m (16" x 80')	56620-080	Ea./ 87.84

## PIG® Absorbent Pillow, New Pig

- Catches up to 7.6L (2gal.) of oils, coolants, solvents, and water
- Fast-wicking cellulose filler absorbs liquids instantly
- Tough polypropylene gray cover resists tears, ruptures, and rough handling
- Fits into small spaces
- Can be incinerated after use to reduce waste



Capacity	Dimensions	Packaging	Cat. No.	Price
Absorbs up to 7.6 L (2 gal.) per Pillow	43.2 x 53.3 x 5.1 cm (17 x 21 x 2")	16 Pillows	56620-024	Cs. 16/ 145.35

## PIG® Blue Absorbent Sock, New Pig

- Heavy-duty socks hug floors to absorb spills and stop them from spreading
- Tubular, dense construction has fine-grade vermiculite filler for superior diking
- Absorb oils, coolants, solvents, and water
- Stitch-bonded polypropylene skin is chemical- and burst-resistant



Capacity	Dimensions	Packaging	Cat. No.	Price
Absorbs up to 650.5 mL (22 oz.) per Sock	3.8 x 73.7 cm (1.5 x 29")	50 Socks	56620-566	Pk. 50/ 113.18
Absorbs up to 2.8 L (95 oz.) per Sock	7.6 x 121.9 cm (3 x 48")	40 Socks	56620-002	Cs. 40/ 107.97

## PIG® Original Absorbent Sock, New Pig

Formable socks hug corners and surround machine bases to absorb machine leaks, contain puddles and help keep workers safe. Contained corncob filler pulls liquids from the floor for maximum absorbency while making cleanup quick and easy. Polypropylene skin resists tearing; reduces dust and holds in liquid, even when saturated.



Capacity	Dimensions	Packaging	Cat. No.	Price
Absorbs up to 1.9 L (64 oz.) per Sock	7.6 x 106.7 cm (3 x 42")	40 Socks	46000-520	Pk. 40/ 69.20



**PIG® HazMat Spill Kit in Cart, New Pig**

- Mobile carts are ideal for controlling spills quickly
- Compartmentalized for quick access to materials
- Support compliance with 40 CFR 112.7(c)(1)(vii) safety standard



Description	Capacity	Cat. No.	Price
Spill Cart	Holds 8 cu. ft.	56620-624	Ea./ 517.30

**PIG® HazMat Chemical Absorbent Pillow in Dispenser Box, New Pig**

- Quickly absorb highly concentrated corrosive liquids, including 98% sulfuric acid and 30% sodium hydroxide
- Highly absorbent polypropylene will not degrade upon contact with harsh or aggressive liquids
- Made of 100% chemical-resistant skin and fast-wicking filler
- Large surface area and high capacity to quickly soak up liquids



Capacity	Dimensions	Packaging	Cat. No.	Price
Absorbs up to 887.1 mL (30 oz.) per Pillow	20.3 x 20.3 x 2.5 cm (8 x 8 x 1")	10 Pillows	56620-029	Cs. 10/ 75.45

**PIG® HazMat Chemical Absorbent Sock, New Pig**

- Made of 100% chemical-resistant skin and fast-wicking filler



Capacity	Dimensions	Packaging	Cat. No.	Price
Absorbs up to 3 L (100 oz.) per Sock	7.6 x 116.8 cm (3 x 46")	12 Socks	56620-082	Cs. 12/ 167.58
Absorbs up to 7.6 L (2 gal.) per Sock	7.6 cm x 3 m (3" x 10')	6 Socks	46000-772	Cs. 6/ 256.75

**PIG® HazMat Chemical Absorbent Pillow, New Pig**

- Made of 100% chemical-resistant skin and fast-wicking filler
- Large surface area and high capacity to quickly soak up liquids



Capacity	Dimensions	Packaging	Cat. No.	Price
Absorbs up to 2.2 L (76 oz.) per Pillow	20.3 x 43.2 x 6.4 cm (8 x 17 x 2.5")	10 Pillows	56620-184	Cs. 10/ 148.37
Absorbs up to 3.8 L (1 gal.) per Pillow	43.2 x 40.6 x 5.1 cm (17 x 16 x 2")	10 Pillows	56620-085	Pk. 10/ 206.25

**PIG® HazMat Economy Spill Kits in Duffel Bag, New Pig**

Just open kit, use the absorbents, then throw them in the temporary disposal bags included. PIG HazMat Socks stop spreading spills; PIG HazMat Pads absorb quickly. PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide.



Capacity	Cat. No.	Price
Absorbs up to 75.7 L (20 gal.)	56620-492	Ea./ 315.60
Spill Kit	56620-320	Ea./ 63.48

# Spill Control

## VWR® Hazmat Spill Response Kit

- Includes 20 pads, three socks, one pair nitrile gloves, one pair safety goggles, and one water-resistant yellow bag with tie
- Supports compliance with 40 CFR 263.30(a) safety standard



Absorbency	Cat. No.	Price
Up to 34.1 L (9 gal.) of Acids, Caustics, and Bases	89168-998	Ea./ 65.51

## PIG® HazMat Spill Kit in High-Visibility Cart, New Pig

- Absorbs up to 53L (14gal.) of most acids and bases
- Allows sorbents to be rolled right up to spill site
- Compartmentalized for quick access to materials
- Features adjustable shelves and 20.3cm (8") wheels for easy mobility
- Completely enclosed and lockable for added security (padlock not included)
- Supports compliance with 40 CFR 112.7(c)(1)



Capacity	Cat. No.	Price
Absorbs up to 53 L (14 gal.)	89073-812	Ea./ 595.49

Accessories		
Description	Cat. No.	Price
Refill for PIG® HazMat Spill Kit in High-Visibility Cart, Absorbs up to 53 L (14 gal.)	89073-970	Ea./ 255.02

## PIG® HazMat Spill Kit in Small Wall-Mount Cabinet, New Pig

Safety-yellow, heavy-gauge, welded steel cabinet is printed "Spill Kit" for quick identification. PIG HazMat Pads and Pillows absorb; wipers clean hands and surfaces. PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide.



Capacity	Cat. No.	Price
Absorbs up to 37.9 L (10 gal.)	56220-190	Ea./ 429.72

Accessories		
Description	Cat. No.	Price
Refill for PIG® HazMat Spill Kit in Small Wall-Mount Cabinet, Absorbs up to 37.9 L (10 gal.)	56620-270	Ea./ 211.64

## PIG® HazMat Spill Kit in High-Visibility Bag, New Pig

Durable, water-resistant bag with hook-and-loop closure keeps contents clean and dry. PIG HazMat Socks stop spreading spills; PIG HazMat Pads absorb quickly. PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide.

Capacity	Cat. No.	Price
Up to 34.1 L (9 gal.)	56620-494	Ea./ 249.76



## PIG® HazMat Spill Kit in 65-Gallon Overpack Salvage Drum, New Pig

Overpack drum container is UN Rated for shipping waste after spill cleanup. Lift-out, prepacked baskets speed access and guard contents from UV. PIG HazMat Socks stop spreading spills; PIG HazMat Pads and Pillows absorb quickly. PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide.



Capacity	Cat. No.	Price
Up to 147.6 L (39 gal.)	56620-590	Ea./ 884.67

## PIG® HazMat Spill Kit in 95-Gallon High-Visibility Container, New Pig

Lift-out, prepacked baskets speed access and guard contents from UV. PIG HazMat Socks and Dikes stop spreading spills; PIG HazMat Pads and Pillows absorb quickly. PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide.



Capacity	Cat. No.	Price
Up to 238.5 L (63 gal.)	56620-434	Ea./ 1116.02

## PIG® HazMat Spill Kit in 50-Gallon Wheeled Overpack Salvage Drum, New Pig

Overpack drum container is UN Rated for shipping waste after spill cleanup. 6" olefin wheels make spill kit highly mobile for speedy response anywhere in your facility. Lift-out, prepacked baskets speed access and guard contents from UV. PIG HazMat Socks stop spreading spills; PIG HazMat Pads and Pillows absorb quickly. PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide.



Capacity	Cat. No.	Price
Up to 102.2 L (27 gal.)	89205-838	Ea./ 686.49

**PIG® Battery Acid Spill Kit in Spill Pack, New Pig**

Unique, high-visibility foil vacuum package protects contents and deters pilfering. PIG Chem Guard Socks stop spreading spills; PIG HazMat Pads absorb quickly. Easy access to supplies for spill cleanup; absorbent mats and socks, PPE, disposal bag and nylon tie.



Capacity	Cat. No.	Price
Up to 15.1 L (4 gal.)	89205-856	Ea./ 140.53

**PIG® HazMat Spill Kit in See-Thru Bag, New Pig**

Compact kit with zipper closure is excellent for outfitting a vehicle fleet. PIG HazMat Socks stop spreading spills; PIG HazMat Pads absorb quickly. PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide.



Capacity	Cat. No.	Price
Up to 18.9 L (5 gal.)	89210-070	Ea./ 89.21

**PIG® HazMat Spill Kit in 65-Gallon High-Visibility Container, New Pig**

Lift-out, prepacked baskets speed access and guard contents from UV. PIG HazMat Socks and Dikes stop spreading spills; PIG HazMat Pads and Pillows absorb quickly. PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide.



Capacity	Cat. No.	Price
Up to 147.6 L (39 gal.)	56620-446	Ea./ 730.87

**PIG® Base Neutralizing Spill Kit in Bucket, New Pig**

All absorbents in this specially-designed kit neutralize base or caustic spills. PIG Base Neutralizing Socks stop spreading spills; PIG Base Neutralizing Mats, Pillows and Ampho-Mag Neutralizer absorb.



Capacity	Cat. No.	Price
Up to 15.1 L (4 gal.)	89205-842	Ea./ 498.79

**PIG® Spill Kit in Cart, New Pig**

Excellent for maintenance crews, as well as labs or other areas prone to small spills. The 8" rubber wheels roll easily over uneven surfaces. PIG Blue Socks stop spreading spills; PIG Mat and Pillows absorb; wipers clean surfaces and hands; PIG Repair Putty can patch a drum leak or fix a crack in a fluid reservoir.



Capacity	Cat. No.	Price
Absorbs up to 60.6 L (16 gal.)	56620-108	Ea./ 527.13

Accessories	Cat. No.	Price
Refill for PIG® Spill Kit In Cart , Absorbs up to 60.6 L (16 gal.)	56620-242	Ea./ 198.49

**PIG® Spill Kit in Counter Top Box, New Pig**

- Portable kits are ideal for cleaning up small spills in labs, vehicles, and more
- Absorbs 13.2L (3.5gal.) of nonaggressive liquids such as oils, coolants, solvents, and water
- Unique side slot dispenses 7.6m (25') universal mat roll
- Durable, corrugated plastic box can be wall-mounted



Capacity	Cat. No.	Price
Absorbs up to 13.2 L (3.5 gal.)	89031-462	Ea./ 118.03



## PIG® Spill Kit in Small Wall-Mount Cabinet, New Pig

Safety-yellow, heavy-gauge, welded steel cabinet is printed "Spill Kit" for quick identification. PIG Mat and Pillows absorb; wipers clean surfaces and hands.



Dimensions	Cat. No.	Price
Absorbs up to 45.4 L (12 gal.)	46000-748	Ea./ 286.48
Refill	56620-230	Ea./ 161.69

## PIG® Original SpillBlocker® Dike, New Pig

- Portable, flexible barrier contains or diverts the flow of water, petroleum products, and most chemicals without absorbing them
- Helps you keep pollutants out of drains and avoid fines
- Reusable barrier consists of durable top layer and tacky bottom layer
- 6cm (2 1/8") polyurethane dike is supplied in 3m (10') lengths



Dimensions	Cat. No.	Price
10.2 cm x 3 m x 5.7 cm (4" x 10' x 2.25")	56620-178	Ea./ 579.18

### Accessories

Description	Cat. No.	Price
Connector for PIG® Original SpillBlocker® Dike, 14 x 10.2 x 5.7 cm (5.5 x 4 x 2.25")	56620-180	Ea./ 53.75

## PIG® Rip-and-Fit® Absorbent Mat Roll in Dispenser Box, New Pig

- Multiple perforations allow fitting mat to any space
- Perforated every 33/8" across width and every 10" across length
- Thermally bonded to add strength and accelerate wicking
- Each dispenser absorbs 30.3L (8gal.) of oils, coolants, solvents, and water



Description	Dimensions	Cat. No.	Price
Heavyweight	38.1 cm x 18 m (15" x 60')	56620-712	Ea./ 55.41

## LITE-DRI® Absorbent, New Pig

- Each bag absorbs at least 30L (8gal.) of liquid — three times more than clay
- Recycled cellulose weighs less than clay, making cleanup easier and faster
- Begins absorbing liquid on contact
- Suitable for cleaning up oil, coolants, solvents, and water
- Can be incinerated after use



Description	Packaging	Cat. No.	Price
Absorbs Oils, Coolants, Solvents, and Water	1 x 22 lb. Bag	46000-496	Pk. 1/ 16.90

## PIG® Packing Absorbent, New Pig

- Chemically inert, free-flowing brown vermiculite cushions containers for shipping
- Absorbs a broad range of liquids yet adds minimal weight to container
- Flows into cracks and crevices to create a snug fit between container and overpack
- Absorbs up to 21.6L (5.7gal.) per bag



Description	Packaging	Cat. No.	Price
Absorbs Oils, Coolants, Solvents, and Water	1 x 16 lb. Bag	89012-302	Ea./ 33.29

## Call or E-mail Us for Expert Technical Support

Contact the VWR North American Technical Product Support Team for answers to all of your questions regarding products, applications, specifications, regulatory compliance, and more. We are ready to provide you with proven industry solutions.

Phone: 1.888.VWR.LINE (1.888.897.5463)

E-mail: [TechnicalProductSupportNA@vwr.com](mailto:TechnicalProductSupportNA@vwr.com)

Online: [www.vwr.com/tps](http://www.vwr.com/tps)



## VWR® Spilltray™ and Drying Rack

- Safely contains chemical and liquid spills while pipetting, measuring, or mixing
- Chemical-resistant, dishwasher-safe polyethylene tray holds 1.25L (42.3oz.) of liquid
- Low-profile design is perfect for drying glassware and delicate items
- Plastic grid protects against breakage and scratches
- Cuts drying time in half by permitting air circulation



L x W x D	Cat. No.	Price
41.9 x 33 x 1.6 cm (16 <sup>1</sup> / <sub>2</sub> x 13 x 5 <sup>5</sup> / <sub>16</sub> "	46610-022	Ea./ 25.73

## SCIENCEWARE® LABMAT™ Bench Liner, Bel-Art

- Disposable, supplied in dispenser carton
- Absorbent upper surface and flexible plastic non-skid backing
- Roll length: 15.2m (50')



Description	Cat. No.	Price
Safety Orange, Biohazard Designated, 50 ft. roll	13196-048	Ea./ 89.62 Cs. 6/ 503.57
White Labmat Liner, 50 ft. roll	54110-300	Ea./ 79.16 Cs. 6/ 442.73

## Chemical Sorbent Pads, High-Capacity, 3M™

- Ideal for cleaning up small spills and wiping down contaminated areas
- May also be used on a work surface in anticipation of a spill or as a wipe
- Low-profile design allows pads to be easily placed in tight areas
- High-capacity pads have a scrim on one side to increase strength and minimize linting
- Sorbent can handle many types of aggressive fluids

Dimensions	Cat. No.	Price
23.5 x 36.8 cm (9 <sup>1</sup> / <sub>4</sub> x 14 <sup>1</sup> / <sub>2</sub> "	56222-918	Pk. 25/ 24.03 Cs. 150/ 118.04



## Chemical Sorbents, 3M™

Stop leaks and spills at their source. Chemical sorbents retain up to 10 times their own weight for faster, more efficient, and cost-effective spill containment and cleanup, reducing the chance of environmental contamination and the need for costly cleanup operations. Sorbent capacity varies by type and quantity of form.

Size	Form	Capacity	Cat. No.	Price
27.9 x 33 cm (11 x 13')	Pads	322 mL (10.8 oz.) per pad	56616-380	Pk. 50/ 61.04 Cs. 200/ 194.26
22.8 x 38.1 cm (9 x 15")	Pillows	2 L (0.5 gal.) per pillow	56616-388	Cs. 16/ 251.41
7.6 x 121.9 cm (3 x 48")	Mini-Booms	3.8 L (1 gal.) per boom	56616-386	Cs. 12/ 336.61



## PIG® Spill Containment Tray, New Pig

- Catch spills when containers leak, spill, or crack
- Ideal for storing small containers on lab countertop
- Chemical-resistant polyethylene trays have built-in containment reservoir
- Translucent sidewalls make leaks visible
- Pour spout allows easy draining



Dimensions	Sump Capacity	Cat. No.	Price
30.5 x 42.2 x 9.9 cm (12 x 16.63 x 3.88")	5.7 L (1.5 gal.)	46000-750	Ea./ 43.81

## SCIENCEWARE® Spill Containment Tray, Bel-Art

- Catch spills when containers leak, spill, or crack
- Ideal for storing small containers on lab countertop
- Chemical-resistant polyethylene trays have built-in containment reservoir
- Translucent sidewalls make leaks visible
- Pour spout allows easy draining



W x L	Cat. No.	Price
69 x 58 cm (27 x 23")	58948-298	Ea./ 95.98

# Spill Control

## Maintenance Sorbents, 3M™

For use in production facilities and maintenance shops to handle routine leaks, drips, spray, and fluid splashes from nonaggressive liquids. Nonaggressive liquids are those used in daily operations which do not require the use of personal protective equipment. These include oils, coolants, cutting fluids, aqueous-based liquids, and petroleum-based products.



Form	Dimensions	Cat. No.	Price
Pillows	22.8 x 38.1 cm (9 x 15")	56616-395	Cs. 16/ 92.07

## Spill Clean-Up Centers and Kits, J.T. Baker®

- To neutralize, clean up, and safely dispose of acid, caustic, and flammable solvent spills
- NEUTRASORB provides rapid, controlled neutralization of concentrated acids, and visible color change as indication of complete neutralization
- NEUTRACIT-2 provides a controlled reaction which eliminates splattering
- SOLUSORB reacts immediately with the solvent, reducing solvent vapors and raising the flash point of the mixture
- Assortment A consists of three spill clean-up kits plus a wall-mountable storage cabinet and video
- Supplied with the appropriate neutralizer, safety glasses, scoops, gloves, disposal bags and ties, and labels replacement kits, available separately



Description	Cat. No.	Price
SAF-T-SPILL™ Acid Spill Kit and Components (NEUTRASORB®)	JT4442-2	Ea./ 590.55 Cs. 4/ 1679.23
SAF-T-SPILL™ Solvent Spill Kit and Components (SOLUSORB®)	JT4437-2	Ea./ 452.38 Cs. 4/ 1097.21
Assortment A Spill Control Center	JT4434-3	Ea./ 1185.73

## PIG® Acid Neutralizing Spill Kit in Bucket, New Pig



All absorbents in this specially-designed kit neutralize acid spills. PIG Acid Neutralizing Socks stop spreading spills; PIG Acid Neutralizing Mats, Pillows and Ampho-Mag Neutralizer absorb; PIG Acid Neutralizing Wipers finish cleanup.

Capacity	Cat. No.	Price
Up to 15.1 L (4 gal.)	89093-180	Ea./ 295.97

## SPILFYTER® Chemical Classifier Strips, NPS

Distinguish chemical risks in unknown spilled liquids and classify for proper treatment in a matter of seconds. Strips simultaneously test for acid/base, oxidizer, fluoride, petroleum product/organic solvent, and iodine/bromine/chlorine risks. Laminated chemical classifier chart determines possible presence of chemical types according to color changes in strip.



Description	Cat. No.	Price
Chemical Classifier Kit	56609-231	Cs. 1/ 98.80
Chemical Classifier Strips Only	56616-372	Cs. 50/ 655.68

## A-Safe™ Traffic Safety Vest, Honeywell Safety



Made of Hi-Viz (high visibility) orange polyester for safety. Vests close in the front with Velcro® closures.

Description	Cat. No.	Price
2.5 cm (1") Silver Reflective Stripes	13502-444	Ea./ 12.28 Cs. 25/ 232.06
No Stripe	13502-446	Ea./ 12.60 Cs. 25/ 237.98

## Crews® Safety Vests, MCR Safety



Safety vests are designed for day or night use whenever high visibility is a priority. Ideal for construction, airport, emergency response, law enforcement, utility, survey, railroad, and traffic direction applications.

Description	Cat. No.	Price
Safety Vest with No Striping	80082-416	Pk. 12/ 66.32
Safety Vest with Yellow Striping	80082-419	Ea./ 6.98 Pk. 12/ 71.72



## Crews® Class II Traffic Safety Vests, MCR Safety

Class II safety vests are designed for use in occupational activities that require greater worker visibility due to inclement weather, complex backgrounds, or proximity to vehicular traffic exceeding 25mph. These vests are ideal for use in utility, survey, railway, forestry, construction, school crossing, law enforcement, emergency response, parking/toll gate, and airport baggage handling/ground crew applications.

Vests meet ANSI/ISEA 107 standards.

Description	Size	L x W	Cat. No.	Price
Fluorescent Lime Vests	Large	62 x 132 cm (24 <sup>13</sup> / <sub>32</sub> x 52")	80082-396	Ea./ 19.23
Fluorescent Lime Vests	XX-Large	67 x 152.4 cm (26 <sup>13</sup> / <sub>32</sub> x 60")	80082-398	Ea./ 18.35
Fluorescent Lime Vests	3X-Large	69.5 x 162.5 cm (27 <sup>13</sup> / <sub>32</sub> x 64")	80082-400	Ea./ 19.12
Fluorescent Lime Vests	4X-Large	72 x 172.7 cm (28 <sup>13</sup> / <sub>32</sub> x 68")	80082-402	Ea./ 19.84
Fluorescent Lime Vests	X-Large	64.5 x 142.2 cm (25 <sup>13</sup> / <sub>32</sub> x 56")	80082-404	Ea./ 18.35
Fluorescent Orange Vests	Large	62 x 132 cm (24 <sup>13</sup> / <sub>32</sub> x 52")	80082-406	Ea./ 20.50
Fluorescent Orange Vests	XX-Large	67 x 152.4 cm (26 <sup>13</sup> / <sub>32</sub> x 60")	80082-408	Ea./ 20.55
Fluorescent Orange Vests	3X-Large	69.5 x 162.5 cm (27 <sup>13</sup> / <sub>32</sub> x 64")	80082-410	Ea./ 21.35
Fluorescent Orange Vests	4X-Large	72 x 172.7 cm (28 <sup>13</sup> / <sub>32</sub> x 68")	80082-412	Ea./ 22.22
Fluorescent Orange Vests	X-Large	64.5 x 142.2 cm (25 <sup>13</sup> / <sub>32</sub> x 56")	80082-414	Ea./ 20.50



## Collapsible Safety Cones, Aervoe

- Top-Mounted red LED flasher runs on (2) AAA batteries (not included)
- Two large high-reflect stripes and tough Nylon® construction will take a beating



Color	Height	Material	Weight	Cat. No.	Price
Orange	2 in [Min], 18 in [Max]	Nylon	1.85 lb	300078-210	Ea./ 19.35
Orange	2 in [Min], 28 in [Max]	Nylon	3.17 lb	300078-212	Ea./ 37.92



## Terminal® Biohazard Benchtop Keeper™ Containers, Whitney Products

- For collection of biohazardous items such as pipet tips, petri dishes, test tubes, and slides
- Sturdy, plastic-lined paperboard construction
- Leak-resistant and autoclavable



Capacity	Dimensions	Cat. No.	Price
1.4 L (47.3 oz.)	10.2L x 10.2W x 17.8H cm (4 x 4 x 7")	11214-708	Cs. 100/ 229.47
3 L (101.4 oz.)	15.2L x 15.2W x 25.4H cm (6 x 6 x 10")	11214-711	Cs. 50/ 190.91

## Biohazard Waste Containers, Justrite®



- For segregation of infectious waste
- Leakproof, sturdy metal construction
- Simple, foot-operated, self-closing lid to reduce contamination
- Biohazard bag is held securely around the circumference of the can



Capacity	Dimensions	Cat. No.	Price
22.7 L (6 gal.)	30.10.D x 40.3H cm (11 <sup>7</sup> / <sub>8</sub> x 15 <sup>7</sup> / <sub>8</sub> ")	56617-830	Ea./ 120.81
37.9 L (10 gal.)	35.30.D x 45.7H cm (13 <sup>15</sup> / <sub>16</sub> x 18")	56617-832	Ea./ 158.49
Accessories			
Description	Cat. No.	Price	
Biohazard Bags	56617-834	Pk. 100/ 70.97	

## Terminal® Broken Glass Benchtop Keeper™ Container, Whitney Products

For the safe collection of non-biohazardous broken glass. Helps protect against accidental injuries. Contents are clearly identified. Plastic-coated lining for leak resistance. Self-locking container is autoclavable.

Capacity	Dimensions	Cat. No.	Price
3 L (101.4 oz.)	15.2L x 15.2W x 25.4H cm (6 x 6 x 10")	11214-713	Cs. 50/ 178.42



# Waste Disposal

## VWR® Biohazard Incinerator Cartons

- Allows safe, convenient disposal and incineration of biohazardous waste
- Negates the need to transfer contents
- The snug-fitting lid has a flap for easily inserting waste material



Description	Dimensions	Cat. No.	Price
Floor Incinerator Carton	30.5L x 30.5W x 68.5H cm (12 x 12 x 27")	56617-807	Pk. 6/ 76.93
Benchtop Incinerator Carton	20.3L x 20.3W x 25.4H cm (8 x 8 x 10")	56617-810	Pk. 6/ 57.77

## VWR® Broken Glass Disposal Cartons

- Safe, convenient disposal of broken glassware
- Packed flat to save space; easy to assemble



Description	Dimensions	Cat. No.	Price
Floor Disposal Carton	30.5L x 30.5W x 68.5H cm (12 x 12 x 27")	56617-801	Pk. 6/ 67.09
Benchtop Disposal Carton	20.3L x 20.3W x 25.4H cm (8 x 8 x 10")	56617-804	Pk. 6/ 45.28

## Disposal Bags, Polyethylene, New Pig

- Ideal for temporarily storing hazardous or contaminated waste and for lining drums
- Bright yellow bags feature the warning "Hazardous Material Handle with Care" printed in black
- Include self-locking ties



Thickness	W x L	Cat. No.	Price
3 mil	152.4 x 91.4 cm (60x36")	46000-768	Cs. 25/ 75.94

## Terminal® Biohazard Keeper™ Waste Container, Whitney Products

Floor model ideal for the disposal of non-sharp biohazardous lab waste, including petri dishes, tubes, plates, pipets and pipet tips, specimen cups, and tubing sets. Sturdy corrugated paperboard construction with heavy-duty 2mil red plastic liner for leak resistance.



Capacity	Dimensions	Cat. No.	Price
60.6 L (16 gal.)	0.5W x 30.5D x 68.6H cm (12 x 12 x 27")	12000-800	Cs. 6/ 87.82

## Oily Waste Cans, Justrite®

- Can remains closed when not in use
- Can be operated by hand or foot lever opening device
- Lid closes automatically when released
- Round construction and elevated bottom encourage circulation of air
- One-piece cover facilitates use of collection bags
- Steel construction with powder coat paint finish



Capacity	Dimensions	Cat. No.	Price
53 L (14 gal.)	42.20.D. x 51.4H cm (16 <sup>1</sup> / <sub>16</sub> x 20 <sup>1</sup> / <sub>4</sub> "	56609-762	Ea./ 101.96
22.7 L (6 gal.)	30.10.D. x 40.3H cm (11 <sup>7</sup> / <sub>8</sub> x 15 <sup>7</sup> / <sub>8</sub> "	56610-539	Ea./ 82.86
79.5 L (21 gal.)	46.60.D. x 59.5H cm (18 <sup>3</sup> / <sub>8</sub> x 23 <sup>7</sup> / <sub>16</sub> "	56610-540	Ea./ 164.27
37.9 L (10 gal.)	35.30.D. x 46.3H cm (13 <sup>15</sup> / <sub>16</sub> x 18 <sup>1</sup> / <sub>4</sub> "	56610-541	Ea./ 92.09

## Defenders™ Steel Step Cans, United Receptacle

- Cans feature hands-free, foot-pedal operation
- Heavy-gauge steel construction protects poly bags
- Choose Type 304 nonmagnetic stainless steel or nonporous powder-coated steel.



Description	Capacity	Dimensions	Cat. No.	Price
<b>Stainless Steel Step Cans</b>				
With Plastic Liner	90.8 L (24 gal.)	38.1W x 38.1D x 76.2H cm (15 x 15 x 30")	66100-036	Ea./ 1093.06
With Plastic Liner	151 L (40 gal.)	48.3W x 48.3D x 76.2H cm (19 x 19 x 30")	66100-044	Ea./ 1534.30
With Plastic Liner, Silent Close	90.8 L (24 gal.)	38.1W x 38.1D x 76.2H cm (15 x 15 x 30")	14231-752	Ea./ 1187.45
Retainer Band Only	90.8 L (24 gal.)	38.1W x 38.1D x 76.2H cm (15 x 15 x 30")	14231-794	Ea./ 964.95
Retainer Band Only, Silent Close	90.8 L (24 gal.)	38.1W x 38.1D x 76.2H cm (15 x 15 x 30")	14231-750	Ea./ 1059.23
<b>Powder-Coated Steel Step Cans</b>				
With Plastic Liner	90.8 L (24 gal.)	38.1W x 38.1D x 76.2H cm (15 x 15 x 30")	66100-034	Ea./ 494.55
With Plastic Liner, Silent Close	45.4 L (12 gal.)	30.5W x 30.5D x 58.4H cm (12 x 12 x 23")	14231-740	Ea./ 482.52

## Terminal® Pipet Keeper™ Disposal Container, Whitney Products

- For the collection of biohazard waste at the point of generation
- Holds pipets, swabs, and other objects up to 38.1 cm (15") long
- Constructed of sturdy, plastic-lined paperboard for leak resistance
- Autoclavable container has a reclosable flap
- Low profile prevents tipping


Dimensions	Cat. No.	Price
39.4L x 7.6W x 7.6H cm (15½ x 3 x 3")	11214-715	Cs. 50/ 172.80



## Terminal® Safe Keeper™ Waste Container, Whitney Products

For the safe collection of biohazardous items such as capillary tubes, pipet tips, swabs, and more. Convenient disposable container has reinforced hole for wall-hanging and completely closed bottom to avoid leakage. Self-adhesive hook is included in each case. Constructed of sturdy, plastic-lined paperboard for leak resistance. Autoclavable.

Description	Capacity	L x H x W	Cat. No.	Price
Terminal Safe-Keeper Container	1.1 L (37.2 oz.)	14.6 x 27.9 x 5.1 cm (5¾ x 11 x 2")	11214-717	Cs. 200/ 246.12
Accessories				
Description			Cat. No.	Price
Hookup Self-Adhesive Hooks			11214-732	Pk. 4/ 18.16



**Complex  
Problems Require  
Sophisticated  
Solutions.**

### Differentiated Services. Complete Solutions.

Our customers have been challenged with finding the answers that help improve lives. Our mission is to enable this by eliminating the process complexities and identifying product and service solutions that help labs and production facilities work better, faster, and smarter.

Through our global reach and team of knowledgeable associates, we proudly excel in delivering innovative, flexible, and customized service and technology solutions that power productivity, improve quality, safety and regulatory compliance, and deliver laboratory cost savings.

**Differentiated Services** delivered by a team of people focused on your success.

**Together, We Enable Science.**

**VWR**  | [vwr.com](http://vwr.com)  
We Enable Science



## 404™ Quick Set™ Instant Adhesive, Loctite

- For general maintenance and repair

**LOCTITE**



Capacity (Weight)	Applicable Materials	Chemical Compound	Packing Type	Viscosity	Cat. No.	Price
4 oz	Rubber	Cyanoacrylate	Bottle	80.0 cP	300001-033	Ea./ 174.76

## Super Bonder® 495™ Instant Adhesive, Loctite®

This low-viscosity, general-purpose instant adhesive is ideal for bonding rubber, metal, and plastic parts with a gap size up to 0.010cm (0.004").

**LOCTITE**



Fixture Time	20 seconds
Full Cure Time	24 hours
Temperature range	-53 to 82°C (-65 to 180°F)
Viscosity	45 cP

Description	Cat. No.	Price
28.4 g (1 oz.) Bottle	19807-546	Ea./ 41.76 Cs. 10/ 307.84

## Silver Duct Tapes 3939, 3M Industrial

- Tears easily straight across and down without curling
- Tack-free edges
- Surface can be written on



Length	Thickness	Width	Cat. No.	Price
54.800 m	9 mil	24 mm	300005-774	Ea./ 6.31
54.800 m	9 mil	48 mm	30 005-837	Ea./ 12.73

## Scotch® High Performance Masking Tapes 232, 3M Industrial

- A high performance paper masking tape to be used in the medium temperature paint bake operation
- A smooth crepe paper tape that is treated with a heat and solvent resistant coating



Length	Width	Cat. No.	Price
60 yd	1 in	300005-757	Ea./ 8.77
60 yd	2 in	300005-759	Ea./ 17.55

## Scotch® Industrial Box Sealing Tapes 371, 3M Industrial

- Seals single wall corrugated cartons or bundles a group reliably
- Polypropylene backing for tear resistance
- Pressure-sensitive rubber adhesive offers quick, moisture proof seal
- Offers a good, tight, general purpose seal



Length	Weight	Width	Cat. No.	Price
50 m	0.11 lb	48 mm	300005-761	Ea./ 2.67



## VWR Custom Manufacturing Services from Bench to Production

VWR is committed to providing you with the highest manufacturing value.

Our scientists, engineers, production associates, and quality professionals manufacture custom kits, reagents, and chemical products for numerous industry segments and applications.

Our Core Manufacturing Capabilities Include:

- Custom Liquid Manufacturing
- Custom Liquid Dosing & Packaging
- Custom Powder Manufacturing
- Powder Dosing and Packaging
- Assembly & Finishing

Find case studies and more at [vwr.com/manufacturing](http://vwr.com/manufacturing).

**VWR Manufacturing**  
We Enable Science Through Custom Services

**VWR® Trash Liner Bags**

- Low-density trash liners manufactured with a tubular construction to eliminate breakage on side seams
- Engineered to provide over three times the impact and twice the tensile strength of traditional low-density polyethylene bags
- Manufactured with 100% renewable energy

Thickness	W x L	Color	Cat. No.	Price
3 mil	55.9 x 40.6 cm (22 x 16')	Black	89071-684	Cs. 100/ 163.38
3 mil	63.5 x 43.2 cm (25 x 17')	Black	89071-676	Cs. 100/ 139.80
3 mil	96.5 x 152.4 cm (38 x 60")	Black	89071-680	Cs. 100/ 180.95
4 mil	63.5 x 43.2 cm (25 x 17')	Black	89071-668	Cs. 50/ 94.93
4 mil	96.5 x 152.4 cm (38 x 60")	Black	89071-688	Cs. 50/ 120.90

**Low Density Polyethylene Liners, Flat, Associated Bag**

Strong, flat, bottom-sealed liners are ideal for everyday disposal needs. Free of heavy metals, the liners are safe for landfill or incineration. Also use as packaging, dust covers, and box liners.



Thickness	W x L	Color	Container Size	Cat. No.	Price
4 mil	83.8 x 102 cm (33 x 40")	Yellow	124.9 L (33 gal.)	11215-918	Cs. 100/ 119.84
6 mil	91.4 x 121.9 cm (36 x 48")	Yellow	151.4 L (40 gal.)	47732-648	Pk 50/ 113.08

**Low Density Polyethylene Liners, Gussetted, Associated Bag**

- Bottom-sealed, gussetted liners for everyday use
- Free of heavy metals
- Safe for landfill or incineration

Thickness	W x D x L	Color	Container Size	Cat. No.	Price
2 mil	50.8 x 33 x 99 cm (20 x 13 x 39")	Red	124.9 L (33 gal.)	11215-908	Cs. 200/ 106.47
2 mil	30.5 x 20.3 x 53.3 cm (12 x 8 x 21")	Yellow	Step-On Cans	11215-910	Cs. 500/ 99.94
4 mil	50.8 x 33 x 99 cm (20 x 13 x 39")	Yellow	124.9 L (33 gal.)	11215-912	Cs. 100/ 111.76
4 mil	50.8 x 33 x 99 cm (20 x 13 x 39")	Red	124.9 L (33 gal.)	11215-916	Cs. 100/ 119.59
1.5 mil	30.5 x 20.3 x 53.3 cm (12 x 8 x 21")	Red	Step-On Cans	11215-928	Cs. 500/ 74.30

**Minigrip® Red Line™ Reclosable Zip Bags, Minigrip®**

Reclosable low-density polyethylene bags provide easy-to-use, convenient packaging for all types of applications. Bags protect contents from dust, moisture, and other contaminants, and feature side seals to prevent splitting. They create an effective barrier without using much material or adding a significant amount of weight to the product. Bags are available with a white writing stripe to identify contents quickly. Bags accept most ink pens, labels, and hot stamps.

Description	Thickness	W x H	Cat. No.	Price
Clear Bags	2 mil	6 x 6"	46620-076	Cs. 1000/ 46.13
Clear Bags	4 mil	8 x 10"	46300-564	Cs. 1000/ 134.33
Clear Bags	4 mil	12 x 15"	46300-562	Cs. 500/ 153.53
Clear Bags	4 mil	13 x 18"	56766-386	Cs. 500/ 181.16
Clear Bags	4 mil	14 x 24"	56766-385	Cs. 250/ 127.69
Clear Bags with Hang Hole	4 mil	6 x 8"	46610-644	Cs. 1000/ 106.84



**VWR® High Density Liner Bags**

- High Density Polyethylene (HDPE)
- Excellent puncture resistance
- Star sealed bottoms

Thickness	W x H	Cat. No.	Price
6 µm	61 x 61 cm (24 x 24")	89072-206	Cs. 1000/ 46.82
14 µm	101.6 x 121.9 cm (40 x 48")	89072-216	Cs. 250/ 89.54



**VWR® Low Density Liner Bags**

- Tubular construction to eliminate breakage
- Three times the impact and twice the tensile strength of traditional LDPE bags
- Made with 100% renewable energy


W x D	W x L	Cat. No.	Price
96.5 x 152.4 cm (38 x 60")	96.5 x 152.4 cm (38 x 60")	89071-612	Cs. 100/ 121.06
96.5 x 152.4 cm (38 x 60")	96.5 x 152.4 cm (38 x 60")	89071-614	Cs. 100/ 190.01



**Tuffmade Polyliner Bags, Rubbermaid**

Clear bags eliminate double bagging for additional cost savings. Strength and durability prevents tears.

Description	Capacity	L x W	Cat. No.	Price
Can Liner, Linear Low Density	11 gal.	30 x 23-3/4"	66100-149	Cs. 500/ 314.49
Can Liner, Linear Low Density	56 gal.	47 x 43"	14003-634	Cs. 100/ 492.38



# Batteries

## DURACELL® Batteries

- Alkaline batteries are popular multi-use batteries
- General-purpose lithium batteries are ideal for applications requiring a small high power battery, such as alarms and cameras
- Silver oxide batteries are used in applications requiring small, high capacity batteries for miniature devices such as small electronic and photographic equipment



Size	Voltage	Type	Cat. No.	Price
<b>Alkaline Batteries</b>				
N	1.5V	Medical	89215-290	Pk. 6/ 41.99
AAAA	1.5V	Ultra	89215-294	Pk. 2/ 8.62
<b>Lithium Batteries</b>				
2032	3V	DURACELL®	89133-616	Ea./ 2.81
2450	3V	DURACELL®	89133-618	Ea./ 5.04
CR2	3V	Ultra	89133-620	Ea./ 16.87
1/3N	3V	DURACELL®	89215-284	Ea./ 10.61
<b>Silver Oxide Batteries</b>				
301/386	1.5V	Duracell®	89041-210	Ea./ 1.62
309/393	1.5V	Duracell®	89215-276	Ea./ 12.54
381/391	1.5V	Duracell®	89215-278	Ea./ 12.59
389/390	1.5V	Duracell®	89215-280	Ea./ 1.92
396/397	1.5V	Duracell®	89215-282	Ea./ 12.59
765	1.5V	Duracell®	89215-292	Pk. 6/ 50.09

## VWR® Tight-Ties™ Bundling Ties

- For hanging equipment or bundling materials
- One-piece construction
- Self-locking, tapered tip for fast insertion and tightening
- Chemical-resistant, corrosion-resistant, rustproof, and nonconducting



Length	Cat. No.	Price
<b>Replacement Ties</b>		
27.9 cm (11")	80080-912	Pk. 50/ 13.29
20.3 cm (8")	80080-914	Pk. 100/ 13.29
10.2 cm (4")	89030-224	Pk. 100/ 12.32
35.6 cm (14")	89030-230	Pk. 50/ 13.04
<b>Ties</b>		
—	21800-000	Ea./ 33.03

## Energizer Alkaline Batteries

- Designed for heavy-load/high drain applications
- No mercury added, so no special disposal is required
- Excellent shelf life
- Operates well in temperature extremes from -30 to 55°C



Size	Type	Cat. No.	Price
<b>Alkaline Batteries</b>			
AAA	Energizer® Industrial	89082-412	Pk. 24/ 12.57
AA	Energizer® Industrial	89082-410	Pk. 24/ 12.59
C	Energizer® Industrial	89082-414	Pk. 12/ 13.20
9V	Energizer® Industrial	89082-408	Pk. 12/ 19.08
AAA	Energizer® Max	89082-421	Pk. 24/ 32.26
C	Energizer® Max	89082-423	Pk. 12/ 32.70
<b>Lithium Batteries</b>			
AA	Energizer® Lithium E-Squared	89082-432	Pk. 2/ 7.64
<b>Silver Oxide Batteries</b>			
389BP	Eveready® Industrial	89082-429	Pk. 12/ 16.45
357BPZ	Energizer® Industrial	89215-268	Pk. 6/ 22.18

## Standard Cable Ties, Gardner Bender

- Teeth on both sides ensure 50% greater strength than industry standards
- UVB ties resist harmful light rays



Color	Length	Cat. No.	Price
White	20.3 cm (8")	300090-668	Pk. 100/ 3.23
White	20.3 cm (8")	300090-670	Pk. 1000/ 29.87
UV Black	20.3 cm (8")	300090-672	Pk. 100/ 3.22
White	27.9 cm (11")	300090-674	Pk. 100/ 4.60
White	27.9 cm (11")	300090-676	Pk. 1000/ 39.08
UV Black	27.9 cm (11")	300090-678	Pk. 100/ 4.80
White	35.6 cm (14')	300090-680	Pk. 100/ 5.17
White	35.6 cm (14')	300090-682	Pk. 1000/ 45.98
UV Black	35.6 cm (14')	300090-684	Pk. 100/ 5.48

## VWR has All You Need for Safety & Industrial

More than ever, VWR is ready to help you stay safe and productive, in the laboratory and across your entire facility. Request your FREE "All You Need for Essential Industrial Supplies" catalog at [vwr.com/safetyandindustrial](http://vwr.com/safetyandindustrial).





## VWR® Rechargeable Flashlights

- Hand crank generator that can
- Recharge up to 500 times
- Three LED bulbs
- CE marked



Description	Dimensions	Cat. No.	Price
Flashlight with Cell Phone Charger, Panic Alarm, and Scanning FM Radio	171 x 51 mm	29960-016	Ea./ 52.31

## Mini Maglite® Flashlights, MAG-Lite®

- High-intensity light beam
- 1/2 turn, twist focus, spot-to-flood
- Patented candle mode
- O-ring sealed for water resistance
- Vented tailcap



Battery Size	Light Intensity	Run Time	Head Diameter	Cat. No.	Price
AA	2200 lm/ft2	6.00 h [Max]	1 in	300009-118	Ea./ 18.30
AA	2200 lm/ft2	6.00 h [Max]	1 in	300009-119	Pk. 1/ 21.58
AA	2200 lm/ft2	6.00 h [Max]	1 in	300009-120	Pk. 1/ 21.58
AA	2200 lm/ft2	6.00 h [Max]	1 in	300009-121	Ea./ 19.62
AA	2200 lm/ft2	6.00 h [Max]	1 in	300009-122	Ea./ 21.58
AAA	1200 lm/ft2	3.00 h [Max]	3/4 in	300009-123	Ea./ 16.27
AAA	1200 lm/ft2	3.00 h [Max]	3/4 in	300009-124	Ea./ 15.89

## Mag-Lite® Standard Flashlights, MAG-Lite®

- High-intensity adjustable light beam (Spot to Flood)
- Recessed, pushbutton, self-cleaning, 3-position switch
- Rugged, machined aluminum construction with knurled design
- Anodized inside and out for improved corrosion resistance
- Spare lamp safely secured inside the tailcap



Battery Size	Color	Length	Light Intensity	Head Diameter	Cat. No.	Price
D	Black	10 in	18000 lm/ft2	2 1/4 in	300009-126	Ea./ 38.78
D	Black	12 11/32 in	22000 lm/ft2	2 1/4 in	300009-128	Ea./ 38.24
D	Red	12 11/32 in	22000 lm/ft2	2 1/4 in	300009-129	Ea./ 40.14
D	Black	14 23/32 in	24000 lm/ft2	2 1/4 in	300009-130	Ea./ 41.48
D	Black	17 1/8 in	28000 lm/ft2	2 1/4 in	300009-131	Ea./ 52.82
D	Black	19 1/2 in	30000 lm/ft2	2 1/4 in	300009-132	Ea./ 58.75

## Worksafe™ Lanterns, Bright Star

- Oversized reflector
- Circuit breaking mechanism instantly disconnects bulb from power source in the event of bulb breakage
- Spare bulb holder
- Waterproof
- Switch guard
- Made in the USA



Battery Size	Beam Concentration (MBCP)	Bulb Type	Color	Weight	Cat. No.	Price
6V	50000 cp	Krypton	Orange	0.67 lb	300006-851	Ea./ 28.54

## MityLite™ Pocket Flashlights, Pelican™

- Xenon lamp provides focused beam that is 400% brighter than standard pocket lights
- Break-resistant polycarbonate resin case is watertight in depths up to 114m (500')
- Rotary head on/off switch eliminates accidental turn-on and mechanical
- switch failure
- CSA certified, UL listed, and CE marked



Color	Cat. No.	Price
Black	28800-080	Ea./ 69.25 Pk. 12/ 395.40
White	28800-062	Ea./ 69.18 Cs. 12/ 395.08
Neon Yellow	28800-048	Ea./ 35.31 Cs. 12/ 240.42

## Razor LED Flashlights, Bright Star

- Constructed of super tough nylon
- Deep-dish reflector focuses light up to 1.8m (6')
- Watertight seal for wet environments
- LED bulb lasts 30,000 hours
- Ergonomic push-button switch
- Requires 3 AA batteries



Dimensions	5.1H x 18.1L x 4.4W cm (2 x 7 1/8 x 1 3/4")
Lumens	60

Color	Cat. No.	Price
Black	300006-857	Ea./ 48.30
Hi-Viz Lime Green	300006-858	Ea./ 48.30
Safety Orange	300006-859	Ea./ 48.30

## Responder™ Series Submersible Flashlights, Bright Star

- Can be easily upgraded to a rechargeable flashlight
- Durable enough to survive 30 foot drop test
- Made in the USA



Battery Size	Beam Concentration (MBCP)	Color	Includes	Cat. No.	Price
C	50000 cp	Orange	Clip, Lanyard, Key Ring	300051-908	Ea./ 49.33

## Worksafe™ Flashlights, Bright Star

- Switch guard
- Spare bulb holder
- Unbreakable lens
- Anti-roll design
- Crush resistant case



Battery Size	Beam Concentration (MBCP)	Bulb Type	Cat. No.	Price
D	10000 cp	PR-2	300001-194	Ea./ 15.30
D	15000 cp	PR-3	300001-195	Ea./ 17.87

# Janitorial Supplies

## VWR® Aerosol Duster

- Consists of air compressor in a can filled with a pure, noncorrosive, nonflammable, odorless, dry gas
- Gas is triple-filtered to 0.3µm to eliminate moisture and all contaminants
- Blows lint, dust, and dirt away instantly with 71psi of high pressure, leaving zero residue
- 12.7cm (5") nonconductive polyethylene snorkel delivers 3000 pinpoint jets of air
- Trigger actuator valve provides a controlled delivery
- Duster contains an EPA-designated substitute for ozone-depleting HFCs and CFCs



Description	Cat. No.		Price
Aerosol Duster	16650-027	Ea./ 36.12	Cs. 6/ 154.70

## VWR® Light-Duty Tissue Wipers

- Absorbent, strong, and low-linting
- Ideal for lab, pharmaceutical, biomedical, and healthcare industries
- Antistatic, film-windowed boxes



Thickness	W x L	Packaging	Cat. No.	Price
1-Ply	11.4 x 21.3 cm (4 1/2 x 8 3/8")	280/Box	82003-820 Pk. 280/ 5.54	Cs. 16800/ 270.30 Pl. 302400/ 3892.35
1-Ply	35.6 x 42.4 cm (14 x 16 3/4")	140/Box	82003-822 Pk. 140/ 18.10	Cs. 2100/ 187.97 Pl. 56700/ 4057.43
3-Ply	35.6 x 42.4 cm (14 x 16 3/4")	90/Box	82003-824 Pk. 90/ 26.95	Cs. 1350/ 288.03 Pl. 24300/ 4151.25

## Lysol® Disinfectant Antibacterial Kitchen Cleaner, Lagasse

- Cuts tough grease and grime while killing harmful bacteria



Packaging	Cat. No.		Price
Spray Bottle	89067-938	Ea./ 114.63	Cs. 12/ 120.72

## GUST® Dusters, Stoner®

- Blast clean, filtered, moisture-free, high-pressure gas to remove dust, hair, and moisture from hard-to-reach areas or delicate surfaces
- A unique variable pressure trigger allows for control of dusting pressure
- Gas is 100% pure, non-flammable, non-ozone depleting, and filtered to 0.2 microns
- Spray Anyway duster features a 360° valve that allows the user to spray from any angle or upside down without frosting

Description	Size	Pressure	Cat. No.	Price
Easy Duster, Difluoroethane	340 g (12 oz.)	70 psi	89065-918 Ea./ 16.80	Cs. 12/ 129.30
Spray Anyway Duster with 360° Valve, Tetrafluoroethane	227 g (8 oz.)	80 psi	89065-920 Ea./ 30.20	Cs. 12/ 232.04
Premium Duster, Tetrafluoroethane	425 g (15 oz.)	80 psi	89065-922 Ea./ 32.17	Cs. 12/ 247.56
Premium Duster, Tetrafluoroethane	284 g (10 oz.)	80 psi	89065-924 Ea./ 25.76	Cs. 12/ 198.25



## Clorox® Disinfectant Wipes, Clorox®

- One-step cleaning and disinfecting
- Bleach-free formula kills 99.9% of bacteria, including staph and salmonella
- Ideal for day care centers, offices, schools and restaurants

Packing Type	Weight	Cat. No.	Price
35 Count Pack	0.78 lb	300052-098	Cs. 12/ 49.34
35 Count Pack	0.78 lb	300052-100	Cs. 12/ 54.27

## Clean-Up® Cleaners with Bleach, Clorox®

- Cleans, disinfects and deodorizes hard, nonporous surfaces in hospitals, nursing homes and institutional settings
- Removes tough stains such as blood and greasy dirt
- Effective in 30 seconds against pseudomonas, salmonella, staph, rhinovirus, hepatitis A and influenza A2/Hong Kong virus



Capacity (Volume)	Packing Type	Weight	Cat. No.	Price
32 oz	Trigger Spray Bottle	2.52 lb	300052-108	Cs. 9/ 51.18

## Professional Lysol® Brand III Disinfectant Spray, Reckitt Benckiser

- Highly effective against TB, MRSA, HIV-1 (AIDS virus), poliovirus Type 1, hepatitis A, and norovirus
- Tuberculocidal, virucidal, fungicidal, bactericidal
- Eliminates odors and prevents the growth of mold and mildew
- Contains no CFCs
- Aerosol can



Capacity Volume	561.9 mL (19 oz.)
Weight	0.73 kg (1.6 lbs.)

Style	Cat. No.	Price
Fresh Scent	300001-166	Cs. 12/ 110.75
Country® Scent	300053-262	Cs. 12/ 114.04
Crisp Linen® Scent	300053-266	Cs. 12/ 114.04



## Professional LYSOL® BrandII Disinfectant Spray

- Tuberculocidal, virucidal, and bactericidal
- Prevents odors and growth of mold and mildew
- Meets AOAC® germicidal spray product test standards for hospital aerosol disinfectants
- Meets the requirements for the OSHA Bloodborne Pathogens Standard for Decontamination



Description	Size	Cat. No.	Price	
Can	562 mL (19 oz.)	21899-572	Ea./ 153.22	Cs. 12/ 165.98

## Lysol® Brand III Disinfectant All-Purpose Cleaner 4-in-1, Reckitt Benckiser

- Kills germs, cuts grease, and deodorizes
- For use on hard surfaces such as walls, garbage cans, floors, and washable wallpaper
- Ideal for washrooms and kitchens



Capacity (Volume)	Packing Type	Weight	Cat. No.	Price
946.3 mL (32 oz.)	Trigger Spray Bottle	1.1 kg (2.5 lbs.)	300001-165	Cs. 12/ 52.27

## Ajax® Heavy-Duty Oxygen Bleach Powder Cleanser

Nonchlorinated, economical cleanser for chrome, porcelain, ceramic tile and other durable surfaces. NSF/USDA Classification A6.



Cat. No.	Price
11000-494	Ea./ 2.91 Cs. 24/ 54.86

## Pine-Sol® Liquid Cleaner, Disinfectant, Deodorizer, Clorox®

- Specially formulated to clean, disinfect and deodorize countertops, tile, sinks, garbage cans, no-wax floors and more
- Cuts dirt and grease quickly
- Effective against staph and salmonella



Capacity (Volume)	Packing Type	Weight	Cat. No.	Price
144 oz	Bottle	9.97 lb	300052-110	Cs. 3/ 48.52

## Heavy Duty Electro Klene Cleaner, Stoner®

- Computers, optics, and industrial controls
- Evaporates quickly and leaves no residue

# Stoner



Description	Size	Cat. No.	Price	
Aerosol Can	340 g (12 oz.)	89065-934	Ea./ 41.05	Cs. 12/ 315.97

## Fantastik® All-Purpose Cleaner

- All-purpose cleaner for most washable surfaces
- Effectively removes grease, scuff marks, smoke film and fingerprints
- No rinsing needed



Description	Size	Cat. No.	Price	
Trigger Spray Bottle	946 mL (32 oz.)	14221-790	Ea./ 10.89	Cs. 12/ 100.55

## Fabuloso® All-Purpose Cleaner, Colgate-Palmolive

- Cleans floors, walls, foodservice areas, and restrooms
- Long-lasting lavender scent
- No residue, no rinsing needed
- Neutral pH
- Biodegradable

COLGATE-PALMOLIVE COMPANY



Capacity (Volume)	Cat. No.	Price
3.8 L (1 gal.)	300001-160	Cs. 4/ 66.16

## Windex® Glass Cleaners, Johnson Diversey

- Cleans with Ammonia-D® for a streak-free shine
- Loosens soil upon contact
- Won't streak or leave a film
- Also cleans chrome, stainless steel, Plexiglas® and other hard surfaces
- Contains no phosphates
- UPS-able: capped, sprayer separate



Capacity (Volume)	Packing Type	Type	Weight	Cat. No.	Price
32 oz	Trigger Spray Bottle	Ready-To-Use	2.43 lb	300052-644	Cs. 12/ 117.88

## Anti-Static Glass Cleaner, Stoner®

- Fast-acting, non-abrasive
- Remove tough dirt, dust, grease, lint, oil, toner, carbon, fingerprints, and smudges

# Stoner



Description	Size	Cat. No.	Price	
Aerosol Can	368 g (13 oz.)	89065-928	Ea./ 7.17	Cs. 12/ 55.27

## Plastic Surface Cleaner, Stoner®

- Water-based cleaner
- Will not drip or run
- Will not leave streaks, haze, or film

# Stoner



Description	Size	Cat. No.	Price	
Aerosol Can	368 g (13 oz.)	89065-930	Ea./ 7.97	Cs. 12/ 61.33



# Stoner

## Get Cleaner Easier With Stoner Industrial Cleaners and Lubricants



**Invisible Glass** makes glass virtually invisible and leaves glass clean with no streaks, haze, or residue. **Gust Dusters** quickly and easily remove contaminants from hard-to-reach areas. Convenient and portable for when you're on-site without access to compressed air! **XENIT Citrus Cleaner and Remover** removes sticky materials including adhesives, tar, and gum.

**XENIT Foaming Cleaner** removes water soluble grime including food stains. **Food Grade Silicone Lubricant** prevents sticking for quiet, and efficient machine operation. **Penetrating Lube with PTFE** dissolves rust, loosens stuck parts, and lubricates metals. **SKID Penetrating Lubricant** penetrates deep to dissolve rust and loosen parts that are stuck fast.

Find these and all eligible Stoner products at [vwr.com](http://vwr.com)

Description	Size	Cat. No.	Price
GUST Spray Anyway Duster	8 oz. aerosol	89065-920	Cs. 12/ 232.04
GUST Easy Duster	12 oz. aerosol	89065-918	Cs. 12/129.30
GUST Premium Duster Compact	10 oz. aerosol	89065-924	Cs. 12/ 198.25
GUST Premium Duster	15 oz. aerosol	89065-922	Cs. 12/ 247.56
Invisible Glass Premium Glass Cleaner	19 oz. aerosol	89065-936	Cs. 12/ 77.66
XENIT Citrus Cleaner & Remover	10 oz. aerosol	10122-546	Cs. 12/ 101.02
Food Grade Silicone Lubricant	9 oz. aerosol	10122-544	Cs. 12/ 109.19
Penetrating Lube with PTFE *	10 oz. aerosol	10122-556	Cs. 12/ 109.55
SKID Penetrating Lubricant *	10 oz. aerosol	10122-548	Cs. 12/ 104.36
Freeze Spray	10 oz. aerosol	89065-926	Cs. 12/ 259.25
Anti-Static Glass Cleaner	13 oz. aerosol	89065-928	Cs. 12/ 55.27
Plastic Surface Cleaner	13 oz. aerosol	89065-930	Cs. 12/ 61.33



How to redeem your free product: Have your proof of purchase (VWR invoice or packing slip) ready, visit [vwr.com/promotions](http://vwr.com/promotions), search for Promo Code 4392 and fill in the online form before January 15, 2016. Terms and Conditions: Offer good on case quantity purchases only from now until December 31, 2015. Allow two weeks for delivery of free product.

\* For Manufacturing Use Only. Not For Retail Sale.

### MICRO-90® Concentrated Cleaning Solution, International Products

A powerful, multi-purpose liquid for precision cleaning of glassware, filter membranes, laboratory equipment, electronics, metal parts, plastics, and other surfaces. Best used in manual, immersion, and low-pressure or low-agitation systems. Ideal for use in ultrasonic cleaners.

Cleaner is NSF-registered as an A1, general cleaner in and around food-processing areas and equipment.



Environmental Certification	NSF A1
Environmentally Preferable Attribute	Product is energy and/or water efficient, Product and/or packaging is recyclable or reduces waste, Product is manufactured with low CO <sub>2</sub> impact, Product and/or packaging is safer to human and environmental health

Size	Cat. No.	Price
19 L (5 gal.)	21830-420	Ea./ 355.29
208 L (55 gal.)	21830-422	Ea./ 3191.54
1 L (0.26 gal.)	89210-138	Ea./ 12.55
4 L (1.1 gal.)	89210-140	Ea./ 40.75
		Cs. 12/ 140.67
		Cs. 4/ 152.44

### LF2100® Concentrated Liquid Low-Foam Cleaner, International Products

- Removes a wide range of soils
- Ideal for a wide variety of surfaces

Description	Size	Cat. No.	Price
Bottle	1 L (33.8 oz.)	82010-762	Cs. 12/ 363.05



### Surface-Cleanse/930® Concentrated Neutral Cleaner, International Products

- Free-rinsing, nonionic
- For use in manual washing operations, ultrasonic baths, and mild agitation systems

Description	Size	Cat. No.	Price
Bottle	1 L (33.8 oz.)	82013-754	Cs. 12/ 377.84



## Invisible Glass Cleaner, Stoner®

- Removes dust, dirt, oil, grease, and fingerprints
- Non-abrasive

# Stoner



Description	Size	Cat. No.	Price	
Aerosol Can	538 g (19 oz.)	89065-936	Ea./ 10.12	Cs. 12/ 77.66

## Freeze Spray, Stoner®

- Lowers temperatures below -17.8°C (0°F) to test electronic devices for heat, defects, or intermittent failure
- Can freeze and solidify viscous or fluid materials
- Harmless to metals, plastic, rubber, critical electronic hardware
- No residue
- CFC-free, non-flammable, ozone safe.

# Stoner



Description	Size	Cat. No.	Price	
Aerosol Can	284 g (10 oz.)	89065-926	Ea./ 27.08	Cs. 12/ 259.25

## Professional MOP and GLO® Triple Action™ Floor Shine Cleaner, Reckitt Benckiser

- Convenient and quick one-step process cleans away dirt, leaves a beautiful shine, and provides long-lasting floor protection
- Safe for use on regular and no-wax floors



Capacity (Volume)	Packing Type	Weight	Cat. No.	Price
1.89 L (64 oz.)	Bottle	2.2 kg (4.8 lbs.)	300001-168	Cs. 6/ 86.37

## Air Cop® II Odor Neutralizer Eliminators, Sprayon®

- Eliminates odors completely
- Biodegradable and all natural

# Sprayon



VOC	Cat. No.	Price
0%	300053-986	Cs. 6/ 16.48
0%	300053-988	Cs. 6/ 15.86

## Misty® Secure Bowl Cleaners, 10% HCl, Amrep

- Mild acid bowl cleaner removes stains, mineral scale, and organic matter
- Keeps bowls and urinals clean and fresh smelling
- Odor counteractant kills most offensive odors
- Non-fuming

# amrep inc.



Capacity (Volume)	Packing Type	Weight	Cat. No.	Price
0.95 L (32 oz.)	Bottle	1.1 kg (2.4 lbs.)	300001-173	Cs. 12/ 61.02

## Isopropyl Alcohol Cleaner, Stoner®

- Defluser and general-purpose degreaser
- PA is 99.9% pure



Description	Size	Cat. No.	Price
Pail	19 L (5 gal.)	89065-938	Ea./ 236.81

## Original Dawn® Dishwashing Liquids, Procter & Gamble

# Procter & Gamble Professional Line™



Capacity (Volume)	Packing Type	Weight	Cat. No.	Price
38 oz	Bottle	2.99 lb	300001-143	Cs. 8/ 72.92

## Professional VANI-SOL® High Acid Bowl Cleanse, Reckitt Benckiser

- Powerful liquid for use in restrooms with heavy traffic, hard water, or problem soils
- High acid dissolves even the toughest lime deposits, hard water scale, and rust stains
- Won't harm septic tanks



Capacity (Volume)	Packing Type	Weight	Cat. No.	Price
946.4 mL (32 oz.)	Bottle	1.1 kg (2.5 lbs.)	300001-180	Cs. 12/ 63.76

## Scotch-Brite™ Light Duty Cleansing Pads, 3M

- Premier light duty cleansing pad with soft, non-woven fibers and mild abrasive to gently, but thoroughly clean most surfaces
- Light duty cleansing sponge that will not scratch or mar most surfaces

# 3M

Length	Weight	Width	Cat. No.	Price
9 in	0.06 lb	6 in	300054-022	Cs. 60/ 86.99
6 in	0.11 lb	3.600 in	300054-020	Cs. 20/ 50.14

## SCOTT® Standard Roll Bathroom Tissue, KIMBERLY-CLARK PROFESSIONAL®

- Meets EPA standards for minimum post consumer waste content

# Kimberly-Clark PROFESSIONAL®



Description	Size	Thickness	Color	Cat. No.	Price
Standard Roll Bathroom Tissue	4.1 x 4" Sheets	2-Ply	White	21905-000	Cs. 96/ 199.85

## Bathroom Tissue, Boardwalk

- Embossed bathroom tissue.

# BOARDWALK



Color	Length per Sheet	Weight	Width Per Sheet	Cat. No.	Price
White	11.4 cm (4 1/2")	0.13 kg (0.3 lbs.)	7.6 cm (3")	300001-146	Cs. 96/ 65.58
White	11.4 cm (4 1/2")	0.18 kg (0.4 lbs.)	9.5 cm (3 3/4")	300051-778	Cs. 96/ 70.82

# Janitorial Supplies

## KIMTECH SCIENCE® KIMWIPES™ Delicate Task Wipers, KIMBERLY-CLARK PROFESSIONAL®

- For wiping surfaces, parts, instruments, and lens cleaning
- 100% virgin fiber
- Wipe clean without scratching or leaving any residue
- Handy, space-saving POP-UP™ dispenser box dispenses wipers one at a time, to reduce waste
- Extra Low Linting, Anti-Static.



Size	Thickness	Packaging	Cat. No.		Price
11.2 x 21.3 cm (4.4 x 8.4")	1-Ply	POP-UP™ Box	21905-026	Pk. 280/ 8.68	Cs. 16800/ 378.15
11.2 x 21.3 cm (4.4 x 8.4")	1-Ply	POP-UP™ Box	89218-057		Cs. 8400/ 224.61
29.9 x 29.9 cm (11.8 x 11.8")	1-Ply	POP-UP™ Box	21905-011	Pk. 196/ 16.44	Cs. 2940/ 189.22
29.9 x 29.9 cm (11.8 x 11.8")	2-Ply	POP-UP™ Box	21903-005		Cs. 15/ 231.69
29.9 x 29.9 cm (11.8 x 11.8")	3-Ply	POP-UP™ Box	10805-905	Pk. 119/ 26.24	Cs. 1785/ 304.57
37.3 x 42.2 cm (14.7 x 16.6")	1-Ply	POP-UP™ Box	21905-049	Pk. 140/ 24.37	Cs. 2100/ 264.52
37.3 x 42.2 cm (14.7 x 16.6")	2-Ply	POP-UP™ Box	21903-021		Cs. 1350/ 402.79

## KIMTECH SCIENCE® Precision Wipes Tissue Wipers, KIMBERLY-CLARK PROFESSIONAL®

- Low-linting, economical wipers
- Coated POP-UP® box protects wipers
- White



Thickness	W x L	Packaging	Cat. No.		Price
1-Ply	11.2 x 21.3 cm (4 <sup>13</sup> / <sub>32</sub> x 8 <sup>13</sup> / <sub>32</sub> "	280/Box	21903-025	Pk. 280/ 6.44	Cs. 16800/ 267.21
2-Ply	37.4 x 42.2 cm (14 <sup>23</sup> / <sub>32</sub> x 16 <sup>5</sup> / <sub>8</sub> "	90/Box	21903-026		Cs. 15/ 163.06
1-Ply	37.4 x 42.2 cm (14 <sup>23</sup> / <sub>32</sub> x 16 <sup>5</sup> / <sub>8</sub> "	140/Box	82001-015	Pk. 140/ 8.45	Cs. 2100/ 100.29
1-Ply	29.9 x 29.9 cm (11 <sup>13</sup> / <sub>16</sub> x 11 <sup>13</sup> / <sub>16</sub> "	196/Box	89003-024		Cs. 2940/ 51.88

## KIMTECH PREP® KIMTEX™ Wipers, KIMBERLY-CLARK PROFESSIONAL®

KIMTECH PREP® KIMTEX™ Wipers feature 100% polypropylene construction for cloth-like feel and durability. Wipers provide a virtually lint-free cleaning performance and absorb quickly for big cleanups. Engineered for critical applications involving solvents, inks, and paints, they are also perfect for use with lubricants, oil, and grease. Acid-, base-, and solvent-resistant. Available in a variety of formats to meet every need. Color: blue. Applications include furniture finishing, engine assembly/repair, prepackaging wipe down, LCD panel assembly, appliance assembly, printing, and glass or window cleaning.



Description	Size	Color	Packaging	Cat. No.		Price
KIMTEX™ Wipers	22.3 x 42.7 cm (8.8 x 16.8")	Blue	POP-UP™ Box	37002-050	Pk. 100/ 43.82	Cs. 500/ 151.59
KIMTEX™ Wipers	30.7 x 42.7 cm (12.1 x 16.8")	Blue	BRAG™ Box	37002-058		Cs. 180/ 80.64
KIMTEX™ Wipers	31.7 x 33 cm (12.5 x 13")	Blue	Quarter Fold	37002-022	Pk. 66/ 22.90	Cs. 528/ 133.15

## WYPALL® L10 Utility-Wipers, KIMBERLY-CLARK PROFESSIONAL®

- One-ply wipers are strong, soft, highly absorbent, lint-free and odorless
- Specially treated for wet strength
- All wipers meet EPA standards for minimum post-consumer waste content



W x L	Color	Cat. No.	Price
22.9 x 26.7 cm (9 x 10 <sup>1</sup> / <sub>2</sub> "	White	21908-023	Cs. 2250/ 272.04
31.8 x 25.4 cm (12 <sup>1</sup> / <sub>2</sub> x 10")	White	82002-918	Cs. 18/ 399.74
23.5 x 26.7 cm (9 <sup>1</sup> / <sub>4</sub> x 10 <sup>1</sup> / <sub>2</sub> "	Blue	89002-976	Cs. 16/ 81.60
22.9 x 26 cm (9 x 10 <sup>1</sup> / <sub>4</sub> "	Blue	89208-628	Cs. 2240/ 58.14

## WYPALL® L30 Wipers, KIMBERLY-CLARK PROFESSIONAL®

- Cloth-like feel
- Great for light-duty cleanups
- DRC process provides high surface softness
- Reinforced grid provides strength for wet-surface wiping and scrubbing



W x L	Packaging	Cat. No.	Price
41.7 x 24.9 cm (16 <sup>3</sup> / <sub>8</sub> x 9 <sup>3</sup> / <sub>4</sub> "	Pop-Up® Box	14002-650	Cs. 720/ 85.01
31.8 x 36.6 cm (12 <sup>1</sup> / <sub>2</sub> x 13")	1/4 Fold	14222-322	Cs. 12/ 87.41
41.7 x 24.9 cm (16 <sup>3</sup> / <sub>8</sub> x 9 <sup>3</sup> / <sub>4</sub> "	Pop-Up® Box	21905-005	Cs. 800/ 178.62
24.9 x 38.6 cm (9 <sup>3</sup> / <sub>4</sub> x 15 <sup>1</sup> / <sub>8</sub> "	Center Pull Roll	21908-006	Cs. 2/ 187.34
30 x 34 cm (11 <sup>13</sup> / <sub>16</sub> x 13 <sup>3</sup> / <sub>8</sub> "	Jumbo Roll	21908-008	Cs. 950/ 108.32
27.4 x 25.4 cm (10 <sup>13</sup> / <sub>16</sub> x 10")	Pop-Up® Box	89002-986	Cs. 1200/ 81.27
41.7 x 24.9 cm (16 <sup>3</sup> / <sub>8</sub> x 9 <sup>3</sup> / <sub>4</sub> "	Pop-Up® Box	89002-994	Cs. 800/ 120.28
20.3 x 38.1 cm (8 x 15")	Center Pull Roll	89002-996	Cs. 900/ 136.28
27.9 x 26.4 cm (11 x 10 <sup>3</sup> / <sub>8</sub> "	Small Roll	89003-702	Cs. 1680/ 100.14



## WYPALL® L20 Wipers, KIMBERLY-CLARK PROFESSIONAL®

- High-capacity single-use paper wipes
- Textures side for better cleaning power
- Contain no binder or glues

W x L	Color	Packaging	Cat. No.	Price
31.8 x 36.6 cm (12 <sup>1</sup> / <sub>2</sub> x 13")	Tan	Quarter-Fold	14236-036	Pk. 68/ 11.40 Cs. 816/ 94.92
31.8 x 36.6 cm (12 <sup>1</sup> / <sub>2</sub> x 14 <sup>13</sup> / <sub>32</sub> ")	Tan	—	37002-030	Pk. 68/ 13.83 Cs. 816/ 115.06
31.8 x 36.6 cm (12 <sup>1</sup> / <sub>2</sub> x 13")	White	Quarter-Fold	37002-032	Pk. 68/ 19.24 Cs. 816/ 154.58
23.1 x 42.7 cm (9 <sup>1</sup> / <sub>8</sub> x 16 <sup>13</sup> / <sub>16</sub> ")	White	Pop-Up™ Boxes	37002-048	Pk. 88/ 24.20 Cs. 880/ 166.86



## WYPALL® Health and Fitness Towels, KIMBERLY-CLARK PROFESSIONAL®

Multi-purpose, absorbent bath-sized towels reduce the cost and hassles of laundering and pilferage. Ideal for mining, manufacturing, health clubs, and school environments. Color: white.



W x L	Packaging	Cat. No.	Price
49.5 x 106.7 cm (19 <sup>1</sup> / <sub>2</sub> x 42")	Dispenser Box	46300-884	Cs. 200/ 135.92



## WYPALL® L40 Wipers, KIMBERLY-CLARK PROFESSIONAL®

- Double re-creped (DRC) base sheet technology with high surface softness to absorb large liquid spills and leaks
- Reinforced grid provides strength for wet-surface wiping and cleaning
- Ideal for routine industrial cleaning and maintenance as well as for removing soils and liquids from face and hands.



Size	Color	Packaging	Cat. No.	Price
27.4 x 25.4 cm (10.8 x 10')	White	POP-UP™ Box	14224-028	Pk. 90/ 18.68 Cs. 810/ 114.07
41.6 x 24.9 cm (16.4 x 9.8')	White	POP-UP™ Box	89000-692	Cs. 900/ 170.32
31.7 x 33 cm (12.5 x 13')	White	Quarter Fold	89002-990	Cs. 672/ 94.37
31.7 x 33 cm (12.5 x 13')	White	Quarter Fold	21908-000	Cs. 1008/ 249.09
31.7 x 34 cm (12.5 x 13.4')	White	Jumbo Roll	82007-774	Cs. 750/ 93.55
25.4 x 33.5 cm (10 x 13.2')	White	Center Pull	89011-792	Cs. 200/ 115.65
41.6 x 24.9 cm (16.4 x 9.8')	Blue	POP-UP™ Box	89000-684	Cs. 900/ 183.97
31.7 x 33 cm (12.5 x 13')	Blue	Quarter Fold	89002-998	Cs. 672/ 98.16

## WYPALL® X60 Wipers, KIMBERLY-CLARK PROFESSIONAL®

- Embossed surface traps and holds dirt and liquids
- Can be used in a range of medium- to heavy-duty applications
- No adhesives or binders
- Tough enough for big jobs, but soft enough for use on face and hands



W x L	Packaging	Cat. No.	Price
31.8 x 42.7 cm (12 <sup>1</sup> / <sub>2</sub> x 16 <sup>13</sup> / <sub>16</sub> ")	BRAG™ Box	21903-018	Cs. 1/ 26.84
31.8 x 34 cm (12 <sup>1</sup> / <sub>2</sub> x 13 <sup>3</sup> / <sub>8</sub> ")	Jumbo Roll	21903-020	Cs. 1/ 133.30
31.8 x 34 cm (12 <sup>1</sup> / <sub>2</sub> x 13 <sup>3</sup> / <sub>8</sub> ")	Jumbo Roll	21903-022	Cs. 1/ 123.43
25.4 x 31.8 cm (10 x 12 <sup>1</sup> / <sub>2</sub> ")	Quarter-Fold	21903-040	Cs. 560/ 39.82
27.9 x 58.4 cm (11 x 23')	Quarter-Fold	37002-000	Pk. 100/ 55.86 Cs. 900/ 364.25
24.8 x 34 cm (9 <sup>7</sup> / <sub>8</sub> x 13 <sup>3</sup> / <sub>8</sub> ")	Small Roll	37002-004	Pk. 130/ 27.47 Cs. 1560/ 251.58
24.8 x 34 cm (9 <sup>7</sup> / <sub>8</sub> x 13 <sup>3</sup> / <sub>8</sub> ")	Small Roll	37002-006	Pk. 130/ 30.09 Cs. 1560/ 249.71
49.8 x 34 cm (19 <sup>5</sup> / <sub>8</sub> x 13 <sup>3</sup> / <sub>8</sub> ")	Small Roll	37002-008	Pk. 130/ 58.15 Cs. 780/ 241.65
49.8 x 34 cm (19 <sup>5</sup> / <sub>8</sub> x 13 <sup>3</sup> / <sub>8</sub> ")	Small Roll	37002-010	Pk. 130/ 58.15 Cs. 780/ 241.65
34 x 39.9 cm (12 <sup>1</sup> / <sub>2</sub> x 16 <sup>4</sup> / <sub>5</sub> ")	Flat Sheet	37002-020	Pk. 150/ 54.39 Cs. 900/ 226.28
31.8 x 36.6 cm (12 <sup>1</sup> / <sub>2</sub> x 13")	Quarter-Fold	37002-024	Pk. 76/ 16.47 Cs. 912/ 145.45
23.1 x 42.7 cm (9 <sup>1</sup> / <sub>8</sub> x 16 <sup>13</sup> / <sub>16</sub> ")	Pop-Up™ Box	37002-046	Pk. 126/ 26.00 Cs. 1260/ 177.09

## WYPALL® Wipers in a Bucket, KIMBERLY-CLARK PROFESSIONAL®

- Refill fits WYPALL® Wipers in a Bucket system
- Pound-for-pound wipers absorb more water than rags One bucket replaces 25 lbs of rags
- Convenient, one-at-a-time dispensing



Size	Packaging	Cat. No.	Price
25.4 x 33 cm (10 x 13")	220 Sheets/Bucket	89194-902	Cs. 2/ 58.73
25.4 x 33 cm (10 x 13")	220 Sheets/Roll, Refill	89194-904	Cs. 3/ 81.15

## WYPALL® X70 Wipers, KIMBERLY-CLARK PROFESSIONAL®

- Fast absorbing HYDROKNIT® material is a hydroentangled cellulose/polypropylene blend with no adhesives or chemical binders
- Durable, rag-tough construction and textured surface
- Reusable, will not fall apart when wet



W x L	Color	Packaging	Cat. No.	Price
31.8 x 36.6 cm (12 1/2 x 13")	White	76/Box, Quarter-Fold	37002-028 Pk. 76/ 22.47	Cs. 912/ 187.40
23.1 x 42.5 cm (9 1/8 x 16 3/4")	Blue	100/POP-UP™ Box	37002-040 Pk. 100/ 34.14	Cs. 1000/ 236.15
37.8 x 42.2 cm (14 7/8 x 16 5/8")	White	300/Box, Flat Sheet	37002-052	Cs. 300/ 105.62
31.8 x 34 cm (12 1/2 x 13 3/8")	White	870/Jumbo Roll	89000-688	Cs. 870/ 162.55
42.2 x 75.6 cm (16 5/8 x 29 3/4")	White	300/Box, Flat Sheet	89003-012	Cs. 300/ 136.30
31.8 x 42.5 cm (12 1/2 x 16 3/4")	White	152/BRAG™ Box	89003-014	Cs. 152/ 39.03
23.1 x 42.5 cm (9 1/8 x 16 3/4")	White	100/POP-UP™ Box	89003-016	Cs. 1000/ 189.92
31.8 x 34 cm (12 1/2 x 13 3/8")	Blue	870/Jumbo Roll	89003-018	Cs. 870/ 124.80
24.8 x 34 cm (9 3/4 x 13 3/8")	White	275/Roll	89003-020	Cs. 825/ 128.12

## WYPALL® X80 Wipers, KIMBERLY-CLARK PROFESSIONAL®

- Durable and economical alternative to laundered shop towels and rags
- Suitable for a wide range of laboratory and industrial tasks, including oil, solvent, and chemical cleanup
- Consistent size and strength without the inconvenience of holes, strings, or residues
- HYDROKNIT® hydroentangled material manufactured without adhesives or chemical binders will not scratch skin or delicate surfaces
- Reusable towels will not fall apart when wet



W x L	Color	Packaging	Cat. No.	Price
23.1 x 42.7 cm (9 1/8 x 16 13/16")	White	Pop-Up™ Box	89000-634	Cs. 400/ 100.48
23.1 x 42.7 cm (9 1/8 x 16 13/16")	Red	Pop-Up™ Box	89003-002	Cs. 400/ 97.89
31.8 x 42.7 cm (12 1/2 x 16 13/16")	Blue	BRAG™ Box	89003-004	Cs. 160/ 34.44
31.8 x 34 cm (12 1/2 x 13 3/8")	Blue	Jumbo Roll	89003-006	Cs. 475/ 97.27
31.8 x 42.7 cm (12 1/2 x 16 13/16")	White	BRAG™ Box	89003-008	Cs. 160/ 34.44
31.8 x 34 cm (12 1/2 x 13 3/8")	Red	Jumbo Roll	89003-010	Cs. 475/ 79.15
31.8 x 33 cm (12 1/2 x 13")	Red	Quarter-Fold	89003-842	Cs. 200/ 50.09
31.8 x 33 cm (12 1/2 x 13")	White	Quarter-Fold	89004-384 Pk. 50/ 17.33	Cs. 200/ 44.57
31.8 x 34 cm (12 1/2 x 13 3/8")	White	Jumbo Roll	89004-556	Cs. 475/ 82.10

## SCRUBS® Hand Cleaner Towels, Dymon

- Dual-textured towels lock in dirt and will not transfer back to hands
- Cleans hands with no rinsing necessary
- Removes dirt, grease, adhesives, ink, oil, paint, lubricants, and more



Packing Type	Weight	Cat. No.	Price
72/Pail	1.1 kg (2.4 lbs.)	300001-172	Cs. 6/ 88.54
1/Pack	0.01 kg (0.03 lb.)	300040-158	Cs. 100/ 46.02
30/Container	0.5 kg (1.1 lbs.)	300088-594	Ea./ 46.08

## Scott® Shop™ Towels, KIMBERLY-CLARK PROFESSIONAL®

- Ideal for changing oil, refilling fluids and general maintenance
- Strong, absorbent towel is great for wiping hands, tools and cleaning up grease, oil, grime and fluids
- Works when wet
- Fits on a standard towel holder for convenient dispensing of a fresh, clean towel



Length per Sheet	System Format	Weight	Width Per Sheet	Cat. No.	Price
10.40 in	Roll	0.90 lb	11 in	300052-688	Cs. 30/ 100.01
11 in	Pop-Up® Box	4.33 lb	13 in	300052-690	Cs. 8/ 141.40

## KLEENEX® C-Fold Towels, KIMBERLY-CLARK PROFESSIONAL®

Dependable, folded towels provide softness, absorbency, and performance. Color: white.



W x L	Cat. No.	Price
25.4 x 33 cm (10 x 13")	10815-990	Cs. 2400/ 111.88

## SCOTT® SCOTTFOLD® Towels, KIMBERLY-CLARK PROFESSIONAL®

- Ideal replacement for C-Folds — guaranteed 10% cost savings vs. C-Fold towels



Color	Cat. No.	Price
White	93000-645	Cs. 25/ 90.97

## SCOTT® C-Fold Towels, KIMBERLY-CLARK PROFESSIONAL®

- C-fold style hand towels
- ABSOBENCY POCKETS™ feature fast drying ridges
- White



Description	W x L	Cat. No.	Price
C-Fold Towels	25.7 x 33.4 cm (10 1/8 x 13 1/8")	10815-570	Cs. 2400/ 90.54
C-Fold Towels, 100% Recycled Fiber	25.7 x 33.4 cm (10 1/8 x 13 1/8")	89002-984	Cs. 2400/ 70.17

## Surpass® Facial Tissue, KIMBERLY-CLARK PROFESSIONAL®

Available with higher tissue count per box than standard tissue boxes. The SIGNAL® feature alerts you when it's time to change the box. Meets EPA standards for minimum post consumer waste content.



W x L	Color	Cat. No.	Bx. 100/ 8.52	Price
20.3 x 25.4 cm (8 x 10")	White	10837-272		Cs. 3000/ 110.24

## KLEENEX® Facial Tissue, KIMBERLY-CLARK PROFESSIONAL®

When away from home, people naturally prefer the tissues they choose for themselves. KLEENEX® Brand is America's number one consumer facial tissue. KLEENEX® Brand tissues not only enhance your image, their exceptional softness and premium performance encourage use - and can help you create a healthier environment.



Description	Size	Color	Packaging	Cat. No.	Price
2-Ply Junior Facial Tissues	20.3 x 13.9 cm (8 x 5.5')	White	65 Sheets/Box	10837-270	Bx. 65/ 4.03 Cs. 3120/ 134.62
2-Ply Facial Tissues	21.3 x 20.3 cm (8.4 x 8')	White	100 Sheets/Box	21903-003	Cs. 36/ 87.31
2-Ply Facial Tissues	21.3 x 20.3 cm (8.4 x 8')	White	125 Sheets/Box	21903-008	Pk. 125/ 3.52 Cs. 6000/ 135.81



## SCOTT® Kitchen Roll Towels, KIMBERLY-CLARK PROFESSIONAL®

SCOTT® Brand consistently delivers superior value by offering the optimum balance of product quality and affordability. Made with ABSORBENCY POCKETS™ for a soft and absorbent performance to handle tough spills and clean-ups. Meets EPA standards with a minimum of 40 % post-consumer waste content; 40% post-consumer waste; 80% recycled fiber. FSC & Ecologo Certified. More sheets on a roll to last longer. Smaller case for easier handling and storage. 4.9" roll diameter.



Description	Size	Thickness	Color	Packaging	Cat. No.	Price
Kitchen Roll Towels	11 x 8.78" Sheets	1-Ply	White	128 Sheets/Roll, 20 Rolls/Case	14222-321	Cs. 20/ 61.44



## SCOTT® Multi-Fold Towels, KIMBERLY-CLARK PROFESSIONAL®

- Multi-fold paper towels.
- White



Description	Cat. No.	Price
Multi-Fold Towels	21908-697	Pk. 250/ 8.20 Cs. 4000/ 79.34



## SCOTT® Hard Roll Paper Towels, KIMBERLY-CLARK PROFESSIONAL®

- Absorbency Pockets provide better absorbency and softness
- White



Roll Length	Width	Cat. No.	Price
244 m (800')	20.3 cm (8")	89004-434	Cs. 12/ 196.66



## SCOTT® Single-Fold Towels, KIMBERLY-CLARK PROFESSIONAL®

For areas in business that require an economy line of washroom products, single-fold towels offer an economy folded towel.



W x L	Cat. No.	Price
26 x 23.6 cm (10 <sup>1</sup> / <sub>2</sub> x 9 <sup>5</sup> / <sub>16</sub> "	89041-448	Cs. 16/ 61.68

## Angle Brooms, Magnolia Brush

- Flagged crème colored plastic is secured in an angled plastic cap
- Angled sweeping surface enables you to sweep hard to reach corners and crevices



Bristle Material	Head Width	Handle Length	Trim Length	Weight	Width	Cat. No.	Price
Flagged Plastic	9 in	48 in	6 3/4 in	1.68 lb	12 in	300009-073	Ea./ 10.71
Flagged Plastic	9 in		6 3/4 in	1.30 lb	12 in	300081-310	Ea./ 7.66
Flagged Plastic	6 1/2 in	48 in	4 3/4 in	1.13 lb	9 in	300088-666	Ea./ 101.32



# Janitorial Supplies

## Wooden Handles, Weiler®

- For use with Street Brooms



Diameter	Length	Cat. No.	Price
15/16 in	60 in	300010-227	Ea./ 9.34
1 1/8 in	60 in	300010-228	Ea./ 7.92
1 1/8 in	60 in	300010-229	Ea./ 14.77
15/16 in	60 in	300010-257	Ea./ 11.91
15/16 in	60 in	300010-258	Ea./ 11.41
15/16 in	60 in	300043-544	Pk. 12/ 51.69
7/8 in	48 in	300086-516	Pk. 12/ 97.96
15/16 in	72 in	300091-964	Pk. 12/ 95.58

## Contractor Brooms, Weiler®

- For general purpose sweeping on semi-smooth surfaces



Bristle Material	Block Length	Style	Cat. No.	Price
Flagged Grey Polystyrene Border	24 in	Medium Sweeping	300085-668	Ea./ 29.37
Palmyra	24 in	Coarse Sweeping	300085-670	Ea./ 20.36
Stiff Blue Polypropylene	24 in	Coarse Sweeping	300085-672	Ea./ 24.28

## Economy Brooms, Mops & Brooms

- Corn/grass mix bristles



Bristle Material	Weight	Cat. No.	Price
Corn/Grass Mix	1 lb	300006-719	Pk. 6/ 44.73

## Counter Dusters, Weiler®

- For mill, factory and general use



Bristle Material	Brush Length	Handle Material	Trim Length	Weight	Cat. No.	Price
Black Tampico	8 in	Wood	2 1/2 in	0.69 lb	300001-150	Ea./ 8.15
Black Synthetic	8 in	Wood	2 1/2 in	0.60 lb	300010-207	Cs. 12/ 79.22
Black Horsehair	8 in	Wood	2 1/8 in	0.67 lb	300010-223	Ea./ 13.58
Tri-Colored Tampico	8 in	Wood	2 1/2 in	0.67 lb	300010-224	Ea./ 8.01
Orange Synthetic	9 in	Foam	2 in	0.47 lb	300045-396	Ea./ 8.84
Black Horsehair	9 in	Wood	2 1/4 in		300086-456	Pk. 12/ 185.44
Flagged Silver Polystyrene	8 in	Wood	2 1/2 in		300086-458	Pk. 12/ 90.40

## Wet Mop Handles, Mops & Brooms

Diameter	Length	Use With	Type	Weight	Cat. No.	Price
7/8 in	48 in	Small Saddle Mops	Spring & Lever	1 lb	300059-170	Pk. 12/ 91.62
1 1/8 in	54 in	Saddle Mops	Wingnut	2.38 lb	300059-172	Pk. 6/ 73.20
1 1/8 in	54 in	Small Saddle Mops	Spring & Lever	1 3/4 lb	300059-302	Pk. 6/ 45.81



## Janitor Cart/Cleaning Trolley, Rubbermaid Commercial

- Smooth, easy-to-clean surface
- Zippered bag for easy trash removal
- Non-marking 8" (20.3 cm) wheels and 4" (10.2 cm) casters
- Optional locking compartment to keep cleaning chemicals out of reach



Color	Length	Height	Weight	Width	Cat. No.	Price
Black	46 in	38 3/8 in	49.59 lb	21 3/4 in	300005-915	Ea./ 318.77

## Swinger Loop® Wet Mops, Rubbermaid Commercial

- Launderable for long product life



Color	Headband Size	Ply	Weight	Cat. No.	Price
White	5 in	4	1.37 lb	300009-779	Cs. 6/ 128.54

## Steel Sponge Mops, Rubbermaid Commercial

- Cellulose head



Color	Length	Weight	Cat. No.	Price
Bronze	12 in	2.21 lb	300009-778	Ea./ 47.56

## Dust Pans, Weiler®



Description	300086-494	300086-496	
Material	Molded Plastic	20 Gauge Steel	
Depth	Width	Cat. No.	Price
12 in	12 1/4 in	300086-494	Pk. 12/ 88.87
13 1/2 in	12 in	300086-496	Pk. 12/ 129.29

## Deck Mops, Mops & Brooms

- Mounted mops with handles



Handle Material	Handle Length	Mop Size	Type	Weight	Cat. No.	Price
Wood	54 in	24 oz.	Mounted Mop	1 1/2 lb	300006-711	Pk. 6/ 56.25
Metal	54 in	32 oz.	Mounted Mop	3.38 lb	300006-713	Pk. 6/ 66.32
Metal	48 in	12 oz.	Mounted Mop	3/4 lb	300059-174	Pk. 6/ 65.02
Metal	48 in	16 oz.	Mounted Mop	1 lb	300059-180	Pk. 6/ 35.56
Metal	54 in	20 oz.	Mounted Mop	1 1/4 lb	300059-206	Pk. 6/ 53.57



## WaveBrake® Bucket/Wringer Combination Packs, Rubbermaid Commercial

- The WaveBrake® technology reduces splashing, for a safer environment
- Predominantly plastic, non-marking casters reduces touch-up cleaning
- Smooth, easy to clean surfaces



Color	Capacity (Volume)	Length	Height	Weight	Width	Cat. No.	Price
Yellow	35 qt	20.100 in	17.400 in	20.80 lb	15.700 in	300001-182	Ea./ 153.56

## Industrial Dust Mop Heads, Magnolia Brush

- 4 ply yarn is evenly sewn on sanforized duck
- Dust mops provide outstanding performance



Length	Weight	Width	Cat. No.	Price
24 in	1.42 lb	5 in	300009-078	Ea./ 8.15
36 in	2.17 lb	5 in	300009-080	Ea./ 11.90
48 in	1.63 lb	5 in	300009-082	Ea./ 15.60

## Brute® Utility Bucket, Rubbermaid®

- Flexible, crack-resistant
- Molded graduations for accurate measurement
- Thick rims for stacking and easy separation
- Sturdy resin construction resists denting and chipping
- Rust-resistant zinc-plated bail attaches externally



Capacity	Dimensions	Cat. No.	Price
9.5 L (2.5 gal.)	26.7Dia. x 26H cm (10 1/2 x 10 1/4")	17305-013	Ea./ 26.96 Cs. 12/ 255.18
13.2 L (3.5 gal.)	30.5Dia. x 28.6H cm (12 x 11 1/4")	89073-184	Ea./ 40.54

## Wet/Dry Vacuums, DeWalt®

- Runs off of battery packs or electricity
- High efficiency filter traps 99.7% of drywall dust
- Wet/Dry filter eliminates changeovers
- Washable filter- tap or water rinse to clean
- Drain port on tank for easy emptying of liquids
- On-board hose, cord and accessory storage provides convenient transport and storage
- Battery and charger sold separately



Capacity (Volume)	Hose Length	Hose Diameter	Weight	Voltage	Cat. No.	Price
2 gal	5.0 ft	1 1/4 in	7.20 lb	120.00 VAC, 12.00 VDC [Min], 18.00 VDC [Max]	300006-773	Ea./ 190.46
1/2 gal	2.5 ft	1 1/4 in	6 lb	18.00 VDC	300060-430	Ea./ 259.49
1/2 gal	2.5 ft	1 1/4 in	3.60 lb	18.00 VDC	300076-716	Ea./ 172.54

## Back Pack Vacuums, Shop-Vac

- Commercial quality back pack vacuum, tackles large areas with minimal effort
- Includes two aluminum extension wands, crush-resistant hose, nozzle, adapters, crevice tool, dual surface selector nozzle, and round brush



Depth	Air Consumption	Amps	Height	Power Capacity	Tank Material	Weight	Width	Voltage	Cat. No.	Price
13 1/4 in	95 CFM [Max]	7.50 A	12 3/8 in	2 hp	Poly	20 lb	25 1/2 in	120.00 V	300041-022	Ea./ 752.14

## Industrial Wet/Dry Vacuums, Shop-Vac

- Lock On® positive connection hose system
- Anti-tip design
- Convenient tank drain for easy emptying
- Easy-roll casters
- High-quality cartridge filter for wet or dry pick-up



Capacity (Volume)	Air Consumption	Amps	Power Capacity	Tank Material	Voltage	Cat. No.	Price
38 L (10 gal.)	130 cfm max.	7.25A	4 hp	Poly	120V	300001-119	Ea./ 752.14
60.5 L (16 gal.)	170 cfm max.	—	6 1/4 hp	Poly	120V	300001-124	Ea./ 226.13
68.1 L (18 gal.)	—	—	6 1/2 hp	Poly	120V	300053-194	Ea./ 259.82
45.4 L (12 gal.)	165 cfm max.	—	5 hp	Poly	120V	300084-990	Ea./ 221.02
56.7 L (15 gal.)	185 cfm max.	9.7A	6 1/2 hp	Stainless Steel	120V	300084-996	Ea./ 526.47

## Snap-On Dust Mop Handles, Magnolia Brush

- Snap-on handle for No. 51 Series Industrial Dust mop
- Plated metal connector, 360 degree action



Finish	Diameter	Length	Weight	Cat. No.	Price
Clear Lacquered	1 in	54 in	1 3/4 lb	300009-097	Ea./ 11.51

## Industrial Strength Filters, Shop-Vac

- Fits most wet/dry vacuums



Type	Weight	Cat. No.	Price
Cartridge Filter	0.6 kg (1.3 lbs.)	300001-155	Ea./ 17.43
Foam Sleeve	0.02 kg (0.05 lbs.)	300009-883	Ea./ 6.90

## High Efficiency Disposable Filter Bags, Shop-Vac


- Improve vacuum efficiency
- Disposable bags allow for fast, convenient removal of debris from tank
- Inner liner improves filtration, durability, and capacity of bag
- 2-ply construction
- Suitable for dry pick-up



Use With	Weight	Cat. No.	Price
38—53 L (10—14 gal.) Vacuums	0.36 kg (0.8 lbs.)	300001-158	Pk. 2/ 19.19

## Brute® Round Containers, Rubbermaid®

- For large storage and handling needs
- Reinforced rims for added strength and durability
- Double-ribbed bases for increased stability and drag/roll capability
- All plastic construction withstands bumps and kicks and will not rust, chip, or peel
- Built-in handles allow easy, nonslip lifting, nesting, and storage
- Optional strong, snap-on lids control odors and allow secure stacking



Capacity	Dimensions	Color	Cat. No.	Price
37.9 L (10 gal.)	39.7 dia. x 43.5H cm (15 <sup>7</sup> / <sub>8</sub> x 17 <sup>1</sup> / <sub>8</sub> "	White	89073-750	Ea./ 46.12
75.7 L (20 gal.)	49.5 dia. x 58.1H cm (19 <sup>1</sup> / <sub>2</sub> x 22 <sup>7</sup> / <sub>8</sub> "	Gray	66103-241	Ea./ 71.61 Cs. 6/ 412.84
121.1 L (32 gal.)	55.9 dia. x 69.2H cm (22 x 27 <sup>1</sup> / <sub>4</sub> "	Gray	66103-300	Ea./ 91.89 Cs. 6/ 434.00
121.1 L (32 gal.)	55.9 dia. x 69.2H cm (22 x 27 <sup>1</sup> / <sub>4</sub> "	Yellow	89073-760	Ea./ 91.89
166.5 L (44 gal.)	61 dia. x 80H cm (24 x 31 <sup>1</sup> / <sub>2</sub> "	Gray	66103-365	Ea./ 137.41 Cs. 4/ 432.63
208.2 L (55 gal.)	67.3 dia. x 83.8H cm (26 <sup>1</sup> / <sub>2</sub> x 33"	Gray	89073-316	Ea./ 217.83

### Accessories

Description	Cat. No.	Price
Dolly, fits 75.7 L (20 gal.) and Larger Containers	66103-423	Ea./ 144.01 Cs. 2/ 226.71
Quiet Dolly, fits 75.7 L (20 gal.) and Larger Containers	89073-312	Ea./ 182.56
Universal Drum Dolly	66103-427	Ea./ 268.56
Lid for Container 89073-750	89073-748	Ea./ 17.94
Lid for Container 66103-300	89073-764	Ea./ 29.19
Lid for Container 89073-760	89073-762	Ea./ 29.81
Lid for Container 89073-316	89073-314	Ea./ 73.04

## Slim Jim® Containers, Rubbermaid®

- Durable, all-plastic construction
- Rounded edges are easy to clean
- Fit into narrow spaces
- Interchangeable, color-coded tops
- Top with slot for paper or top with round hole for bottles, jars, and cans




Capacity	L x W x D	Color	Cat. No.	Price
87 L (23 gal.)	58.7 x 28 x 76.2 cm (23 <sup>1</sup> / <sub>8</sub> x 11 x 30")	Gray	66103-664	Ea./ 134.09 Cs. 4/ 420.85
87 L (23 gal.)	50.8 x 27.9 x 76.2 cm (20 x 11 x 30")	Black	89073-696	Ea./ 130.44
87 L (23 gal.)	50.8 x 27.9 x 76.2 cm (20 x 11 x 30")	Beige	89073-746	Ea./ 130.44
87 L (23 gal.)	50.8 x 27.9 x 76.2 cm (20 x 11 x 30")	Brown	89073-794	Ea./ 130.44
60.6 L (16 gal.)	58.7 x 27.9 x 63.2 cm (23 <sup>1</sup> / <sub>8</sub> x 11 x 24 <sup>7</sup> / <sub>8</sub> "	Beige	89073-802	Ea./ 101.37



## Step-On Containers, Rubbermaid®


- Hands-free applications and sanitary refuse disposal
- Easy-to-clean
- Quiet operation
- Resist chipping, rusting, and denting
- Tight-fitting, overlapping lid contains odors



Capacity	Dimensions	Color	Style	Cat. No.	Price
30.3 L (8 gal.)	41.3W x 40D x 43.5H cm (16 <sup>1</sup> / <sub>4</sub> x 15 <sup>3</sup> / <sub>4</sub> x 17 <sup>1</sup> / <sub>8</sub> "	Red	Rectangular	19757-292	Ea./ 270.97
45.4 L (12 gal.)	41.3W x 40D x 60H cm (16 <sup>1</sup> / <sub>4</sub> x 15 <sup>3</sup> / <sub>4</sub> x 23 <sup>5</sup> / <sub>8</sub> "	Red	Rectangular	19757-288	Ea./ 316.48
45.4 L (12 gal.)	41.3W x 40D x 60H cm (16 <sup>1</sup> / <sub>4</sub> x 15 <sup>3</sup> / <sub>4</sub> x 23 <sup>5</sup> / <sub>8</sub> "	White	Rectangular	19757-286	Ea./ 308.85
68.1 L (18 gal.)	50.2W x 41D x 67.3H cm (19 <sup>3</sup> / <sub>4</sub> x 16 <sup>1</sup> / <sub>8</sub> x 26 <sup>1</sup> / <sub>2</sub> "	Beige	Rectangular	66101-360	Ea./ 359.96
68.1 L (18 gal.)	50.2W x 41D x 67.3H cm (19 <sup>3</sup> / <sub>4</sub> x 16 <sup>1</sup> / <sub>8</sub> x 26 <sup>1</sup> / <sub>2</sub> "	Red	Rectangular	66101-365	Ea./ 380.30
87 L (23 gal.)	50.2W x 41D x 82.6H cm (19 <sup>3</sup> / <sub>4</sub> x 16 <sup>1</sup> / <sub>8</sub> x 32 <sup>1</sup> / <sub>2</sub> "	Red	Rectangular with Wheels	19757-282	Ea./ 515.11
87 L (23 gal.)	50.2W x 41D x 82.6H cm (19 <sup>3</sup> / <sub>4</sub> x 16 <sup>1</sup> / <sub>8</sub> x 32 <sup>1</sup> / <sub>2</sub> "	White	Rectangular with Wheels	66101-361	Ea./ 502.67

## Untouchable® Containers, Rubbermaid®


- For hygienic, hands-free disposal
- Durable, crack-resistant
- Lids include retainer hardware to conceal liners
- Lids with center-drop, counter-weighted doors swing freely to allow hands free operation but automatically close to conceal contents and odors



Shape	Capacity	Dimensions	Color	Cat. No.	Price
Half-Round	79.5 L (21 gal.)	53.3L x 27.9W x 71.1H cm (21 x 11 x 28")	Gray	66101-375	Ea./ 216.93 Cs. 4/ 680.86
Round	41.6 L (11 gal.)	40 dia. x 47.6H cm (15 <sup>3</sup> / <sub>4</sub> x 18 <sup>3</sup> / <sub>4</sub> "	Gray	89073-704	Ea./ 49.79
Round	83 L (22 gal.)	40 dia. x 76.5H cm (15 <sup>3</sup> / <sub>4</sub> x 30 <sup>1</sup> / <sub>8</sub> "	Gray	66103-666	Ea./ 157.61
Square	189.3 L (50 gal.)	49.5L sq. x 87H cm (19 <sup>1</sup> / <sub>2</sub> x 34 <sup>1</sup> / <sub>4</sub> "	Beige	66100-115	Ea./ 398.26 Cs. 4/ 1253.95

## Storage Containers, Polyethylene, Rubbermaid®

- White polyethylene containers resist most chemicals, alkalis, stains, and cracks
- Can be nested or cross-stacked
- Durable at sub-zero and dishwasher temperatures
- Notation made with grease pencil easily removed
- Comply with FDA regulations



Description	Capacity	L x W x D	Cat. No.	Price
Container	7.6 L (2 gal.)	45.7 x 30.5 x 8.9 cm (18 x 12 x 3 <sup>1</sup> / <sub>2</sub> ")	62660-305	Ea./ 33.53
Container	7.6 L (2 gal.)	45.7x30.5x 15.2cm (18 x 12 x 6")	62660-348	Ea./ 39.51 Cs. 6/ 197.77
Container	32.2 L (8.5 gal.)	66 x 45.7 x 15.2 cm (26 x 18 x 6")	62660-508	Ea./ 73.68 Cs. 6/ 369.85
Container	47.3 L (12.5 gal.)	66 x 45.7 x 22.9 cm (26 x 18 x 9")	62660-541	Ea./ 91.02 Cs. 6/ 455.58
Container	81.4 L (21.5 gal.)	66 x 45.7 x 38.1 cm (26 x 18 x 15")	62660-585	Ea./ 134.89 Cs. 6/ 777.57
Lid for Containers	2 gal.	—	62660-429	Ea./ 23.12
Lid for Containers	8.5 gal.	—	62660-620	Ea./ 39.51

## Smoker's Cease Fire Cigarette Butt Receptacle, Justrite®

- Flame-retardant, sturdy polyethylene receptacle with liner pail
- Will not rust, dent, or crack
- Rain bonnet opening keeps rain out
- Lid lifts off to empty steel pail inside
- Tie-down notches for security and stability



Dimensions	Cat. No.	Price
41.9dia. x 97.8H cm	56610-466	Ea./ 72.43

## Heavy-Duty Step Stools, Rubbermaid®

- Glides on retractable rubber casters
- Nonskid bottom floor ring



Dimensions	40.6dia. x 34.3H cm (16 x 13 <sup>1</sup> / <sub>2</sub> ")
Load Capacity	158.8 kg (350 lbs.)
Shipping Weight	2.7 kg (5.9 lbs.)

Color	Cat. No.	Price
Beige	59075-077	Ea./ 207.10
Black	59075-079	Ea./ 207.10

## Ordering Products is Easy Through vwr.com

Our website gives you maximum control over the ordering process. With customizable options, you can simplify procurement by matching the process to your own business practices. To learn more, visit [vwr.com](http://vwr.com).



# Lubricants

## WD-40® Smart Straw Lubricants, WD-40

- The WD-40 can with a built in straw
- Never lose the straw again, it's permanently attached
- Smart new design allows for one handed operation: Simply flip it up for a precision stream, and down for regular spray action
- Smart Straw is a more convenient way to protect, clean, and lubricate thousands of items



Capacity (Weight)	Weight	Packing Type	Cat. No.	Price
8 oz		Aerosol Can	300010-109	Cs. 12/ 86.29
11 oz	1.03 lb	Aerosol Can	300010-110	Cs. 12/ 109.96
12 oz		Aerosol Can	300051-238	Cs. 12/ 115.69

## 3-IN-ONE® Multi-Purpose Oils, WD-40

- It lubricates, cleans and prevents rust
- Precise lubrication



Application	Capacity (Weight)	Flash Point	Weight	Packing Type	Specific Gravity	Cat. No.	Price
Multi-Purpose	3 oz	305.00 °F [Min]	0.29 lb	Can	0.8860 [Min], 0.9230 [Max]	300050-720	Cs. 24/ 78.40
Multi-Purpose	8 oz	305.00 °F [Min]	0.67 lb	Can	0.8860 [Min], 0.9230 [Max]	300050-722	Cs. 12/ 65.87

## Liquid Transfer Tanks, Delta®

- Heavy-duty reinforced steel construction
- Full center baffles
- NPT-reinforced bungs and tie-down bars provide stability
- Lockable caps and coupler for outside venting



Capacity (Volume)	Depth	Height	Length	Shape	Weight	Cat. No.	Price
46.7 kg (103 gal.)	78.7 cm (31")	22.9 cm min. (9"), 63.5 cm max. (25")	151.4 cm (59 <sup>5</sup> / <sub>8</sub> "	L-Shaped	90.7 kg (200 lbs.)	300000-196	Ea./ 791.28
45.4 kg (100 gal.)	59 cm (23 <sup>1</sup> / <sub>4</sub> "	61 cm (24")	114.9 cm (45 <sup>1</sup> / <sub>4</sub> "	Rectangle	65.5 kg (144.5 lbs.)	300007-370	Ea./ 635.32

## Utility/Service Cart, Rubbermaid®



- For general supply and light lab work
- Open ends allow long objects to transported or stored
- Rubbermaid construction resists fading, rust, dents, and chips
- Cart moves easily on non-marking swivel casters
- Ergonomic handles
- Brushed aluminum uprights

Load Capacity	91 kg (200 lbs.) or 30.4 kg (67 lbs.) per shelf (maximum)
Shipping Weight	13.6 kg (30 lbs.)

W x L x H	Cat. No.	Price
47.3 x 85.4 x 95.9 cm (18 <sup>5</sup> / <sub>8</sub> x 33 <sup>5</sup> / <sub>8</sub> x 37 <sup>3</sup> / <sub>4</sub> "	14217-828	Ea./ 594.80

## Utility Cart, Rubbermaid®



- Ergonomic handles
- Lockable doors
- Sliding drawer
- Swivel casters
- All-plastic construction with side panels to conceal contents

W x L x H	Cat. No.	Price
47.3 x 85.4 x 95.9 cm (18 <sup>5</sup> / <sub>8</sub> x 33 <sup>5</sup> / <sub>8</sub> x 37 <sup>3</sup> / <sub>4</sub> "	19758-487	Ea./ 917.92

## Heavy-Duty Utility Carts, Rubbermaid®

- Ideal for cleanroom use
- Provide long, rugged wear with no maintenance
- Easy-to-clean seamless construction with no sharp edges
- Leakproof top, integral molded handle, and quiet, non-marking casters




Description	Load Capacity	W x L x H	Shipping Weight	Cat. No.	Price
Two-Shelf Cart	227 kg (500 lbs.)	45.7 x 99.1 x 83.8 cm (18 x 39 x 33")	14.1 kg (31 lbs.)	66005-908	Ea./ 492.43
Two-Shelf Cart	227 kg (500 lbs.)	66 x 114.3 x 83.8 cm (26 x 45 x 33")	20.3 kg (44.7 lbs.)	66005-920	Ea./ 589.35

## Xtra™ Utility Carts, Rubbermaid®

- Three large, easy-to-clean shelves to transport large loads
- High-density polyethylene construction with aluminum uprights
- Swivel, non-marking casters
- Cabinets have lockable polyethylene doors with molded handles

Description	Color	Shipping Weight	Cat. No.	Price
With Sliding Drawer and Cabinet	Gray	23.6 kg (52 lbs.)	59075-216	Ea./ 1083.31



## Flat-Shelf Utility Cart, Rubbermaid®

- For transporting oversized bulky items
- Sturdy, structural foam construction
- Won't rust, dent, chip or peel
- Non-marking casters

W x L x H	Cat. No.	Price
48.7 x 96.2 x 84.6 cm (19 <sup>3</sup> / <sub>16</sub> x 37 <sup>7</sup> / <sub>8</sub> x 33 <sup>5</sup> / <sub>16</sub> "	19758-624	Ea./ 527.90



## Drum Cradles, Milwaukee Hand Trucks

- Steel drum cradle with blended poly wheels

Height	Load Capacity	Width	Wheel Diameter	Wheel Width	Weight	Cat. No.	Price
52 cm (20 <sup>1</sup> / <sub>2</sub> "	362.9 kg (800 lbs.)	58.4 cm (23")	10.2 cm (4")	2.5 cm (1")	18.1 kg (40 lbs.)	300007-779	Ea./ 105.54



## D-Handle Hand Trucks, Milwaukee Hand Trucks

- Steel hand truck with D-handle and pneumatic tires

Height	Platform Width	Platform Length	Width	Wheel Diameter	Wheel Width	Weight	Cat. No.	Price
127 cm (50")	19.1 cm (7 <sup>1</sup> / <sub>2</sub> "	35.6 cm (14")	48.3 cm (19")	25.4 cm (10")	10.2 cm (4")	15.4 kg (34 lbs.)	300007-776	Ea./ 61.25



## FE3200 Series Fiberglass Channel Extension Ladders, Louisville Ladder®

- Extra heavy duty, fiberglass channel extension ladder for lighter industrial use
- D-rung steps, full channel nonconductive side rails, swivel safety shoes, outside slide guides, mar-resistant rail end caps, and QuickLatch™

Base Section Width	Capacity (Weight)	Extended Length	Fly Section Width	No. of Sections	Safety Class	Overall Length	Step Depth	Weight	Cat. No.	Price
44.9 cm (17 <sup>11</sup> / <sub>16</sub> "	136.1 kg (300 lbs.)	2.7 m (29')	42.4 cm (16 <sup>11</sup> / <sub>16</sub> "	2	IA	4.9–9.8 m (16–32')	8.4 cm (3 <sup>3</sup> / <sub>16</sub> "	30.8 kg (68 lbs.)	300000-209	Ea./ 552.09
43.3 cm (17 <sup>7</sup> / <sub>16</sub> "	136.1 kg (300 lbs.)	3.9 m (13')	40.8 cm (16 <sup>1</sup> / <sub>16</sub> "	2	IA	2.4–4.9 m (8–16')	8.3 cm (3 <sup>1</sup> / <sub>4</sub> "	15.9 kg (35 lbs.)	300008-930	Ea./ 290.51
44.9 cm (17 <sup>11</sup> / <sub>16</sub> "	113.4 kg (250 lbs.)	9.8 m (32')	42.4 cm (16 <sup>11</sup> / <sub>16</sub> "	2	I	6.1–12.2 m (20–40')	8.4 cm (3 <sup>3</sup> / <sub>16</sub> "	39 kg (86 lbs.)	300008-932	Ea./ 705.83



## FS1500 Series Fiberglass Step Ladders, Louisville Ladder®

- Extra heavy duty, nonconductive fiberglass ladder for everyday use by contractors and industry
- Molded top with tool slots, wide back braces, full channel fiberglass rail, double-rivet flat step construction, inside spreader braces, reinforced bottom back brace, and Da Boot™

Capacity (Weight)	Safety Class	Overall Length	Spread	Step Depth	Width	Weight	Cat. No.	Price
136 kg (300 lbs.)	IA	1.8 m (6')	101.6 cm (40")	7.6 cm (3")	55.6 cm (21 <sup>7</sup> / <sub>8</sub> "	9.1 kg (20 lbs.)	300008-934	Ea./ 118.46
136 kg (300 lbs.)	IA	2.4 m (8')	132.1 cm (52")	7.6 cm (3")	63.2 cm (24 <sup>7</sup> / <sub>8</sub> "	12.2 kg (27 lbs.)	300008-935	Ea./ 167.00
136 kg (300 lbs.)	IA	3.7 m (12')	198.1 cm (78")	7.6 cm (3")	78.4 cm (30 <sup>7</sup> / <sub>8</sub> "	21.3 kg (47 lbs.)	300008-937	Ea./ 330.15





# Regulators (Gas)

## VWR® Multistage Gas Regulators with Neoprene Diaphragms

- Solderless construction for easy maintenance
- Solid forged brass body contains two regulators
- First stage reduces full cylinder pressure to 90%
- Sintered inlet filter removes particulates, tank scale and rust from gas stream



Gas	Delivery Pressure Gauge	Delivery Range	Flow Capacity Standard	Inlet CGA	Supply Pressure Gauge	Cat. No.	Price
Argon, Nitrogen, Helium	60 psig	0–50 psi	1500 CFH	580	4000 psig	55850-474	Ea./ 361.22
Argon, Nitrogen, Helium	200 psig	0–125 psi	3200 CFH	580	4000 psig	55850-476	Ea./ 361.22
Argon, Nitrogen, Helium	400 psig	0–250 psi	4400 CFH	580	4000 psig	55850-478	Ea./ 361.22
Carbon Dioxide	60 psig	0–50 psi	1800 CFH	320	4000 psig	55850-480	Ea./ 361.22

## VWR® Multistage Gas Regulators with Stainless Steel Diaphragms

- Solderless construction for easy maintenance
- Solid Forged brass body contains two regulators
- First stage reduces full cylinder pressure to 90%
- Sintered inlet filter removes particulates, tank scale, and rust from gas stream
- Stainless steel diaphragms



Gas	Delivery Pressure Gauge	Delivery Range	Flow Capacity Standard	Inlet CGA	Supply Pressure Gauge	Cat. No.	Price
Argon, Nitrogen, Helium	30 psig	1–15 psi	255 CFH/305 CFH/1350 CFH	580	4000 psig	55850-420	Ea./ 423.16
Argon, Nitrogen, Helium	60 psig	1–50 psi	765 CFH/915 CFH/2430 CFH	580	4000 psig	55850-422	Ea./ 423.16
Argon, Nitrogen, Helium	200 psig	1–125 psi	1445 CFH/1730 CFH/4590 CFH	580	4000 psig	55850-424	Ea./ 423.16
Argon, Nitrogen, Helium	400 psig	1–250 psi	1955 CFH/2339 CFH/6210 CFH	580	4000 psig	55850-426	Ea./ 423.16
Carbon Dioxide	30 psig	1–15 psi	240 CFH	320	4000 psig	55850-412	Ea./ 423.16
Carbon Dioxide	200 psig	0–125 psi	1377 CFH	320	4000 psig	55850-416	Ea./ 423.16

## VWR® Gas Pressure Regulators

- For gas chromatography
- Delivers constant pressure
- Stainless steel diaphragm
- PTFE-encapsulated seat assemblies



Gas	Inlet CGA	Pressure Range	Cat. No.	Price
Argon, Nitrogen, Helium	580	1–125 psi	55850-700	Ea./ 520.60

## VWR® High-Purity Two-Stage Gas Regulators, Brass

- Suitable for high-purity applications
- Two-stage design for constant outlet pressure
- Stainless steel diaphragm prevents contaminations
- One-piece PTFE encapsulated seat design with sintered filter



Gas	Delivery Pressure Gauge	Flow Capacity Standard	Cat. No.	Price
Argon, Nitrogen, Helium	1–50 psig	1020 CFH/1220 CFH/3200	55850-622	Ea./ 694.95
Argon, Nitrogen, Helium	1–125 psig	1020 CFH/1220 CFH/3200	55850-624	Ea./ 694.95
Carbon Dioxide	1–50 psig	970 CFH	55850-626	Ea./ 694.95

## Nitrogen Purging Regulators, Goss®

- All brass regulator used for purging and blowing off coils in an HVAC system



Inlet Connection	Outlet Pressure	Outlet Type	Thread - TPI or Pitch	Cat. No.	Price
CGA 580	0.0 psi [Min], 450.0 psi [Max]	Right Hand Thread	.960 in - 14	300008-104	Ea./ 151.09

## VWR® Heavy-Duty Single-Stage Gas Regulators

- Brass body
- Easy-to-read gauges
- Large diaphragm ensures constant delivery pressure
- Neoprene seat
- Sintered metal inlet filter eliminates particulates



Gas	Delivery Pressure Gauge	Delivery Range	Inlet CGA	Supply Pressure Gauge	Cat. No.	Price
Carbon Dioxide	60 psig	0–50 psi	320	4000 psig	55850-215	Ea./ 233.93
Nitrogen	600 psig	0–500 psi	580	4000 psig	55850-277	Ea./ 403.72

### VWR® Original Labtool

- A Tool Chest in Your Pocket
- Stainless steel tool measures 10.2cm (4") long when closed
- 12 tools in one: large/small slot screwdrivers, large/small Phillips screwdrivers, knife blade, ruler, scraper, needlenose pliers, grippers, and wire cutters



Description	Cat. No.	Price
Original Labtool	61161-376	Ea./ 122.84

### Wave® Multi-Tools, Leatherman

- Includes regular and needle pliers, wire cutters, clip-point knife, scissors, two files, two bit drivers, two double-ended bits, large screwdriver, 8" ruler, bottle/can opener, wire stripper and lanyard ring
- All-locking, stainless steel blades and new jaw design



Includes	Cat. No.	Price
Leather Sheath	300000-544	Ea./ 116.07
Nylon Sheath	300000-545	Ea./ 114.98

### 6 Pc. Jewelers Screwdriver Sets, Stanley®

- Swivel head handles
- Hardened and tempered blades
- Plated shafts are fluted for better grip
- Corrosion resistant



Includes	Length Group	Measuring System	Weight	Cat. No.	Price
Plastic Case	Short	Metric	0.33 lb	300004-080	Pk. 1/ 9.28

### 6-Way Screwdrivers, Stanley®

- Interchangeable bars maximize versatility
- Convenient and space saving design reduces the number of tools users need to carry
- Chrome-plated bar resists corrosion
- Slip-resistant rubber grip provides comfort

Includes	Overall Length	Weight	Cat. No.	Price
#1 & #2 Phillips® Tips, 3/16" & 1/4" Slotted Tips, 1/4" & 5/16" Nutdrivers	7 3/4 in	0.45 lb	300005-278	Ea./ 6.97


### High Visibility Mini Blade Scrapers, Stanley®

- Lightweight and economical plastic razor blade scraper
- Blade reverses for safe storage
- Uses standard single edge razor blade
- Great for scraping in hard-to-reach places

Blade Material	Blade Width	Handle Length	Weight	Cat. No.	Price
High Carbon Steel	1 1/2 in	1 13/16 in	0.04 lb	300003-952	Pk. 12/ 16.45

### 9-in-1 Multi-Tools, Irwin®

- Ergonomic ProTouch™ grip provides maximum torque and comfort
- Slip resistant grip
- Internal storage keeps bits and nut setters locked in place and close at hand



Includes	Cat. No.	Price
(9) Bits and Nut Setters	300005-416	Ea./ 16.00

**IRWIN**  
Industrial Tools

### Hi-Vis Retractable Utility Knives, Irwin®

- Optimized cutting angle for reduced fatigue
- Smooth, three-position slide exposes variable blade lengths
- Screw permanently captured in casing to prevent loss
- Inside storage for 5 blades

**IRWIN**  
Industrial Tools



Color	Includes	Weight	Cat. No.	Price
Orange	(3) Irwin Blue Blades	0.37 lb	300004-552	Ea./ 7.28

### Swivel-Lock® Retractable Utility Knives, Stanley®

- Handle swivels open for quick, easy blade changes; no need for a screwdriver
- Interlocking nose secures knife halves together to prevent spreading
- Large, comfortable handle design allows for extended use

**STANLEY**



Handle Length	Handle Type	Includes	Weight	Cat. No.	Price
7 in	Straight	(3) 11-921 Steel Blades	0.29 lb	300003-884	Ea./ 12.56

### Quick Change Retractable Utility Knives, Stanley®

- Change blades quickly without a screwdriver
- Three position retractable blade slide
- Swing-out blade storage magazine
- String cutting feature - blade does not have to be exposed

**STANLEY**



Handle Length	Includes	Weight	Cat. No.	Price
6 in	(3) 11-921 Steel Blades	0.45 lb	300003-876	Ea./ 10.84

**STANLEY**



**STANLEY**





Prices and product details are current when published; subject to change without notice. Certain products may be limited by federal, state, provincial, or local regulations. VWR makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC. All prices are in US dollars unless otherwise noted. Offers valid in US and Canada, void where prohibited by law or company policy, while supplies last. VWR, the VWR logo and variations on the foregoing are registered (®) or unregistered trademarks and service marks of VWR International, LLC and its related companies. All other marks referenced are registered by their respective owners. Visit vwr.com to view our privacy policy, trademark owners and additional disclosures. ©2015 VWR International, LLC. All rights reserved.

ATTN:  
MAILROOM:  
If addressee is no longer with the organization, please deliver to laboratory products buyer.  
Thank you.



## FREE Lab Safety Supplies from the VWR Collection

Buy five cases of any VWR® Examination Gloves and get one FREE pack of VWR® Protective Eyewear with Wraparound Lens (Cat. No. **89187-986**).

Or, buy three cases of any VWR® Protective Eyewear and get one FREE pack of VWR® Lens Cleaning Wipes (Cat. No. **89203-550**).

Act Now! Offer Expires 12/31/15

For a list of all qualifying VWR Examination Gloves and VWR Protective Eyewear, go to [us.vwr.com/promotions](http://us.vwr.com/promotions) and enter Promo Code 4089 in the "Find" box. To order, go to [vwr.com](http://vwr.com), call 1.800.932.5000, or contact your VWR Sales Representative. Offer expires 12/31/15. To redeem your free product, have your proof of purchase (VWR Invoice or Packing Slip), visit [us.vwr.com/promotions](http://us.vwr.com/promotions), enter Promo Code 4089 in the "Find" box, and fill out the online redemption form by 1/31/16. Please allow 4-6 weeks for delivery of FREE product. Limited to one redemption per customer.



Promo Code 4089

