

Experiment: Record Electricity from Your Muscles!

You may have heard and seen spikes from invertebrates. But what about yourself? Your body uses electricity to communicate and control parts of the body. Though all cells have ionic gradients across their membranes, the most well known organ systems that use electricity are the brain, the muscles, and the heart.

Your neurons and muscle work together to allow your body to move quickly. We have previously recorded the neural impulses from [insects](#) and [worms](#), and now let's try to record electrical impulses from muscles in humans!

Time **30 Minutes**

Difficulty **Beginner**

What will you learn?

With this experiment, you can learn about muscle physiology through electromyograms (EMGs). You will have an understanding of neuron/muscle communication, and you will listen to the electrical impulses of muscles at rest and during contraction.

Prerequisite Labs

- None

Equipment


Muscle SpikerBox

Background

When your brain decides to move a muscle, neurons from your motor cortex (called "upper motor neurons") travel to your spinal cord, where they synapse with "lower motor neurons" (also called "alpha motor neurons"). These motor neurons then synapse with muscle to make a "motor unit." A motor unit is a single motor neuron and the multiple muscle fibers it innervates. A muscle fiber is a very special type of cell that can change its shape due to myosin/actin chains sliding across each other.


A single motor neuron can synapse with multiple muscle fibers. In general, a large, powerful muscle like your bicep has motor neurons that innervate 1000s of muscle fibers, whereas small muscles that require a lot of precision, such as your eyeball muscles, have motor neurons that only innervate ~10 muscle fibers.

UPPER MOTOR NEURONS RUN DOWN THE CORTICOSPINAL TRACT WHERE THEY SYNAPSE WITH LOWER MOTOR NEURONS IN THE SPINAL CORD



When a motor neuron fires an action potential, this causes a release of acetylcholine at the synapse between the neuron and the muscle (this synapse is also called the Neuromuscular Junction). This acetylcholine then causes changes in the electrical potential of the muscle. Once this electrical potential reaches a threshold, an actual action potential occurs in the muscle fiber! This action potential propagates across the membrane of the muscle, causing voltage gated calcium channels to open, which begins the cellular cascade that ultimately causes muscle contraction.

When you contract a muscle, this is the result of many muscle fibers firing action potentials and changing shape. We can record this our activity with our new Muscle SpikerBox.




Video

https://youtu.be/E2dALNLa8_g


Experiment

In this experiment, we are going to record the group activity of 1000's of muscle fibers within the bicep muscle.

1. Remove the sticky backing from your Large Muscle electrodes, and place these surface electrodes on two sides of your bicep.




2. Hook up the Muscle SpikerBox leads (the 2 red alligator clips) to the two surface electrodes on your bicep.



3. Place the reference electrode (Black) anywhere on the body. In the figure above we show it attached to a metal bracelet near the wrist. You can also use another EMG electrode placed anywhere on your body, or if you have any metal rings on your fingers, you can clip the reference electrode to your ring. Marriage has many advantages! You can also simply hold the reference electrode in your hand.

4. Turn on the Muscle SpikerBox and listen for changes in activity. Do you notice a difference when you flex your muscles?

5. Plug in your SmartPhone (with our free [Android](#) or [iPhone](#) apps installed) or computer (using our [Backyard Brains PC app](#) or [Audacity](#) program). Pick up something heavy. Do you see and hear a difference? The "Whoosh" is the sound of many action potentials occurring in your muscles as the muscles contract. You are listening to the conversation between your brain and muscle!



Science Fair Project Ideas

1. You are doing from through the skin, and from several muscle fibers simultaneously. How would the recordings differ if you were recording right next to one of those cells? Inside the cell? Would you see the same number and type of spikes? How would the amplitude change? Think on a way you could test or compare this with invertebrate muscles, possibly using the Neuron Spikerbox. (Hint: you may want to review the electrophysiology section to refresh yourself on the differences between the two types of recordings.)
2. What causes the spikes that you saw? Specifically, what is occurring when the spike is positive? What is occurring when the spike is negative? Keep in mind you are doing extracellular recordings, and of several fibers, which record many in an area and the change in voltage in the area outside the cell membrane.
3. What does muscle fatigue look like, how could you measure it, and what's causing this? Do different people have different rates of fatigue? Different muscles? Is there anything you could eat or drink that you think would affect this?
4. Do you think you could record the activity of sensory neurons with this setup? The impulses are sent from where you sense something up to the brain-try touching the hand that's setup, see what happens!

Notes

If you have our original Muscle SpikerBox with 3 separate leads (not a single orange cable), the colors of the alligator clips are different. The Red and Black clips should go around the muscle of interest, while the white is used as the ground electrode.