

Certificate of Analysis

Blue/Orange 6X Loading Dye:

Part No.	Size	Cat.#
G190A	1ml	G1881

Description: Blue/Orange 6X Loading Dye contains 0.03% bromophenol blue, 0.03% xylene cyanol FF, 0.4% orange G, 15% Ficoll® 400, 10mM Tris-HCl (pH 7.5) and 50mM EDTA (pH 8.0). This dye is used for loading DNA samples into gel electrophoresis wells and tracking migration during electrophoresis.

Migration Characteristics: In a 0.5–1.4% agarose gel in 0.5X TBE, xylene cyanol FF migrates at approximately 4kb, bromophenol blue migrates at approximately 300bp and orange G migrates at approximately 50bp.

Recommended Dilution: Use 1 part Blue/Orange 6X Loading Dye for every 5 parts DNA solution.

Storage Temperature: For long-term storage, store at –20°C. For daily/weekly use, store at 4°C. See the expiration date on the Product Information Label.

Quality Control Assays

Band-Masking Effect: Blue/Orange 6X Loading Dye is mixed with Lambda/HindIII (Cat.# G1711) and Lambda/EcoRI (Cat.# G1721) Markers, and the marker fragments are separated by agarose gel electrophoresis. The separated xylene cyanol (dark blue), bromophenol blue (light blue) and orange G (orange) dyes must not mask any of the marker DNA fragments.

Nuclease Assay: Blue/Orange 6X Loading Dye is added to samples of plasmid DNA and lambda DNA, which are then incubated overnight at 37°C. Following incubation, the DNA samples, along with control samples, are subjected to agarose gel electrophoresis. The DNA that has been incubated with the Blue/Orange Loading Dye must not show any evidence of smearing when compared with control DNA samples.

Sample Retention: Five microliters of Blue/Orange 6X Loading Dye are added to 25µl of 0.04µg/µl pGEM®-3Zf(+) Vector in 5% ethanol. The DNA is then subjected to agarose gel electrophoresis followed by ethidium bromide staining. All of the DNA fragments present in the DNA sample must be visible on the gel.

Blue/Orange Loading Dye, 6X

REF G1881

LOT 0000302058

–30°C +10°C

2023-04-02

Dispensed Lot#: 0000264966

3ml

For Research Use

Country of Origin: USA

Promega Corporation
2800 Woods Hollow Road
Madison, WI 53711-5399 USA



PEEL
HERE



ADG1881 00003020580



Promega

Promega Corporation

2800 Woods Hollow Road	
Madison, WI 53711-5399	USA
Telephone	608-274-4330
Toll Free	800-356-9526
Fax	608-277-2516
Internet	www.promega.com

PRODUCT USE LIMITATIONS, WARRANTY, DISCLAIMER

Promega manufactures products for a number of intended uses. Please refer to the product label for the intended use statements for specific products. Promega products contain chemicals which may be harmful if misused. Due care should be exercised with all Promega products to prevent direct human contact.

Each Promega product is shipped with documentation stating specifications and other technical information. Promega products are warranted to meet or exceed the stated specifications. Promega's sole obligation and the customer's sole remedy is limited to replacement of products free of charge in the event products fail to perform as warranted. Promega makes no other warranty of any kind whatsoever, and SPECIFICALLY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES OF ANY KIND OR NATURE WHATSOEVER, DIRECTLY OR INDIRECTLY, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, AS TO THE SUITABILITY, PRODUCTIVITY, DURABILITY, FITNESS FOR A PARTICULAR PURPOSE OR USE, MERCHANTABILITY, CONDITION, OR ANY OTHER MATTER WITH RESPECT TO PROMEGA PRODUCTS. In no event shall Promega be liable for claims for any other damages, whether direct, incidental, foreseeable, consequential, or special (including but not limited to loss of use, revenue or profit), whether based upon warranty, contract, tort (including negligence) or strict liability arising in connection with the sale or the failure of Promega products to perform in accordance with the stated specifications.

© 1997, 1998, 2004, 2006, 2009, 2016 Promega Corporation. All Rights Reserved.

pGEM is a registered trademark of Promega Corporation. Ficoll is a registered trademark of GE Healthcare Bio-sciences.

All specifications are subject to change without prior notice.

Product claims are subject to change. Please contact Promega Technical Services or access the Promega online catalog for the most up-to-date information on Promega products.

Signed by:

R. Wheeler, Quality Assurance

Part# 9PIG188
Printed in USA. Revised 10/16.