

Safety Data Sheet

Aceto-Orcein Solution, 2%

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Aceto-Orcein Solution 2%

Synonyms/Generic Names: None

SDS Number: 7.00

Product Use: For Educational Use Only

Manufacturer: Columbus Chemical Industries, Inc. N4335 Temkin Rd. Columbus, WI. 53925

For More Information Contact: Ward's Science 5100 West Henrietta Rd. PO Box 92912-9012 Rochester, NY 14692 (800) 962-2660 (Monday-Friday 7:30-7:00 Eastern Time)

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Combustible liquid, Target organ effect, Harmful by skin absorption, corrosive

Target Organs: Teeth, Kidneys

Signal Word: Danger

Pictograms:

GHS Classification:

Flammable liquids	Category 3
Acute toxicity, Oral	Category 5
Acute toxicity, Inhalation	Category 3
Acute toxicity, Dermal	Category 4
Skin corrosion	Category 1A
Serious eye damage	Category 1
Skin sensitization	Category 1
Acute aquatic toxicity	Category 3

GHS Label Elements, including precautionary statements:

Hazard Statements:

H226	Flammable liquid and vapor.	
H303	May be harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H331	Toxic if inhaled.	
H402	Harmful to aquatic life.	

Precautionary Statements:

P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/ physician.	

Potential Health Effects

Eyes	Causes eye irritation.	
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.	
Skin	May be harmful if absorbed through skin. Causes skin irritation.	
Ingestion	May be harmful if swallowed.	

NFPA Ratings

Health	2
Flammability	3
Reactivity	0
Specific hazard	Not Available

HMIS Ratings H F R P

2
3
0
Н

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS #	EINECS# / ELINCS#	Formula	Molecular Weight
Acetic Acid	50	64-19-7	200-580-7	CH₃COOH	60.05 g/mol
Orcein	2	1400-62-0	215-62-0	$C_{28}H_{24}N_2O_7$	500.51 g/mol
Water	Balance	7732-18-5	231-791-2	H ₂ O	18.00 g/mol

4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention.	
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not	
	breathing, give artificial respiration. Get medical attention.	
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated	
	clothing and wash using soap. Get medical attention.	
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If	
	conscious, wash out mouth with water. Get medical attention.	

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking. Use water spray, alcohol-resistant foam, dry		
	chemical or carbon dioxide. Use appropriate media for adjacent fire.		
	Cool unopened containers with water.		
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective		
and precautions for firefighters	clothing, including eye protection and boots.		
Specific hazards arising from	Emits toxic fumes (carbon oxides, nitrogen oxides) under fire		
the chemical	conditions. (See also Stability and Reactivity section).		

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.
Methods and materials for containment and cleaning up	Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls: Ventilation and appropriate grounding of containers.

Component	Exposure Limits	Basis	Entity
Acetic Acid	10 ppm 25 mg/m ³	PEL	OSHA
	10 ppm 25 mg/m ³	TLV	ACGIH
	15 ppm 37 mg/m ³	STEL	ACGIH
	10 ppm 25 mg/m ³	REL	NIOSH
	15 ppm 37 mg/m ³	STEL	NIOSH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work. REL: Recommended Exposure Limit PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels CEIL: Ceiling

Personal Protection

Eyes	Wear chemical safety glasses or goggles, and face shield.		
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.		
Skin	Wear nitrile or rubber gloves, and full body covering. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		
Other	Not Available		

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Dark red, opaque liquid.
Odor	Not Available
Odor threshold	Not Available
рН	Not Available
Melting point/freezing point	Not Available
Initial boiling point and boiling range	Not Available
Flash point	Not Available
Evaporation rate	Not Available
Flammability (solid, gas)	Flammable
Upper/lower flammability or explosive limit	Not Available
Vapor pressure	Not Available
Vapor density	Not Available
Density	$1.001 \text{ g/cm}^3 \text{ (water = 1)}$
Solubility (ies)	Not Available
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Heat, flames, sparks.
Incompatible Materials	Oxidizing agents, soluble carbonates and phosphates, hydroxides, metals, peroxides, permanganates, e.g. potassium permanganate, amines, alcohols.
Hazardous Decomposition Products	Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

/ touto i okiony	
Skin	Not Available
Eyes	Not Available
Respiratory	Not Available
Ingestion	Not Available

Carcinogenicity

ea.eegeineity	
IARC	No components of this product present at levels greater than or equal to 0.1% is identified
	as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified
	as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Reddening, itching, inflammation. May cause blistering, tissue damage and burns.
Eyes	Irritation, lacrimation, redness, pain. May cause burns, blurred vision, conjunctivitis, conjunctival and corneal destruction and permanent injury.
Respiratory	Rhinitis, sneezing, coughing, oppressive feeling in the chest or chest pain, dyspnea, wheezing, tachypnea, cyanosis, salivation, nausea, giddiness, muscular weakness. May cause chemical pneumonitis, bronchitis, and pulmonary edema.
Ingestion	Burning and pain of the mouth, throat, and abdomen, coughing, ulceration, bleeding, nausea, abdominal spasms, vomiting, hematemesis, diarrhea. May also affect liver, behavior, and urinary system.

Chronic Toxicity	Chronic exposure to acetic acid via ingestion may cause blackening or erosion of the teeth and jaw necrosis, pharyngitis, and gastritis. It may also behavior (similar to acute ingestion), and metabolism (weight loss). Chronic exposure via inhalation may cause asthma and/or bronchitis with cough, phlegm, and/or shortness of breath. Repeated or prolonged skin contact may cause thickening, blackening, and cracking of the skin.	
Teratogenicity	Not Available	
Mutagenicity	Not Available	
Embryotoxicity	Not Available	
Specific Target Organ Toxicity	Not Available	
Reproductive Toxicity	Not Available	
Respiratory/Skin Sensitization	May cause sensitization by skin contact.	

12. ECOLOGICAL INFORMATION

Ecotoxicity

LOOIONIONY	
Aquatic Vertebrate	Not Available
Aquatic Invertebrate	Not Available
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before dispersion of waste producte or regidues.
	disposing of waste products or residues.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN2790, Acetic acid solution, 8, pg III
TDG	UN2790, ACETIC ACID SOLUTION, 8, PG III
IMDG	UN2790, ACETIC ACID SOLUTION, 8, PG III
Marine Pollutant	No
IATA/ICAO	UN2790, Acetic acid solution, 8, pg III

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Acetic Acid
SARA 312	Acetic Acid
SARA 313	Not Listed
WHMIS Canada	Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and
	93.3°C (200°F).
	Class E: Corrosive liquid.

16. OTHER INFORMATION

Revision	Date
Revision 1	12/26/2012
Revision 2	07/10/2013

Disclaimer: Columbus Chemical Industries, Inc. ("Columbus") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Columbus has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.